
Three steps to accessing scanned charts on MEDITECH EMR

Step 1: Log into MEDITECH Live, enter the EMR module and click view patient record




- → Should land Recent Access
- → Can click **Any Record** to search for specific patient




Step 2: Select or search any patients. Then click into any of the records that has a bed icon

- → Should land **Summary List**
- → Click Other Reports on the right hand side



<u>Step 3:</u> Under **Other Reports**, you can view different types of reports including electronic reports and scanned charts. To view scanned charts, simply click on the camera icon.

→ Some scanned charts may not be available at ARH / RCH as documentation is done on PCS and result is shown under **Care Activity**



Sample Scanned Charts

Example 1: ER Scanned Charts – Emergency



				(22)						
					_						
_	rm ID: ERXX104926B	-		14, 2016		Page: 1 of 4	_				
Dat	EF COMPLAINT:	Time:	1	Location:				ssessment by	у.		Initials:
	TORY OF THE CHIEF		dema	/36€	elling		_	ecorded by:			initials.
riis	Edema 1		000000000	naich	drung	HV O		190 2 2 2 2 1 1 1 1 1 1 1	2016.0	-000	010
6	roblem . V	Nors	e over	the I	ast w	eek	FIIVE	CIST	cuse	-000	OIL
Ľ	Denies 3										
PA	ST MEDICAL HISTOR	-	☐ PREVIOU	JSLY HEALTH	Y 🗆 U	INKNOWN			w	eight	
\vdash	Circh	0515									
\vdash											
All	ergy Status: 🗆 NK	DA 🗆 Y	es:							Band on '	□MediT
	dication History : Co			Med History (B	PMH) on Med	Rec form				BPMH con	
Inf	ection Control: 🖺 R		Contact	☐ Contact Plu	us 🗌 Enhan	ced Contact	□ Droplet [☐ Airborne		Initiated at	
rte	Falls Risk Assessme		leted: \(\tau \) Hy	of Falls Fra	il or Elderly	Impaired-	Naine DO	nonition [
										Enlle Dreen	utions in
Liv				C) LI Use of r	mobility aids ()		VISION LIC			Falls Preca	
	ing situation: Inde				mobility aids (I ended Care	list):			Additional	precaution	
Α	ring situation: ☐ Inde	pendent	☐ Assisted	iving 🗆 Exte		list):			Additional Unknown	precaution	s - See n
1		pendent	☐ Assisted	iving 🗆 Exte		list):			Additional Unknown	precaution MOST: NTIONS:	s - See n
A / W	MAINTAINS OW	pendent	☐ Assisted	living □ Exte STRIDOR	ended Care	list):			Unknown INTERVE	precaution MOST: NTIONS:	s - See n
/ W B	☐ OTHER:	pendent N and CL	Assisted EAR DEPTH	STRIDOR COUGH	ended Care	list): Directives:	□ Full Code		Additional Unknown INTERVE Airway #:	MOST: ENTIONS: ar Sud	ion C
/ W B R	CYMAINTAINS OWI	pendent N and CL	Assisted EAR DEPTH DOWNAL	STRIDOR COUGH	RHY	iist): Directives: THM EGULAR		DNR D	Additional Unknown INTERVE Airway #:	MOST: ENTIONS: I Suci	ion C
/ W B	QUALITY VON-LABOURED	pendent N and CL	Assisted EAR DEPTH NORMAL SHALLOV	COUGH STRIDOR COUGH NONE WEAK	RHY	Directives: THM EGULAR REGULAR	□ Full Code	DNR D	Additional Unknown INTERVE Airway #:	MOST: ENTIONS: ar Sud	s - See n
/ W B R	QUALITY IN NON-LABOURED IN TRACHEAL TUG	pendent N and CL	DEPTH NORMAL SHALLOV DEEP	COUGH WANTED COUGH NONE NON-F	RHY PRODUCTIVE	Directives: THM EGULAR REGULAR	Full Code	DNR D	Additional Unknown INTERVE Airway #:	MOST: ENTIONS: ar Sud	s - See n
/W BREA	DMAINTAINS OWI	pendent N and CL	DEPTH NORMAL SHALLOV DEEP	COUGH STRIDOR COUGH NONE WEAK	RHY PRODUCTIVE	THM EGULAR REGULAR	R Normal Decreased = Wheezes	DNR D	Additional Unknown INTERVE Airway #:	INTEL ON NO.	s - See n
/W BREATHI	DMAINTAINS OWI	pendent N and CL	DEPTH NORMAL SHALLOV DEEP	COUGH WANTED COUGH NONE NON-F	RHY PRODUCTIVE	THM EGULAR REGULAR	R Normal	DNR D	Additional Unknown INTERVE Airway #:	MOST: ENTIONS: ar Sud INTE	S - See n
/W BREATHIN	DMAINTAINS OWI	pendent N and CL	DEPTH NORMAL SHALLOV DEEP	COUGH WANTED COUGH NONE NON-F	RHY PRODUCTIVE	THM EGULAR REGULAR	R Normal Decreased = Wheezes	DNR D	Additional Unknown INTERVE Airway #:	MOST: ENTIONS: ar Sud INTE	s - See n
/W BREATHI	QUALITY QUALITY MON-LABOURED TRACHEALTUG ACCESSORY ML RETRACTIONS COMMENTS:	pendent N and CL	DEPTH NORMAL SHALLOV DEEP	COUGH WANTED COUGH NONE NON-F	RHY PRODUCTIVE	THM EGULAR REGULAR IN I	R Normal Decreased Wheees Crackles	BREATH S	Additional Unknown INTERVE Airway #: C-coll	most: NTIONS: ar Sud INTE L 0 N N E R C R C R C R C R C R C R C R C R C R	S - See n
/W BREATHIN	DMAINTAINS OWI OTHER: QUALITY IN NON-LABOURED TRACHEAL TUG ACCESSORY ML RETRACTIONS COMMENTS: PULSE VOLUME	pendent N and CL USCLE US	Assisted EAR DEPTH NORMAL SHALLOV DEEP SE	COUGH WANTED ON THE PRODUCT OF THE P	RHY CYRE PRODUCTIVE	THM EGULAR REGULAR I I I I I I I I I I I I I I I I I I I	R Normal Decreased = Wheezes	BREATH S	Additional Unknown INTERVE Airway #: C-coll	precaution MOST: MOST: NTIONS: INTERNATIONS I	S - See n
/W BREATHIN	CMAINTAINS OWI	Pendent N and CL USCLE US RHYTHM REGULAR	Assisted EAR DEPTH NORMAL SHALLOV DEEP SE	COUGH WARM	RHY CPRE PRODUCTIVE	THM EGULAR REGULAR W H	R Normal Decreased Wheeles Orsokies	BREATH S	Additional Unknown INTERVE Airway #: C-coll	MOST: MOST: NOST: NOST	ion C RVENTIC RRB acce mass AGGED hT: R _ L _ RVENTIO
/W BREATHIN	CMAINTAINS OWI	Pendent N and CL USCLE US RHYTHM REGULAR	Assisted EAR DEPTH NORMAL SHALLOV DEEP SE SKIN L'DRY	COUGH WARM	RHY ROUGH	THM EGULAR REGULAR H	R Normal Decreased Wheenes Crackles	BREATH S S CAP. REF	Additional Unknown INTERVE Airway #: C-coll OUNDS	MOST: MOST: NOST: NOST	ion C RVENTIC RRB acce mass AGGED hT: R _ L _ RVENTIO
/W BREATHIN	OMAINTAINS OWI	Pendent N and CL USCLE US RHYTHM REGULAR	Assisted EAR DEPTH NORMAL SHALLOV DEEP SE SKIN L'DRY	COUGH WNONE NON-1 PROD	RHY ROUGH	THM EGULAR REGULAR H	R Normal Decreased Wheenes Crackles EART SOUND S1 S2 DISTANT	BREATH S S CAP. REF	Additional Unknown INTERVE Airway #: C-coll OUNDS	MOST: MOST: NOST: NOST	S - See n
/W BREATHIN	DMAINTAINS OWI OTHER: QUALITY NON-LABOURED LABOURED ACCESSORY ML RETRACTIONS COMMENTS: PULSE VOLUME LYNORMAL WEAK BOUNDING	Pendent N and CL USCLE US RHYTHM REGULAR	Assisted EAR DEPTH NORMAL SHALLOV DEEP SE SKIN L'DRY	COUGH WNONE NON-1 PROD	RHY ROUGH	THM EGULAR REGULAR H	R Normal Decreased Wheenes Crackles EART SOUND S1 S2 DISTANT	BREATH S S CAP. REF	Additional Unknown INTERVE Airway #: C-coll OUNDS	MOST: MOST: NOST: NOST	ion C RVENTIC RRB acce mass AGGED hT: R _ L _ RVENTIO
/W BREATHING	DMAINTAINS OWI OTHER: QUALITY NON-LABOURED LABOURED ACCESSORY ML RETRACTIONS COMMENTS: PULSE VOLUME LYNORMAL WEAK BOUNDING	Pendent N and CL USCLE US RHYTHM REGULAR	Assisted EAR DEPTH NORMAL SHALLOV DEEP SE SKIN L'DRY	COUGH WNONE NON-1 PROD	RHY ROUGH	THM EGULAR REGULAR H	R Normal Decreased Wheenes Crackles EART SOUND S1 S2 DISTANT	BREATH S S CAP. REF	Additional Unknown INTERVE Airway #: C-coll OUNDS	MOST: MOST: NOST: NOST	ion C RVENTIC RRB acce mass AGGED hT: R _ L _ RVENTIO
/W BREATHING C	DMAINTAINS OWI OTHER: QUALITY NON-LABOURED LABOURED ACCESSORY ML RETRACTIONS COMMENTS: PULSE VOLUME LYNORMAL WEAK BOUNDING	Pendent N and CL USCLE US RHYTHM REGULAR	Assisted EAR DEPTH NORMAL SHALLOV DEEP SE SKIN L'DRY	COUGH WNONE NON-1 PROD	RHY E LYRI C IR PRODUCTIVE SELESH PALE MOTTLED CYANOTIC	THM EGULAR REGULAR Co-	R Normal Decreases 'Crackles EART SOUND JS1 S2 J DISTANT	BREATH S S CAP. REF	Additional Unknown INTERVE Airway #: C-coll OUNDS	MOST: MOST: NOST: NOST	ion C RVENTIC RVENTIC
/W BREATHING C	DMAINTAINS OWI OTHER: QUALITY NON-LABOURED LABOURED ACCESSORY ML RETRACTIONS COMMENTS: PULSE VOLUME LYNORMAL WEAK BOUNDING	Pendent N and CL USCLE US RHYTHM REGULAR	Assisted EAR DEPTH NORMAL SHALLOV DEEP SE SKIN L'DRY	COUGH WNONE NON-1 PROD	RHY ROUGH	THM EGULAR REGULAR Co-	R Normal Decreases 'Crackles EART SOUND JS1 S2 J DISTANT	BREATH S S CAP. REF	Additional Unknown INTERVE Airway #: C-coll OUNDS	MOST: MOST: NOST: NOST	ion C RVENTIC RVENTIC

EMERGENCY NURSING ASSESSMENT RECORD - ADULT

Page: 2 of 4

	MENTAL STATUS ☑ ALERT ☑ ORIENTED ☐ LOC X min ☐ VISUAL DISTURBANCE: ☐ H/A (describe):				CONFUSED				RVENTIONS	
١	COMMENTS:									
	Ca diveni	PROPRIATE	E IAL DEMANDS	☑ NORMAI		1000	ERVENTIO		CER	
		GRESSIVE		☐ WITHDR	AWN		POLICE -S		Y □ S	TTER
	HALLUCINATIONS: VISUAL AUDITOR SPEECH: CLEAR PRESSU		OLFACTORY SLOW	☐ TAC	CTILE				L INITIATED R SAFETY	
************	THOUGHTS: CLEAR DISORG SUICIDAL IDEATION HOMICIDAL IDEATIO		PLAN?:				PLN NOTIF	FIED		_
	₩ NO PROBLEM IDENTIFIED ABDOMEN	E	BOWEL SOUNDS	BLOO	D PRESENT		^		INTERVEN	ITIONS:
1	□ NAUSEA □ FLAT □ SO	FT [PRESENT	□ UP	PER	د.	$/ \setminus$		□ NGT_	
	□ VOMITING □ DISTENDED □ TE	NDER [ABSENT	□ ro	WER			7	□ ogT_	Fr
	□ CONSTIPATION □ OBESE □ RIG		FAINT	☐ DA	RK				= 1	PAIN
	□ DIARRHEA LBM: □ □ ÎNC COMMENTS: □	CONTINENT	r	□ BRI	IGHT	_	\		1 -	SCARS
-	NO PROBLEM IDENTIFIED LAST VOIDED: □ DYSURIA □ URGENCY □ FREQUENCY		INCONTINENT	OF URINE					FOLEY	F
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP:	CY [C	OVA TENDE	RNESS:		□ R		F BIGATED
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT WKs G P	CY [ABNORMAL COMMENTS: P = PAIN	□ VA	G BLEED	RNESS:	□ L DS/HR	□ R	FOLEY	FRIGATED
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP:	CY [☐ ABNORMAL COMMENTS: P = PAIN A = ABRASION ☐ = AMPUTATE B = BURN C = CONTUSION		G BLEED	RNESS:	□ L DS/HR	□ R	FOLEY	E I.5 mL II
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT WKs G P	CY [HEMATURIA ABNORMAL COMMENTS: P = PAIN A = ABRASION = AMPUTATI B = BURN C = CONTUSION f = LACERATIO # = DEFORMITY	ON N	G BLEED	PAI	□ L DS/HR	□ R	UALLY ACTIV	E 0.5 mL II
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT WKs G P	CY [□ ABNORMAL COMMENTS: P = PAIN A = ABRASION □ = AMPUTATI B = BURN C = CONTUSION / = LACERATIO # = DEFORMITY 0 = OPEN FRA	ON N	G BLEED	PAI	DS/HR EDING	□ R	FOLEY CATH IRF UALLY ACTIV DRE SPL	E INTED
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT WKs G P	CY [HEMATURIA ABNORMAL COMMENTS: P = PAIN A = ABRASION = AMPUTATI B = BURN C = CONTUSION f = LACERATIO # = DEFORMITY	ON NOT CTURE	G BLEED LAST TE NO AC	PAI ETANUS: CTIVE BLEE	DS/HR EDING PULSE S	□ R □ SEX	FOLEY CATH IRF UALLY ACTIV DRE SPL	E INTED
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT WKs G P	CY [□ ABNORMAL COMMENTS: P = PAIN A = ABRASION □ = AMPUTATI B = BURN C = CONTUSION / = LACERATION Ø = OPEN FRA S = SPLINTED O = SWELLING ↓ = PENETRATI	ON N CTURE	G BLEED LAST TE NO AC	PAI ETANUS: CTIVE BLEE	DS/HR EDING PULSE S	□ R □ SEX	FOLEY CATH IRF UALLY ACTIV DRE SPL	E INTED
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT WKs G P	CY [HEMATURIA ABNORMAL COMMENTS: P = PAIN A = ABRASION B = BURN C = CONTUSION / = LACERATIO # = OPEN FRA S = SPLINTED O = SWELLING	ON N CTURE	G BLEED LAST TE NO ACC 0 = ABSI 11 = WEA +2 = MSTR	PAI ETANUS: CTIVE BLEI ENT IK IERATE ONG	DS/HR EDING PULSE S	□ R □ SEX	FOLEY CATH IRF UALLY ACTIV DRE SPL	E ISSED
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT WKs G P	CY [HEMATURIA ABNORMAL COMMENTS: P = PAIN A = ABRASION B = BURN C = CONTUSION / = LACERATIO # = DEFORMITY Ø = OPEN FRA S = SPLINTED O = SWELLING L = PENETRATI CR = CRUSH R = RASH (desc W = WOUNDIUL	ON NO CTURE	G BLEED LAST TE NO AC	PAI ETANUS: CTIVE BLEI ENT IK IERATE ONG	DS/HR EDING PULSE S	□ R □ SEX	FOLEY CATH IRF UALLY ACTIV DRE SPL	E ISSED
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT WKs G P	CY [□ ABNORMAL COMMENTS: P = PAIN A = ABRASION □ = AMPUTATI: B = BURN C = CONTUSION / = LACERATIO # = DEFORMITY B = OPEN FRY S = SPLINTED O = SWELLING ↓ = PENETRATI C = CRUSH C = RASH (desc	ON NO CTURE	G BLEED LAST TE NO ACC 0 = ABSSI +1 = WE4 +2 = MSTR +4 = BOU	PAI ETANUS: CTIVE BLEI ENT IK IERATE ONG	DS/HR EDING PULSE S TIME	SEX	FOLEY CATH IRF UALLY ACTIV DRE SPL	F F F F F F F F F F F F F F F F F F F
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT WKs G P	NORMAL A	HEMATURIA □ ABNORMAL COMMENTS: P = PAIN A = ABRASION □ = AMPUTATI: B = BURN C = CONTUSION / = LACERATIO # = DEFORMITY Ø = OPEN FRA S = SPLINTED O = SWELLING L = PENETRATI CR = CRUSH R = RASH (desc W = WOUND/UL (describe details	ON N CTURE NG ribe below) CER below)	G BLEED LAST TE NO ACC 0 = ABSSI +1 = WE4 +2 = MSTR +4 = BOU	PAI ETANUS: ETIVE BLEI ENT IK BERATE ENG NDING	DS/HR EDING PULSE S TIME	SEX	FOLEY CATH IRF UALLY ACTIV THO SPL TH	F F F F F F F F F F F F F F F F F F F
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT WKs G P	NORMAL A	HEMATURIA □ ABNORMAL COMMENTS: P = PAIN A = ABRASION □ = AMPUTATI: B = BURN C = CONTUSION / = LACERATIO # = DEFORMITY Ø = OPEN FRA S = SPLINTED O = SWELLING L = PENETRATI CR = CRUSH R = RASH (desc W = WOUND/UL (describe details	ON N CTURE NG ribe below) CER below)	G BLEED LAST TE NO ACC 0 = ABSSI +1 = WE4 +2 = MSTR +4 = BOU	PAI ETANUS: ETIVE BLEI ENT IK BERATE ENG NDING	DS/HR EDING PULSE S TIME	SEX	FOLEY CATH IRF UALLY ACTIV THO SPL TH	F F F F F F F F F F F F F F F F F F F
	DYSURIA URGENCY FREQUENCY COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT WKs G P	NORMAL A	HEMATURIA □ ABNORMAL COMMENTS: P = PAIN A = ABRASION □ = AMPUTATI: B = BURN C = CONTUSION / = LACERATIO # = DEFORMITY Ø = OPEN FRA S = SPLINTED O = SWELLING L = PENETRATI CR = CRUSH R = RASH (desc W = WOUND/UL (describe details	ON N CTURE NG ribe below) CER below)	G BLEED LAST TE NO ACC 0 = ABSSI +1 = WE4 +2 = MSTR +4 = BOU	PAI ETANUS: ETIVE BLEI ENT IK BERATE ENG NDING	DS/HR EDING PULSE S TIME	SEX	FOLEY CATH IRF UALLY ACTIV THO SPL TH	E. D.5 mL IV
	DYSURIA URGENCY FREQUENT COMMENTS: DYNO PROBLEM IDENTIFIED LMP: PREGNANT Wks G P	NORMAL A	HEMATURIA □ ABNORMAL COMMENTS: P = PAIN A = ABRASION □ = AMPUTATI: B = BURN C = CONTUSION / = LACERATIO # = DEFORMITY Ø = OPEN FRA S = SPLINTED O = SWELLING L = PENETRATI CR = CRUSH R = RASH (desc W = WOUND/UL (describe details	ON N CTURE NG ribe below) CER below)	UAST TE LAST TE NO ACC 0 = ABSS +1 = WE +2 = MOL +3 = STR +4 = BOU	PAI ETANUS: ETIVE BLEI ENT IK BERATE ENG NDING	DS/HR EDING PULSE S TIME	SEX	FOLEY CATH IRF UALLY ACTIV THO SPL TH	F F F F F F F F F F F F F F F F F F F



EMERGENCY NURSING ASSESSMENT RECORD - ADULT

DATE:																		N	EUROLOG	GICAL V	ITA	LS	IGI	VS				
т	ME	BS	less.	Sla																TIME		SPS	T	T				
	\neg							П			П							Sp	ontaneous		4	J	T	\top		П	T	\neg
Blood	40																Eye Opening	To	Sound		3	~	†	+		\vdash	7	
Pressure 2	30	0	/	4								Н	\vdash				Response	To	Pressure	_	2	\pm	+	+	H	\vdash	+	
V A 2	20	1	3	6			-						\vdash	\vdash	Н		1	No	ne		1	+	+	+	Т	\vdash	+	
Heart 2	10	8	46	33	Н						-	\vdash		\vdash			1	No	t Testable	N	ır	\pm	+	+	H	Н	+	
Rate 2	00	~	_						Н					\vdash	Н			0	iented		5	7	†	$^{+}$	Т	Н	\forall	_
	90		_				Н		\vdash	_				\vdash			Best Verbal		infused		4	1	$^{+}$	+	H	\vdash	+	
MAP	80																Response		ords		3	+	+	+	+	\vdash	+	_
X	70																	-	unds		2	+	+	+	+	Н	+	_
1	60	-	-								Н		-	\vdash		Н	-	-	ne		1	+	+	+	+	Н	+	
-1	50		_								\vdash			\vdash			1	-	t Testable		NT	+	$^{+}$	+	t	Н	+	
-	40		_		-								-	-				-	eys Comman		6	1	$^{+}$	+	H	Н	+	_
1	30	-	_		_	-		Н		Н	Н		H	\vdash			1	-	calizing		5	+	+	+	H	Н	+	-
7	20		_	\vdash		-		Н	-	Н	\vdash	-	\vdash	-	\vdash	\vdash	Best Motor	_	ormal flexion		4	+	+	+	\vdash	H	\pm	-
,	10	-		\vdash		\vdash		\vdash	-	Н	Н		-	\vdash	Н	\vdash	Response	-	normal Flexic		3	+	+	+	H	H	\forall	_
	00																		tension		2	+	+	+	+	Н	+	
	90	9				-		1000									1	<u> </u>	one		1	+	+	+	H	Н	+	
	80	_	_	Ť	-	Н		\vdash	-	Н	Н	-	H	1		-	1	-	t Testable		NT	+	+	+	+	Н	\forall	
	70			\vdash		-			_		\vdash	-	-	\vdash	\vdash					S TOTA	Δ1	K	+	+	t	Н	+	
	60																**!f a response	is No				-	ridus	By: C	CS	TOT	AL =	N
	50											H	H					PUP			R		T	T	T			
	40	-	H	H	-	-		-		H	H	H	\vdash	\vdash	-	-		+ F	leacts	SIZE		+	+	+	+	H	-	
	_		H	-	H	H		H			Н	H	⊢	-		-	. •		lo Reaction		L	\dashv	+	+	╁	H	\dashv	_
M/			_	100	H	-		_	-	L	-	H	-	⊢	\vdash	⊢	7			REACTI	R	\rightarrow	+	+	╀	\vdash	\dashv	
Temperati				38	_	_	_	_	_	L		_	_	┡	┕	┡	, ∑ ⊦			1200	L	\vdash	+	+	+	Н	\dashv	_
Ro	_	14	_	_	L	_	_	_	_	L		L	L	┡		L	6		177.70	ARMS	R	\vdash	4	\perp	╄	\sqcup	\perp	
Respiratory R		18	18	16	L	L		L		L		L	L	L				WO	LITY TO VE		L	\vdash	4	+	╀	Ш		
FiO ₂ /L ₁	m	13	14	/													1 4 6			LEGS	R	\vdash	4	+	╄	ш		
DEVI			4														_		Strong Veak		L	\vdash	4	+	+	\sqcup		
Sp	O2	ģβ	98	97															Absent	DRIFT	-	\vdash	4	+	-	\sqcup		_
EtC	O2			/																Initi	ial	Ц	\perp	\perp		Ш		
PAIN Scale 0-	10			0																				TION				
SEDATION Sc	ile			1													TEMP ROUTE	S:	DEVICES: NP = Nasal	Prong	S			ing bu			rou	se
Delirium (CA	M)			NE													O Oral R Rectal		FM = Face	Mask	1			e and				
Weight (I	g)			V							Г			T			F Foley TA Temporal		NRB = Non ET = Endot	0.00	3			y drov ently o				
Initi	ıls	W	W	n		-	-	\vdash	-	\vdash		\vdash	+	+		-	AX Axilla E Esophage		T = Trach BIPAP	, L				during				

EMERGENCY NURSING ASSESSMENT RECORD - ADULT


Page: 4 of 4

								T	. ugo.	4014				
			STAFF SIGN	NATURE							MEDICATIO	NS		
Printe	d Name	,	Si	gnature		Init	ials	TIME	ME	DICATION	DOSE	ROUTE	INITIAL	V. O. DR.
11/0	nDa	14	mva	naal	n	N	V	1200	16	Six	40	IV	AA	
N VIL	1100	U	111100	. 10	ĸ	_		1 44	1	SIX	Aon	. 7	vor	
			-			_		11-17	1	31/2	70	8	107	
					_					,				
									_					
		1817	TRAVENOU	IR ACCES	c				-		_			
				ATTEMP		PERFORME BY	D/C	-	-			-		
SITE #	TIME	LOCAT	ION SIZE	ATTEMP	15	BY	INTACT	-	-		_	-		
_		+			-			-	-			-	_	
\rightarrow	_	+-	_	-	-		+	-	-		_		-	
		-			-		-	-	-		_	_		
												-		
			SOLUTI	TAKE			THE	LAMOUNT			OUTPL	T		
TIME	SITE	AMOUNT START	DRU	G R	ATE	INITIAL S	TIME TOPPED	AMOUNT INFUSED		URINE	NG	EMESI	S CT#	1 CTM
						-			1300	-	\	-	-	
						-			1700	150	-		_	-
													-	
TIME							PROGRE	ESS NOTE			waiti		RP -	— M
4	0	122	X 9	iver	1	_ \	ایاب	1 11	eis	Ne	, ort	př	· P+	
1630	Pt	blac	ddel	scan	in	ed fo	V 3	91 m	L. A	does	not fe	el th	o w	ge
	to		d											m
100213	111		suab	COLL	10	Lod	_	-mv						Л
ian	M	old.	LO COST	Do	200	PADA	IN	nanc	10.					90
1/116	100	eld.	Mai	NIO	MY	0100	<u> </u>	XUN	dost	M	0000	- Dv	mdo	do
41	1/66	09	$\mathcal{V} \cup \mathcal{V}$	1111	0	COR	· 4	_ VOI	gar	COTI	wib.	PIC	VICIE	de
0 an	W	4170	11 0	2007	4		VSS	. 7	20 <	SACI	don	n		
χlαj	1	ses.	14, CC	MIDL	27	EG.	VD.	01 8	2000	UTT.	y pu	21		- Me
XIZ	UPM	1 me	us	com	46	lteg	. f	T CI	gille	3,04	ncert	10.		- 00
Q10	5 FO	Wea	+0 <	IN t	a	$-\infty$	0 4	rouns	ter :	pt C	war	, -		OK
			P	ERSONA	L BE	ELONGING					DISPOSIT	ION	TIME:	
CLOT	HES [BEDSIDE		LY/FRIEND	10.0	VALUABLE:		ATIENT	FAMILY/FF			_	_	
Cn.		@ SCEN				☐ ER LOCK					CHARGE	HOME	□ DID N	IOT SEE LE
	C] PT REFU	ISES TO SEC		_	☐ PT REFU	SES TO S	SECURE		2.55	COMPANIED B			
Dentu	res:	☐ None	☐ Upper		[Partial					PRESCRIPTION			
Eyegla	isses:	☐ None	☐ Yes	Other:						1.000	DISCHARGE IN			
Hearin	g Aids:	☐ None	☐ Left	Right							MIT/TRANSFER		T.	
Medica	ations:	☐ None	☐ Yes								ANSFERRED TO			
Jewels	v:	☐ None	☐ Yes							AC	COMPANIED B	Y:		

Example 2: Surgery Scanned Charts – Post Anaesthetic Care Unit Record



fraserhealth	04/08/2018 15:40		DAGU
POST ANAESTHETIC Regional Surgical Progr	C CARE UNIT RECOR	D	
Form ID: ANXX104616D		ge: 1 of 4	
Procedure: La Our DScor	Allergies: Codeine	ASA DAle	rtentified Dires □ No
,	AC =VAICEYSTEE A	117	
History: Hypothyroud Anaesthetist Thorneloc A	Anaesthetic: General Spinal	Epidural ☐ Block ☐ Local ☐ Pr	1 (N) M) rocedural Sedation □ None
LOC See Notes Unconscious Reacting Responding Conscious Position	RESPIRATORY	ty Delivery/Mode sy/Clear	
M Pulse Rhythm Quality	ong	Limb Circ. Sati	isfactory / Intact / Intact / Sutured / Secured cked / Leveled / Zero'd A Type & Size & Site
Sedation Scale Alert & Orientated Prevsy but easily roused or as pre-op level Confused, MD aware	MEDICATIONS In Minimal Pain 0 / 10 OK Analgesia Oxycod + Tylerol PONV ANO DYES Resolved Antiemetics @ Antibiotics @ 0751 Arcet Sgmil	Urses Signature SURGICAL SITE	FLUIDS IV Solution/TBA VS IV Solution/TBA VS IV Solution/TBA VS IV Sites satisfactory in fusing well IV Sites satisfactory



- Frequently drowsy, rousable, drifts off to sleep during conversation Somnolent, minimal or no response
- S Sleep, easy to rouse (to be used after attaining a score of 2 or higher x 30 min)
- FHA Surgical Motor Scale:
- O None = full flexion of feet knees
 Mid = only able to flex
 feet and knees
 Moderate = able to move

- feet only Maximum = unable to move feet or knees
- 3 Maxi

- Obstetrics:
- Colour:
 P Pink
 PA Pale
 M Mottled
 C Cyanotic
 J Jaundice
 SS Serosanguanious
 SA Sanguanious F Firm B Boggy U Umbilicus 1 Above Umbilicus 1 Below Umbilicus
 - C Clear

Colour:

Miscellaneous:

- Miscellaneous:
 NN See nurses notes
 V Present/ complete
 O Oral
 TA Temporal artery
 R Rectal
 BI Blanket
 FA Forced Air Warming
- Arousal Score:
- Availe B alert, obeys commands easily
 Steeping, easy arousal to voice, light touch and then can obey commands
 Arousal to repeated voice commands or tactile

- Responds only with repeated painful tactile stimuli
 Does not respond to verbal or painful stimuli



POST ANAESTHETIC CARE RECORD Regional Surgical Program


Date: Medicat	ions	Pain Scal	e 0 - 10	Sedation Scale (1 = Alert, 4 = Somnolent)	Allergies:	Code	ere	ARA	_ □ Alert
Time	Pain	Sedation Scale		Medication		Dose	Route	Initial	High Alert IDC/Double Ch
rayes	Scale 5/10)	57	ylenol 650ma no	Valor				ibc/bodble ch
475	7/0	-	3	grenor escring po	1991				
			10	exycudone ruma po	,				
				/					
			1	20 . 0					
			7	Q MAR.		_			
			_	7.7.					
_		-							
				- indi					
	-/								
	/								
				/	-/				
		-	-/		/				
			$/\!-$						
							_		
						/			
OR Intak	_					OR Output	le co		
Platelet		Plasma	Albumin	RBC Volume Total	Total	OR Urine	Estima	ited Blood	Loss Oth
				RBC Volume Total Expander Colloid	Total Crystalloids	- 1 1112	1 1	21/1	
					280	Time Urin	Total Urine		
IV Size / Sit	te: #	20(B)	Hand		, O J	143000	1110	Dint	101
Time S	ite			Medications Rate Initial Time Amou	nt .	1430 W	449	DIACI	VIIC
74 (2	and of	-	The state of the s				_	_
1/4 H		///		100	<u>'</u>		-		
OIA	DA	00/w	D5	16NS 24 40					
3,,,,,				1 101 4					
					-				
	_						+	-	_
							-		

POST ANAESTHETIC CARE RECORD Regional Sugical Program

Page: 4 of 4

Date/Time		ses Notes
1480	pt recived fremdan	yshilt pris Atoxz co
IA.	min co pain to sun	e site pts vas laferiles
	pt devies SOB/C	thest pun at present,
	and is soft/large	- + would BSY4 but faut
	and more disy	CX4 i mepored days
	P+7 IV SIRS INT	while well, pt 3 toleets
1.100	thing of CON	Hat present. gt
1430	pt voicee 4000	civitoille pt inel to
	washow pt	sobilities with himself
	assist aroute	FACE & Cop PT NOBICED
1430	of tolerative civil	elwater/ Lookies &
	CO NTY OF OCH	esperat. a-
1445	pr. Gunaer at p	red side to see pt
-, , ,	awas of curren	I POST-OP STATUS
	DIC were orders	s recived of
1430	late entry pt	Oz terned off deep
	breathing & incen	tive spirometry used of
100	pt prohed non	n to spoul on States
	,	
		,
Name:	Print & Sign Status/Initial	Name: Print & Sign
Name:		Name:
	Print & Sign Status/Initial	Print & Sign Status/Initial


Example 3: Discharge Summary (BH)



18 08:41	Physician Orders	antina Desert	Unavailable	Unavailable	Scanned	<u> </u>	
8 08:41 8 08:41	Signature Identific Inpt/SDC Registra		Unavailable Unavailable	Unavailable Unavailable	Scanned Scanned		
		04/0	6/2018 09:20	1			
	P						
fraserl	health						
DIS	SCHARG	E SUMM	ARY				
DSDS10	14712A	Rev: Apr 15/11	F	age: 1 of 1			
	t Date/Time:			Discharge Date	Time:		
Most	Responsible Diag		t portion of stay);			
	٥A						
	dmit Comorbidities		agnoses impact	ting treatment	in hospital):		
	revere spinal sto	mais (13-15)					
	m7		7				
3 4	1TN		8				
4 6	BRD		9				
5 0	ysipi demia		10				
	admit Comorbidition	es (medical condit		reatment in ho	spital):		
1			7				
2			8				
3			9				
4			10				
5			11				
6			12	!			
Aller	gies: Keflex						
Code	Status: Jul						
_	U						
	rative Procedures/ood/Blood Products	☐ Chemot	herapy		t Resuscitation		Peri-orifice Endoscop
□ Ca	rdioversion	□ Dialysis	opic/Percutaneous Bi		hanical Ventilation centesis		Pleurocentesis Radiotherapy
□ Ce	Il Saver intral Line: PICC/Portaca				nteral Nutrition		Tracheostomy
≠ Ot	her						
	O TICA						
Post	Discharge Follow	Up: Nu no 0	orm is a	671			
			ASP 325				
		-pan	- homacer	Pan & I	stangia (eu	19 CR	BIO PRN
	me care arranged						
Disch	harge Disposition:	AMA ∯To home □	To acute facility		D LT	c	
□ Ex	pired cause						
Phys	ician Signature:				□ Dic	tated .	Job#

(Signature and printed name)

Example 4: Nurses Notes – Patient Documentation (BH)



L8 08:41 L8 08:41			Unavailable	Unavailable	Scanned	<
18 08:41		rogress Notes & Report		Unavailable	Scanned	Q
	Consultation		Unavailable	Unavailable	Scanned	▣
18 08:41		phics/Flowcharts	Unavailable	Unavailable	Scanned	
18 08:41		Records Misc	Unavailable	Unavailable	Scanned	
18 08:41	Physician O	rgers dentification Record	Unavailable Unavailable	Unavailable Unavailable	Scanned Scanned	
L8 08:41 L8 08:41	Inpt/SDC R		Unavailable	Unavailable	Scanned	
10 00.41	тпрозве к	cgistration	Onavanabic	Onavallable	Scarinea	-
ORTHO	RESS NOT	JRSE PRACTITIO				
Form ID: NUI		Rev: Feb 15, 2018	Page: 1 of 2			
Date:	v	Time:				
N = Normal - as CNS/Cognition Alert and oriente Neurologically in	(Cog): ed x 3.	# Left □ Rig	ht Surgery: Arthrop	lasty □ Hip □ Su	perpath Hip 🕟	Knee
CVS: No visible pulsa s1, s2 regular, n murmurs or rub.	no s3, s4, Pulses	of complaint: pacute	concerns par	o hanne to da	ng @ b	Nesen
palpable, Cap ro skin warm and o	dry.	of seven spinal steros	- 4			OH
RESPIRATORY Thorax: symmet with equal excur Clear with good	dry. Y (RESP): trical ration. I air entry CNS	JA, HIVEU IPINAL SEROS NLS: BP: 132/62 HR:	69 T: 36°	RR: 14	02Sat: 96	7. 10
skin warm and c RESPIRATORY Thorax: symmet with equal excur Clear with good to all lung fields. No crackles or v GI: Albdomen: symmetry	dry. Y (RESP): VITA trical rsion. air entry wheezes metrical, CVS	LS: BP: 132/62 HR:	g Pain scale (RR: 14 rest) 2 /10 (ac	02Sat: 96	7. 10
skin warm and c RESPIRATORY Thorax: symmet with equal excur Clear with good to all lung fields. No crackles or v GI: Albdomen: sym soft, non-tender	dry. Y (RESP): trical relon. air entry wheezes metrical, r without	ALS: BP: 132/62 HR: 6/Cog: CAM Pos Ne	g Pain scale (RR: 14 rest) 7 /10 (ac	02Sat: 96	7. 10
skin warm and c RESPIRATORY Thorax: symmet with equal excur Clear with good to all lung fields. No crackles or v GI: Albdomen: symmetry	dry. Y (RESP): trical relon. air entry wheezes metrical, r without	ALS: BP: 132/62 HR: 6/Cog: CAM Pos Ne	g Pain scale (RR: 14 rest) 7 /10 (ac	02Sat: 96	7. 10
skin warm and c RESPIRATORY Thorax: symmet with equal excur Clear with good to all lung fields. No crackles or v GI: Albdomen: sym soft, non-tender masses or bruit	dry. Y (RESP): trical resion. air entry wheezes wheezes cvs cvs cvs cvs cvs cvs cvs c	ALS: BP: 132/62 HR: 6/Cog: CAM Pos Ne	g Pain scale (RR: 14 rest) 7 /10 (ac	02Sat: 96	7. 10
skin warm and c RESPIRATORY Thorax: symmet with equal excur Clear with good of all lung fields. No crackles or v GI: Albdomen: sym soft, non-tender masses or bruds. No organmegal GU: No distention / v retention. No ve	VITA (RESP): VITA	ALS: BP: 132/62 HR: A/Cog: CAM Pos D/Nei B: JVP: Edema: SIDD Neg. DETU	g Pain scale (spwwl 1 Left Right MWTMW), DP	RR: 14 rest) 2 /10 (ac /pmouph 0.mmq 6	02Sat: 96	7. 10
skin warm and c RESPIRATORY Thorax: symmet with equal exet with equal exet consistency of the symmetric GI: Albdomen: symmetric soft, non-tender masses or bruth Bowel sounds. No organmegal GU: No distention / No distention / No distention / No distention / No distention / No	dry. VITA VITA (RESP): VITA VITA CNS CNS CNS CNS CVS without Vy. RES GI:	ALS: BP: 132/62 HR: ACOG: CAM POS Ne BE JVP: Edema: SIX NG. DETU BP: MChest Jew	g Pain scale (spww.l. Left Right PMATMM), OP	RR: 14 rest) 2 /10 (ac /pmouph 0.mmq 6	02Sat: 96	7. 10
skin warm and concerning the skin warm and concerning the skin with equal excut Clear with good to all lung fields. No crackles or volume soft, non-tender masses or bruit Bowel sounds. No organmegal GU: No distention / volume soft, no distention / volume sounds. No volume sounds. No volume sounds. No unique sounds. No volume sounds. No volume sounds. No volume sounds. No volume sounds. Surgical Site:	VITA (RESP): VITA	ALS: BP: 132/62 HR: 6/Cog: CAM POS D Nei 5: JVP: Edema: SIX2 Neg. DETV 6: P: Mchest dew N&V LBM: prop	Pain scale (spinul 1 Left Right MUTTIMM). OP	RR: 14 rest) 2 /10 (ac /pmouph 0.mmq 6	O2Sat: _96	7. 10
skin warm and c RESPIRATORY Thorax; symmet with equal existing Clear with good to clear with good to all lung fields. No crackles or v GI Abdomen: symmod, non-tender masses or brub Bowel sounds. No organmegal GU: No distention / v retention, No v difficulties. Surgical Site: No signs of infe discharge from	dry. (RESP): VITA (RESP): VITA (RESP): CNS CNS CNS CNS CVS (Without control of the incision GU: GU:	ALS: BP: 132/62 HR: ACOG: CAM POS D'NE SIZO NEQ. DETV BP: MChest dew NEV LBM: Prop BS X & BL alway I ho old. You	g Pain scale (spinul 1 Left Rigi Printake 12 Avric with today	RR: 14 rest) 2 /10 (ac /proup 0.0mg 6	02Sat: 96	7. 10
skin warm and c RESPIRATORY Thorax: symmet with equal exus Clear with good to all lung fields. No crackles or v GI: Albdomen: symm soft, non-tender masses or brub Bowel sounds. No organmega! GU: No diskention / v retention. No vc difficulties. Surgical Site: No signs of infe No signs of infe	dry. (r(RESP): VITA trical ration. all entry CNS cheazes. CVS cvs without CVS	ALS: BP: 132/62 HR: GOOG: CAM POSTONO SIDD NO. DETU NEV LBM: PROP BS X 1 BLATUR I NO OIN. VOIG	Pain scale (spinul 1 Left Right MUTTIMM). OP	RR: 14 rest) 2 /10 (ac /proup 0.0mg 6	O2Sat: _96	7. NA
skin warm and c RESPIRATORY Thorax: symmet with equal exou Clear with good to clear with good to all ung fields. No crackles or GI: Albdomen: symmet soft, non-tender masses or bruit Bowel sounds. No orgammegal GU: No distention / v retention. No v difficulties. Surgical Site: No signs of infe discharge form sapproximated. MSK: Colour fit warm, dorsiplical	dry. VITA trical rision. CNS wheezes emetrical, cvs wheezes emetrical, cvs wheezes emetrical, cvs wheezes emetrical, cvs GI: Without GI: MSH Motherical of the incision of the i	ALS: BP: 132/62 HR: G/Cog: CAM POS D/Nep G: JVP: Edema: SIDD NEQ. DETV GIP: MChest delw I NEV LBM: prop BS X 1 Blatus I NO OIN YOIG G: NUT (N darsi)	Pain scale (spinul 1 Left Right PO intake 12 Airic will today Plantic fusion (RR: 14 rest) 2 /10 (ac /proup 0.0mg 6	O2Sat: _96	7. 10
skin warm and c RESPIRATORY Thorax: symmet with equal excu: Clear with good to all unip fields. No crackles or v GI Albdomen: symm soft, non-tender masses or but Bowel sounds. No organmega! GU: No dishention / I No dishention / I No signs of infe discharge from ste. Incision lim st	dry. (P(ESP): VITA trical raion. all entry cheazes CNS	ALS: BP: 132/62 HR: ACOG: CAM POS P Nee B: JVP: Edema: SIDA NEQ. PETV BP: Mehast delay BS X 1 Blance I ho op void ACOG: NET N darsif	g Pain scale (spinul 1 Left Rigi Printake 12 Avric with today	RR: 14 rest) 2 /10 (ac photopo 0.mc, 6 nt PPT+2 Q % meals Q dyswin Calf Le	O2Sat: 96	7. NA
skin warm and c RESPIRATORY Thorax: symmet with equal exou Clear with good to clear with good to all ung fields. No crackles or GI: Albdomen: symmet soft, non-tender masses or bruit Bowel sounds. No orgammegal GU: No distention / v retention. No v difficulties. Surgical Site: No signs of infe discharge form sapproximated. MSK: Colour fit warm, dorsiplical	dry. (RESP): VITA trical asian entry case asian. asian entry cheezes conficial, cvs	ALS: BP: 132/62 HR: G/Cog: CAM POS D/Nep G: JVP: Edema: SIDD NEQ. DETV GIP: MChest delw I NEV LBM: prop BS X 1 Blatus I NO OIN YOIG G: NUT (N darsi)	Pain scale (spinul 1) Left Right Po intake 10 Inch with today plants frusin (s) Stracto	RR: 14 rest) 2 /10 (ac photopo 0.mc, 6 nt PPT+2 Q % meals Q dyswin Calf Le	O2Sat: _96	7. NA
skin warm and c RESPIRATORY Thorax: symmel with equal excu: Clear with good to all unip fields. No crackles or v G! Albdomen: sym soft, non-tender masses or brush Bowel sounds. No organmega! GU: No dishertion / I No dishertion / I No dishertion / I No signs of infe discharge from ste. Incision in ste. Incision	dry. (r(RESP): VITA (r(RESP): VITA (rical ration. air entry care train. air entry care train. CNS (richeazes.	ALS: BP: 132/62 HR: ACOG: CAM POS D'NE SISTEM POS D'NE	Pain scale (spinul 1) Left Right Po intake 10 Inch with today plants frusin (s) Stracto	RR: 14 rest) 2 /10 (ac primary 0.1mg 6 it	ogod strew	7. NA
skin warm and c RESPIRATORY Thorax: symmet with equal excur Clear with good to all hung fields. No crackines or o GI: Albdomen: symm soft, non-tender masses or brush Bowels sounds. No dissention / I No dissention / I No dissention / I Surgical Site: No signs of infe discharge from site. Incision in in approximated. MSN: Colour fit woman, dorsiplus strong bisteral femerat, deep p titula liniac, mis ederna. Caf sof Fragility Scale	dry. (P(BSP): VITA trical rision.	ALS: BP: 132/62 HR: ACOG: CAM POSTONO BY LEM: PEUT BY LBM: PEUT BS X & Dlatus I no opn your C: NUT (N) darsif	Pain scale (spinul 1) Left Right Po intake 10 Inch with today plants frusin (s) Stracto	RR: 14 rest) 2 /10 (ac proving 0.mg 6 nt IPT + 2 Q % meals Q dyswin Calf Le Calf Le	oppoll strew (SNL KNP LIS ANL 7.(7. NA
skin warm and c RESPIRATORY Thorax: symmel with equal exus Clear with good to all lung fields. No crackles or v GI All All All All All All All All All Al	dry. (P(BSP): VITA trical rision.	ALS: BP: 132/62 HR: ACOG: CAM POSTONO BY LEM: PEUT BY LBM: PEUT BS X & Dlatus I no opn your C: NUT (N) darsif	Pain scale (spinul 1) Left Right Po intake 10 Inch with today plants frusin (s) Stracto	RR: 14 rest) 2 /10 (ac proving 0.mg 6 nt IPT + 2 Q % meals Q dyswin Calf Le Calf Le	oppoll strew (SNL KNP LIS ANL 7.(7. NA
skin warm and c RESPIRATORY Thorax: symmet with equal excur Clear with good to all hung fields. No crackines or o GI: Albdomen: symm soft, non-tender masses or brush Bowels sounds. No dissention / I No dissention / I No dissention / I Surgical Site: No signs of infe discharge from site. Incision in in approximated. MSN: Colour fit woman, dorsiplus strong bisteral femerat, deep p titula liniac, mis ederna. Caf sof Fragility Scale	dry. ((RESP): ((RE	ALS: BP: 132/62 HR: ACOG: CAM POSTONO BY LEM: PEUT BY LBM: PEUT BS X & Dlatus I no opn your C: NUT (N) darsif	Pain scale (spinul 1) Left Right Po intake 10 Inch with today plants frusin (s) Stracto	RR: 14 rest) 2 /10 (ac primary 0.1mg 6 nt PT+2 % meals calf re	oppoll strew (SNL KNP LIS ANL 7.(7. NA
skin warm and c RESPIRATORY Thorax: symmet with equal excur Clear with good to all unit pelach to anothers or unit Allodomen: symmet Bowel sounds. No disherition / Iv no disherition / Iv no repairation Surgical Site: No signs of infe discharge from site. Incision in image strong braterial frameral, deep publication publication. Colour fit warm, dornsighus strong braterial frameral, deep publication HHL Referent Discharge De Linch and Linch Linch and Lin	dry. ((RESP): ((RE	ALS: BP: 132/62 HR: ACOG: CAM POSTONO BY LEM: PEUT BY LBM: PEUT BS X & Dlatus I no opn your C: NUT (N) darsif	Pain scale (spinul 1) Left Right Po intake 10 Inch with today plants frusin (s) Stracto	RR: 14 rest) 2 /10 (ac proving 0.mg 6 nt IPT + 2 Q % meals Q dyswin Calf Le Calf Le	oppoll strew (SNL KNP LIS ANL 7.(7. NA
skin warm and c RESPIRATORY Thorax: symmet with equal excur Clear with good to all lung fields. GI: Albdomen: sym soft, non-tender masses or brus Bowel sounds. No drashes or of GI: Albdomen: sym soft, non-tender masses or brus Bowel sounds. No disherition / I No disherition / I No disherition / I No disherition / I Surgicial Site: No signs of line discharge from site. Incision in im approximated. MSN: Colour fit warm, dorsipyin strong blateral femoral, deep pt tibial infact, mile edema. Calf sof Fragility Scale HHL Refer Discharge Dei Home Di	dry. ((RESP): ((RE	ALS: BP: 132/62 HR: ACOG: CAM POSTONO BY LEM: PEUT BY LBM: PEUT BS X & Dlatus I no opn your C: NUT (N) darsif	Pain scale (spinul 1) Left Right Po intake 10 Inch with today plants frusin (s) Stracto	RR: 14 rest) 2 /10 (ac pproxyp D.m., G II IPT +2 Q % meals Q dyswia. Calf Le Calf Le	oppoll strew (SNL KNP LIS ANL 7.(7. NA
skin warm and c RESPIRATORY Thorax: symmet with equal excur Clear with good to all hung fields. GI: Albdomen: sym soft, non-tender masses or brus Bowel sounds. No crackles or of Climans of the control of the Bowel sounds. No disheritor / I No di	dry. VITA trical rision. CNS wheezes emetrical, cvs metrical, cvs wheezes emetrical, cvs metrical, cvs	ALS: BP: 132/62 HR: ACOG: CAM POSTONO BY LEM: PEUT BY LBM: PEUT BS X & Dlatus I no opn your C: NUT (N) darsif	Pain scale (2000) Left Right Province (2000) Province	RR: 14 rest) 2 /10 (ac pproxyp D.m., G II IPT +2 Q % meals Q dyswia. Calf Le Calf Le	oppoll strew (SNL KNP LIS ANL 7.(7. NA

PROGRESS NOTE ORTHOPEDIC NURSE PRACTITIONER

Page: 2 of 2

Date:_	: Time:
Assessment and Disc	charge Note:
(1) VKS i allelor	nu - BP stable postup on varsaron somy daily (HOTZ 12.5 daily
To whom	- P continue
	- desart in PACU - pappea desarts to 84% postup - safety
	net ped all on unit - stable. Paliati riea - all'is
	Im rafletyret by MPS
	@monitor par.
Doostop pain -	well managed on tyles (50 (QID, cutobnex 100 BID (COTR (36)
4	or Hm (pmg/24 ho). OIR HM related
	APS gavo - mack still min. in effect
(b)	continue current mynt. DLC NSAID: "ALT LOTE.
3DVTP-10W V	ng visk in per Ms.
	325 × 4122
taly	ambriation lite stops reviewed
	mbl. MC 7.1. postop B.S yestoday 6.8-12 (24.85). \$ 19 today (2015) sontinue aluculos & scinsuli, 1 pts Lugular NPH 28 visc Am, uSC PM & metformin 500mg TD 1 glyburide Smg 1310 } paqiiflozin 200mg tlauly
Dinusin - so	drig - nombre graftease of until 212 if remais O'I)
@ wobilty -	IDSBA - Ind cow
P	cleaned by ot. pt follow and
PLECTER - K	paseline 600 - 1 to 56 postop-Bain + 10 lively intravase dry
PI	PO fluids promition UP7! NO NEALTH (reprinct) XINS
Binisposino -	· If checked by PT & pain well managed - Dic home today
£1	ole med rec done
p(air ment booklet reviewed
ŧ	Flu Kollon in 2152
Signature:	Printed name



24 HOUR COMPLEX CARE RECORD Surgical Services

Date: LUID DAYS									Post (6			
-	BALANCE RECORD:	□ N/A		spital Da		cvc	Main					**********		
JAYS		14171	INTAKE				*********	T					TPUT	
	V Solution, Meds, Flushes	Rate	Stop Time	Amt inf	Oral	Tube	Initi	al	Time	Urin	е			Initia
							-	_					_	
							_	\rightarrow			-		+	+
_							+	+			+		+	+
\rightarrow							+	+			-		_	_
		-												
							-	+			+		-	-
		_			_		+	+	_		-		+	+
-						_	+	+			+		+	+
							_	\rightarrow					+	1
	12 HR Total:									12 H	R To	tal:_		
NIGH"	TS		INTAKE									OU	TPUT	1
	IV Solution, Meds, Flushes		Stop Time	Amt inf	Oral	Tub	e Init	_	Time	Se Se	13)		-	Initia
800	Ny U	150					a	Į.	100	80	0		+	- a
455	NS 1L	100					- 00	-		_	+		+	+
		_					+	$^{+}$			\pm		_	
								\neg						
											_			
						_	+-	-		_	-		+	+
						-	+-	+			+		+	+
						-	+	\rightarrow			+		+	+-
		-					_	+			+		_	
	12 HR Total:							\neg		121	HR T	otal		
	24 HR Total:							\neg		24	HR T	otal		
Drovie	ous 24 HR Balance: +/-						Cumi	lativ	e: +/					
	ptomatic for fluid overle			oo broatl		de e				me/in	itial	2	0/UK	
	ptomatic for dehydratic						ougii)						14	
			ntenance		adacı	-					TCIC:	26	144	Tie to
LI NU			Henance	Tubing/Ca	an Cha	nge			Peac	on if	IV D	IC.		Time/i
Time	DIV/# Cito	Tries if new	Gauge	Due	Do	-	Initial	Nr	ote if s				ied	11111071
-	1 (7.7)	new	1	Due		-	CK	140	010 11 0	raini ro	1001	аррі	100	
20	1 LMA	_	20	_	_	- 1	ne							
											100	-1		
Revie	w need for PIV each sh	ift (CP difficu	t IV start	& FC		Time	/Init	ial	D.	10/	CK		
PIV#	Site assessment Q1 to	4 hr. Do	cument Q	shift & pr	n					V	1			
	tion/Phlebitis Scale 0 - fr					cord				1	1			
If scor	re greater than 0, FC & C	P with a	ctions per	PIV Ther	apy Cl	inical	Recor	d	Ι.		φ			
	t and correct placement of									V 7	nt			
	ing dry & intact (change)				-					7	6	-		
Less	nd: ✓ = Yes X = No F	C: Foou	e Chart	CP: Care	Plan	N/A	Not A	nnli	cable	D/C	· Die	conti	inued	

24 HOUR COMPLEX CARE RECORD Cont'd Surgical Services

Page: 2 of 8

Behavior F	Dick Alor							Signs & Sy	прин	
								20		
ngs,				ted				~		
							-	NA	+	-
1	Added pr			one in	nlace		-	101	_	_
						osition.		/		
se	Free fron	falls th	is shift					V		
s on	ADDED	FALLS	RISK	INTE	RVEN	TIONS	BI	I/A		
	Bed/cha	r alarm	on							
ate			se to	nursin	g statio	n for				
	Hip prote staples:	0								
	☐ Osteo	oorosis/	Bone N	lets						
					derweial	nt/Weak				
nt-FC										
t & not					n					
t ot not									+	_
	Family e	ncourag	ed to s	tay						
ent Tool	Neurovital	s Flows	heet	Deliri	ium Mon	itoring Too	1 0	Behavior Pa	ittern Su	mmar
ft and PRN FC								V		
nizea tninking	Confueio	n Aeen	ement	Metho	d (CAM) negative		V		
FC	Comusic	III A5563	SHIGHE	INICUIO	u (CAM) Hegauve				
use of	Night sle	en: П	Sound	□In	termitte	nt 🗆 Res	tless			
a a a Mara						🗀 1100				
Нурохіа					00					
у	Observe	d emoti	onal sta	atus: C	alm/cor	nfortable		10		T
									_	+
9				are					_	+
	1. Guone p	ou coipa	too iii c	, di o		Te	itial	CK	_	+
0 i FI							iitidi			-
	VALUE AND DESCRIPTION OF THE PARTY OF THE PA	Contract Con								
		□Fa			э ЦРА	INAD L	Ben	aviour		-
			/10 or							
		_		#2			#3_		_	_
	Time	_							_	-
Location #										_
Pain at rest										
Movement										
30 min pos analgesic	t:									
Sedation so	core									
Tolerates a no distress	ctivity									
li li	nitial									
	Frand PRN FC Interpretation FC	Focused hypossession is an investment of the procession investment of the procession is an investment of the procession i	Focused hourly roupossessions Free from falls the ADDED FALLS Bed/chair alarm Patient room cloobservation Hip protectors on staples: Osteoporosis/I age over 75 Poor safety aw Dizzy/Syncope Family encourage tent Tool Neurovitals Flowslett and PRN FC anized thinking FC anized thi	Focused hourly rounds: Paposessions Free from falls this shift ADDED FALLS RISK Bed/chair alarm on Patient room close to observation Hip protectors on for 2 disappears and the stand protectors on for 2 disappears and protectors on	Focused hourly rounds: Pain, Perinder Free from falls this shift ADDED FALLS RISK INTE Bed/chair alarm on Patient room close to nursing observation Hip protectors on for 2 or more staples: Osteoporosis/Bone Mets Unsteady Frail/Und Age over 75 Previous Dizzy/Syncope/Hypertension Family encouraged to stay Perinder the and PRN process of the stap of stap of stap of the stap of st	ADDED FALLS RISK INTERVEN:	Focused hourly rounds: Pain, Perl needs, Position, Possessions Free from falls this shift ADDED FALLS RISK INTERVENTIONS Bed/chair alarm on Patient room close to nursing station for observation Hip protectors on for 2 or more criteria and no his staples: Osteoporosis/Bone Mets Unsteady Frail/Underweight/Weak Age over 75 Previous falls/injuries Poor safety awareness t & not Dizzy/Syncope/Hypertension Family encouraged to stay Pent Tool Neurovitals Flowsheet Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand PRN FC Poor safety awareness Delirium Monitoring Tool Rand Province Tool Provinc	Focused hourly rounds: Pain, Perl needs, Position, Possessions Free from falls this shift ADDED FALLS RISK INTERVENTIONS Bed/chair alarm on Patient room close to nursing station for observation Hip protectors on for 2 or more criteria and no hip staples: Osteoporosis/Bone Mets Unsteady Frail/Underweight/Weak Age over 75 Previous falls/injuries Poor safety awareness & not Dizzy/Syncope/Hypertension Family encouraged to stay Bent Tool Neurovitals Flowsheet Delirium Monitoring Tool Alert & orientated x 3 (person, place time) FC Night sleep: Sound Intermittent Restless Patient report Observed Denies concerns Patient participates in care Initial Service Flowsheet Pain Scale: 0-10 Faces pain scale PAINAD Beh Pain Goal: /10 or / Pain at rest /10 or /10	orderesal Falls Precautions in place within reach see Froused hourly rounds: Pain, Perl needs, Position, Possessions Free from falls this shift ADDED FALLS RISK INTERVENTIONS N/A Bed/chair alarm on Patient room close to nursing station for observation Hip protectors on for 2 or more criteria and no hip staples: Osteoporosis/Bone Mets Unsteady Frail/Underweight/Weak Age over 75 Previous falls/injuries Unsteady Frail/Underweight/Weak Age over 75 Previous falls/injuries I a not Dizzy/Syncope/Hypertension Family encouraged to stay Pent Tool Neurovitals Flowsheet Delirium Monitoring Tool Behavior Patent Age over 75 Patient report Observed Time/Initial: Observed emotional status: Calm/comfortable Patient report Observed Time/Initial: Service Flowsheet Pain Scale: 0-10 Faces pain scale PAINAD Behaviour Pain Goal: /10 or Pain I coation: #1 #2 #3 Time Location: #1 #2 #3 Time Location: #1 #2 #3 Time Location: #1 Pain at rest Movement 30 min post analgesic Sedation score Tolerates activity no distress	### See Universal Falls Precautions in place ### ADDED FALLS RISK INTERVENTIONS