Review Questions

1. The following code is executed

```
def f(x):
        return x + 2, x * 2

x, y = f(5)
print(x + y)
```

What is the output produced by the print() statement?

(a) 7 10

(b) 17

(c) x + y

(d) This produces an error.

(e) None of the above.

2. True or False: Names that are valid for variables are also valid for functions.

3. What output is produced by the print() statement when the following code is executed?

```
def calc_q1(x):
        q = 4 * x + 1
        return q

calc_q1(5)
print(q)
```

(a) 24

(b) 21

(c) q

(d) This produces an error.

(e) None of the above.

4. What is the value of q after the following code has been executed?

```
def calc_q2(x):
        q = 4 * x + 1
        print(q)

q = calc_q2(5)
```

(a) 24

(b) 21

(c) This produces an error.

(d) None of the above.

5. What is the value of q after the following code has been executed?

```
q = 20
def calc_q3(x):
        q = 4 * x + 1
        return q

q = calc_q3(5)
```

(a) 24
(b) 21
(c) This produces an error.
(d) None of the above.

6. What is the output produced by the print() statement in the following code?

```
def calc_q4(x):
        q = 4 * x + 1


print(calc_q4(5))
```

(a) 24
(b) 21
(c) q
(d) This produces an error.
(e) None of the above.

7. What is the output of the print() statement in the following code?

```
abc = 5 + 6 // 12
print(abc)
```

(a) This produces an error.
(b) 5 + 6 // 12
(c) 5
(d) 5.5
(e) 6

8. What is the output of the print() statement in the following code?

```
def = 5 + 6 % 7
print(def)
```

(a) This produces an error.
(b) 5 + 6 % 7
(c) 11
(d) 4

9. The following code is executed:

```
def get_input():
        x = float(input("Enter a number: "))
        return x


def main():
        get_input()
        print(x ** 2)


main()
```

At the prompt the user enters 2. What is the output of this program?
(a) x ** 2
(b) 4
(c) 4.0
(d) This produces an error.
(e) None of the above.

10. The following code is executed:

```python
def get_input():
        x = float(input("Enter a number: "))
        return x

def main():
        print(get_input() ** 2)

main()
```

At the prompt the user enters 2. What is the output of this program?
(a) get_input() ** 2
(b) 4
(c) 4.0
(d) This produces an error.
(e) None of the above.

11. What is the value of z after the following code is executed?

```python
def f1(x, y):
        print((x + 1) / (y - 1))

z = f1(3, 3) + 1
```

 (a) 3
(b) 3.0
(c) 2
(d) This produces an error.

12. What is the value of z after the following code is executed?

```python
def f2(x, y):
        return (x + 1) / (y - 1)

z = f2(3, 3) + 1
```

(a) 3
(b) 3.0
(c) 2
(d) This produces an error.
(e) None of the above.

13. What is the value of z after the following code is executed?

```python
def f3(x, y = 2):
        return (x + 1) / (y - 1)

z = f3(3, 3) + 1
```

(a) 3
(b) 3.0
(c) 2
(d) This produces an error.
(e) None of the above.

14. What is the value of z after the following code is executed?

```python
def f3(x, y = 2):
        return (x + 1) / (y - 1)
z = f3(3) + 1
```

(a) 3
(b) 3.0
(c) 2
(d) This produces an error.
(e) None of the above.

15. The following code is executed.

```python
def inc_by_two(x):
        x = x + 2
        return x

x = 10
inc_by_two(x)
print("x = ", x)
```

What is the output produced by the print() statement?

Programming Exercises

1. Write a function called convert to days() that takes no parameters. Have your function prompt the user to input numbers of hours, minutes, and seconds. Write a helper function called get days() that uses these values and converts them to days in float form (fractions of a day are allowed). get days() should return the number of days. Use this helper function within the convert to days() function to display the numbers of days to the user. The built-in function round() takes two arguments: a number and an integer indicating the desired precision (i.e., the desired number of digits beyond the decimal point). Use this function to round the number of days four digits after the decimal point.

The following demonstrates the proper behavior of convert to days():
convert_to_days()
 Enter number of hours: **97**
 Enter number of minutes: **54**
 Enter number of seconds: **45**

 The number of days is: **4.0797**

2. Write a function called calc weight on planet() that calculates your equivalent weight on another planet. This function takes two arguments: your weight on Earth in pounds and the surface gravity of the planet of interest with units m/s^2. Make the second argument optional and supply a default value of 23.1 m/s^2 which is the approximate surface gravity of Jupiter (Earth's suface gravity is approximately 9.8 m/s^2). To perform the conversion, use the equation: weight is equal to mass times suface gravity. Since your weight on Earth is given and you know the Earth's surface gravity, have your function use this information to calculate your mass (it is fine if, at this point, the units of mass are a mix of Imperial and the MKS system). Then, use your mass and the given surface gravity to calculate your effective weight on the other planet.

The following demonstrates the proper behavior of this function:
calc_weight_on_planet(120, 9.8)
120.0
calc_weight_on_planet(120)
282.85714285714283
calc_weight_on_planet(120, 23.1)
282.85714285714283

3. Write a function called num atoms() that calculates how many atoms are in n grams of an element given its atomic weight. This function should take two parameters: the amount of the element in grams and an optional argument representing the atomic weight of the element. The atomic weight of any particular element can be found on a periodic table but make the default value for the optional argument the atomic weight of gold (Au) 196.97 with units in grams/mole. A mole is a unit of measurement that is commonly used in chemistry to express an amount of a substance. Avogadro's number is a constant, 6.022_10^{23} atoms/mole, that can be used to find the number of atoms in a given sample. Use Avogadro's number, the atomic weight, and the amount of the element in grams to find the number of atoms present in the sample. Your function should return this value.

The following demonstrates the proper behavior of this function using 10 grams and the atomic weight of gold (default), carbon, and hydrogen:

num_atoms(10)
3.0573183733563486e+22
num_atoms(10, 12.001)
5.017915173735522e+23
num_atoms(10, 1.008)
5.97420634920635e+24

4. The aspect ratio of an image describes the relationship between the width and height. Aspect ratios are usually expressed as two numbers separated by a colon that represent width and height respectively. Common aspect ratios in photography are 4:3, 3:2, and 16:9. An image that has an aspect ratio of x : y means that for every x inches of width you will have y inches of height no matter the size of the image (and, of course, you can use any unit of length, not just inches, and even abstract units such as pixels). Suppose you are writing a blog and you have an image that is m units wide and n units high but your blog only has space for an image that is z units wide (where z is less than m). Write a function called calc new height() that returns the height the image must be in order to preserve the aspect ratio (i.e., a height that will not distort the image). This function takes no arguments and prompts the user for the current width, the current height, and the desired new width. In addition to returning the new height, this function also prints the value. The new height is a float regardless of the types of the values the user entered.

The following demonstrates the proper behavior of this function:
calc_new_height()
Enter the current width: **800**
Enter the current height: **560**
Enter the desired width: **370**

The corresponding height is: 259.0
259.0

5. Write a function called convert temp() that takes no arguments. This function obtains a temperature in Fahrenheit from the user and uses two helper functions to convert this temperature to Celsius and Kelvin. Write a helper function called convert to celsius() that takes a single argument in Fahrenheit and returns the temperature in Celsius using the formula

$$T_c = \frac{5}{9}(T_f - 32)$$

where T_c is the temperature in Celsius and T_f is the temperature in Fahrenheit. Write another helper function called convert to kelvin() that takes a single argument in degrees Celsius and returns degrees Kelvin using the formula

$$T_k = T_c + 273.15.$$

where T_k is the temperature in Kelvin. Use these two functions within your convert temp() function to display (i.e., print) the temperatures for the user. The convert temp() does not return anything.

The following demonstrates the proper behavior of this function:
convert_temp()
Enter a temperature in Fahrenheit: **32**

The temperature in Fahrenheit is: 32
The temperature in Celsius is: 0.0
The temperature in Kelvin is: 273.15

convert_temp()
Enter a temperature in Fahrenheit: **80**

The temperature in Fahrenheit is: 80
The temperature in Celsius is: 26.666666666668
The temperature in Kelvin is: 299.81666666666