

Why ERAA Workflow Automation with PLEXOS Cloud?

The modelling environment is more complex and demanding

- Increasing data volumes and tighter timelines make manual, fragmented workflows inefficient and harder to manage consistently.

Traditional approaches no longer scale

- Siloed tools and manual processes limit collaboration, reduce reproducibility, and create bottlenecks in large modelling studies.

Workflow automation enables end-to-end efficiency

- PLEXOS Cloud, Cloud Compute, the CLI, the Python SDK wrapper and API enables the automation of the full lifecycle from data ingestion to execution and post-processing, reducing effort and improving consistency.


Cloud enables scalable, collaborative modelling

- Parallel execution, dynamic compute scaling, and multi-user access with version control support large, distributed teams and complex studies.

Transparency, usability, and cost-efficiency improve outcomes

- Built-in traceability ensures reproducibility and auditability, while a managed Cloud setup reduces overhead and improves overall user experience.

ERAA Workflow



ERAA Workflow Automation

The topic of the workflow is the European Resource Adequacy Assessment (ERAA) 2025, and how it can be carried out using the full PLEXOS® Platform Ecosystem (Desktop, Cloud, CLI, Python SDK and Python API) as well as all Phases (LT, PASA, MT and ST)

> 0. Configuration and SDK Initiation

▷ 1 cell hidden --

> 1. Step Decorator, Read Bidding Zone File, Create Regions and Nodes

▷ 1 cell hidden --

> 2. Create Fuels and Emission Object


▷ 1 cell hidden --

> 3. Create Demand .CSVs and Load-Region Coupling

▷ 1 cell hidden --

> 4. Generator Creation and Common Data Population

▷ 7 cells hidden --



- Documentation is given in the file in itself
- The requirements for the to work:
 - The ERAA 2025 Dataset is downloaded and extracted (the native folder structure is shown to the right)
 - The Supporting / Control files “Bidding_Zone_List”, “Generator_Technology_Fuel_Mapping”, “Hydro_Patterns” & “PECD_Technology_Mapping” are placed together with the dataset
 - “FBMC_Mapping” and “FBMC_Mapping_CORE” are optional and only relevant if importing the CORE / Nordics areas
 - The “Database” folder contains an empty .xml, whose naming is input to the “0. Configuration and SDK Initiation” step of the workflow
 - PLEXOS 12 R03 and the accompanying API is installed on your PC
 - The empty .xml is synced to PLEXOS Cloud (Study ID is input to “0. Configuration and SDK Initiation”)

