

Data Provide process

1. User Authentication / Retrieve the AccessToken			
1.1 User/Auth	Description	In this step the user inserts its credentials and retrieves an accessToken that will be used on the Header of the next steps/curl commands.	
	API Command POST	curl -X POST "https://enpower.eurodyn.com/api/user/auth"	
	API Headers	-H "accept: application/json" -H "Content-Type: application/json"	
	API Body	-d "{\"username\":\"enpower-user\",\"password\":\"XXX\"}"	Changes: → enpower-user = the username of your Middleware account → XXX = the password of your Middleware account
	Response	{ "accessToken": "eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJhNjdmZmEwNS0wNTA0LTQwNTltOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQzOjE3NzQ5NDI3MzUsImV4cCI6MTc3NDk0NjMzNX0uYgHH87zjwI5XKS38ZDovTVxQsXJcTlupAJflcmelX0uexQBmU4D4LTVwDVkBpp4cBDeUKvyfVVLfXHWo0Yd7Q", "user": { "id": "a67ffa05-0504-4052-8c39-27d948b16154", "username": "Enpower-user1", "email": enpower-user1@eurodyn.com } }	You will use the AccessToken for the rest of your commands

Total command for User Authentication Token:

```
curl -X POST "https://enpower.eurodyn.com/api/user/auth" -H "accept: application/json" -H "Content-Type: application/json" -d
{"username\":\"enpower-user\",\"password\":\"XXX\"}"
```

2. Select Data Offering service / retrieve the desired Data Offering service id			
2.1 Create a new Data Offering service	Description	In this step the user creates a new Data Offering selecting the “Category”, “Sub-Category” and “Business Object”. After the POST command the user retrieves an ID for the new Data Offering service.	
	API Command POST	curl --location ' https://enpower.eurodyn.com/api/dataset/v2/my_offered_services '	
	API Headers	--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhNjdmZmEwNS0wNTA0L TQwNTItOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQiOiE3NzQ5NDI3MzUsImV4cCI6MT c3NDk0NjMzNX0.aYgHH87zjwI5XKS38ZDovTVxQsXJcTLupAJflcmelX0uexQBmU4D4L tVwDVkBpp4cBDeUKvyfvVLfXHWo0Yd7Q --header 'Content-Type: application/json'	
	API Body	--data '{ "data_catalog_data_offerings": { "id": null, "title": "Data Offering Title", "data_catalog_business_object_id": "Business_Object_ID", "status": "active", "input_profile": null, "input_data_source": null, "comments": null, "file_schema": null, "file_schema_sample": null, "profile_description": null, "profile_selector": "json", "file_schema_filename": null, "file_schema_sample_filename": null, "use_custom_semantics": null, "active_from": "2026-04-01T14:26:00.407968Z", "active_from_enable": "0", "active_to": "2026-04-04T14:26:00.408686Z", "active_to_enable": "0", "type": "data", "push_uri": null, }	Changes: → Data Offering Title = the title of your new Data Offering → Business_Object_ID = the ID of the Business Object that is related with your Data Offering → The rest variables are optional, if you need to make your Data Offering more specific

		"topic": null, "updating_frequency": "60" } }	
	Response	{ "response": "794975e9-7432-4350-b32e-0550019f6e40" }	The user retrieves the Data Offering ID which will be user on the Data Provide
2.2 Discover the Data Offering service id	Description	In this step the user retrieves the list of the Data Offerings that is already subscribed to. Selects the ID of the Data Offering service that desires to provide data for.	
	API Command GET	curl --location 'https://enpower.eurodyn.com/api/datalist/my_offered_services'	
	API Headers	--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhNjdmZmEwNS0wNTA0LTQwNTItOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQiOiJlYXNzQ5NDI3MzUsImV4cCI6MTc3NDk0NjMzNX0.aYgHH87zjwI5XKS38ZDovTVxQsXJcTLupAJflcmelX0uexQBmU4D4LtVwDVkBpp4cBDeUKvyfvVLFxHw0Yd7Q' --header 'Content-Type: application/json'	
	API Body		
	Response	[{ "subscriptions": null, "title": "test_name_for API", "profile_description": null, "category_id": "5c4e310e-8665-41e9-a3e4-4e488c52b31d", "cf_id": "794975e9-7432-4350-b32e-0550019f6e40", "created_on": "06/04/2026 17:17", "service_id": "6e2be2de-25e7-48bb-89ba-6fd7568b2cc8", "profile_selector": "json", "created_by_username": "Enpower-user1", "category": "Generic- User defined service <i class=\"fa fa-caret-right\"></i> Generic- User defined service <i class=\"fa fa-caret-right\"></i> District Heating Grid Aggregated Flexibility for Balancing Service", "email": "enpower-user1@eurodyn.com", "cf_type": "data", "status": "active"	The user retrieves the desired Data Offering ID which will be user on the Data Provide

		<pre> }, { "subscriptions": null, "title": "testttt1t1t1t1t1t1", "profile_description": null, "category_id": "5c4e310e-8665-41e9-a3e4-4e488c52b31d", "cf_id": "3a5aac49-eaff-4562-80cf-96b2df5399c9", "created_on": "01/04/2026 19:39", "service_id": "6e2be2de-25e7-48bb-89ba-6fd7568b2cc8", "profile_selector": "json", "created_by_username": "Enpower-user1", "category": "Generic- User defined service <i class=\"fa fa-caret-right\"></i> Generic- User defined service <i class=\"fa fa-caret-right\"></i> Grid available flexibility (electricity & heating)", "email": "enpower-user1@eurodyn.com", "cf_type": "data", "status": "active" }] </pre>	
2.3 Discover the Business Object ID	Description	In this step the user retrieves the ID of the Business Object from the list of the available choices within the Data Space	
	API Command GET	curl --location ' https://enpower.eurodyn.com/api/datalist/cross_platform_service '	
	API Headers	<pre> --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhNjdmZmEwNS0wNTA0LTQwNTItOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQiOiE3NzQ5NDI3MzUsImV4cCI6MTc3NDk0NjMzNX0.aYgHH87zjwI5XKS38ZDovTVxQsXJcTLupAJflcmelX0uexQBmU4D4LtVwDVkBpp4cBDeUKvyfvVLfXHWo0Yd7Q --header 'Content-Type: application/json' </pre>	
	API Body		
	Response	<pre> [{ "business_object_name": "Merit Order List for mFRR (balancing services)", "service_description": "This service allows for the sharing Merit Order List (MOL) for selected bids, Market Time Units.", "category_name": "Market", "cross_platform_service_id": "ea86b95d-4419-4baf-bcf1-9d99acd80e89", </pre>	The user retrieves the desired Services/Business Object ID which will be used on the

		<pre>"service": "Crete_Valley_05MRKT_0009", "service_name": "TSO-DSO (Coordinated) Merit Order List", "profile_selector": "xml", "business_object_code": "GEN_5091", "category": "05", "status": "enable" }, { "business_object_name": "Generic", "service_description": "Any description should be add be the potential service provider", "category_name": "Generic- User defined service", "cross_platform_service_id": "da202f76-4c85-414f-9e98-2bc1e49ffe6f", "service": "Crete_Valley_01GENSERV_0001", "service_name": "Generic- User defined service", "profile_selector": "csv", "business_object_code": "GEN_1103", "category": "01", "status": "enable" }, { "business_object_name": "District Heating Grid Aggregated Flexibility for Balancing Service", "service_description": "Any description should be add be the potential service provider", "category_name": "Generic- User defined service", "cross_platform_service_id": "b06361f3-ffcf-43dd-bb65-9ec7654088a8", "service": "Crete_Valley_01GENSERV_0001", "service_name": "Generic- User defined service", "profile_selector": "json", "business_object_code": "GEN_1105", "category": "01", "status": "enable" }] }</pre>	creation of new Data Offering service
--	--	--	---------------------------------------

Total command to create a new Data Offering service: curl --location 'https://enpower.eurodyn.com/api/dataset/v2/my_offered_services'
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhNjdmZmEwNS0wNTA0LTQwNTItOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQiOiJlE3NzQ5NDI3MzUsImV4cCI6MTc3NDk0NjMzNX0.aYgHH87zjwI5XKS38ZDovTVxQsXJcTLupAJflcmelX0uexQBmU4D4LtVwDVkBpp4cBDeUKvyfvVLfXHWo0Yd7Q'
--header 'Content-Type: application/json'

--data '{
 "data_catalog_data_offerings": {
 "id": null,
 "title": "ED example 17/4",
 "data_catalog_business_object_id": "ea86b95d-4419-4baf-bcf1-9d99acd80e89",
 "status": "active",
 "input_profile": null,
 "input_data_source": null,
 "comments": null,
 "file_schema": null,
 "file_schema_sample": null,
 "profile_description": null,
 "profile_selector": "json",
 "file_schema_filename": null,
 "file_schema_sample_filename": null,
 "use_custom_semantics": null,
 "active_from": "2026-04-01T14:26:00.407968Z",
 "active_from_enable": "0",
 "active_to": "2026-04-04T14:26:00.408686Z",
 "active_to_enable": "0",
 "type": "data",
 "push_uri": null,
 "topic": null,
 "updating_frequency": "60" }}'

Total command to view the list of owned Data Offering services: curl --location

```
'https://enpower.eurodyn.com/api/datalist/my_offered_services' --header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiIyNTRlMGVmMi01OGIwLTQ3YmUtOTQ5ZC1iYWw3MTZiZWQ3M2YiLCJpYXQiOiE3NzYzNzg1MzAsImV4cCI6MTc3NjM4MjEzMH0uH0YmkeRkeNNq1Oz3E69jm9hYE8Zv-UoxYFo9JgNxoik7OBxQTwb7AsmMZJXlr4c3sbsGh3Q3Jc1UpDwzdVsrg  
--header 'Content-Type: application/json'
```

Total command to view the list of the pre-defined Data Offering service types (Category/Sub-category/Business Object): curl --

```
location 'https://enpower.eurodyn.com/api/datalist/cross_platform_service' --header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiIyNTRlMGVmMi01OGIwLTQ3YmUtOTQ5ZC1iYWw3MTZiZWQ3M2YiLCJpYXQiOiE3NzYzNzg1MzAsImV4cCI6MTc3NjM4MjEzMH0uH0YmkeRkeNNq1Oz3E69jm9hYE8Zv-UoxYFo9JgNxoik7OBxQTwb7AsmMZJXlr4c3sbsGh3Q3Jc1UpDwzdVsrg -H  
"Content-Type: application/json"
```

4.1 Retrieve the list of the Data Offering service subscription requests	4. Discover the Data Offering service subscription requests		
	Description	In this step the user provides the Data Offering services ID and retrieves the subscription requests that has received regarding this Data Offering. In that list the user can filter the pending subscription requests and select the IDs.	
	API Command GET	curl --location ' https://enpower.eurodyn.com/api/datalist/requests_on_offered_services '	
	API Headers	--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhNjdmZmEwNS0wNTA0L TQwNTltOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQiOiE3NzQ5NDI3MzUsImV4cCI6MT c3NDk0NjMzNX0.aYgHH87zjwI5XKS38ZDovTVxQsXJcTLupAJflcmelX0uexQBmU4D4L tVwDVkBpp4cBDeUKvyfvVLfXHWo0Yd7Q --header 'Content-Type: application/json'	
	API Body		
	Response	[{ "cf_comments": null, "data_catalog_category_id": "e3253af4-ed73-11ec-b257-1e00ea366d34", "company_id": "69c00d5b-9801-4aac-b3a9-cfa6be441457", "created_on": "23/03/2026 14:16", "cf_viewed_by_offering_owner": 0, "user_offering_id": "254e0ef2-58b0-47be-949d-bac716bed73f", "title": "Example ed", "category": "Forecasts <i class=\"fa fa-caret-right\"></i> Dynamic line rating <i class=\"fa fa-caret-right\"></i> (Flexibility) Resources", "user_requesting": "European Dynamics <i class=\"fa fa-caret-right\"></i> Crete- valley-user2", "request_id": "9340034c-f8bf-40c0-98ea-e5023cd10446", "cf_type": "data", "status": "accept" }]	The user retrieves the list of the Subscription request on its owned services and can retrieve the ID in order to accept or reject it

Total command to view the list of all the Data Offering service subscription requests: curl --location
'https://enpower.eurodyn.com/api/datalist/requests_on_offered_services' --header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiIyNTRlMGVmMi01OGIwLTQ3YmUtOTQ5ZC1iYWw3MTZiZWQ3M2YiLCJpYXQiOiE3NzYzODI0MzYsImV4cCI6MTc3NjM4NjAzNn0.sXPSYMMGQbC8dPrkT3i0epE9pfkdJrKQ9kTUely_Bldpgfk0HCd3wLJkrcS3WmI7OHxOA00jfit5KeCC_NZ5BA -H
"Content-Type: application/json"

5.1 Respond to a pending Data Offering subscription request	5. Response to a pending Data Offering subscription request		
	Description	In this step the user accepts or rejects a pending Subscription request.	
	API Command POST	curl --location 'https://enpower.eurodyn.com/api/dataset/v2/requests_on_offered_services?id=9340034c-f8bf-40c0-98ea-e5023cd10446'	
	API Headers	--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhNjdmZmEwNS0wNTA0LTQwNTItOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQiOiJlYXNzQ5NDI3MzUsImV4cCI6MTc3NDk0NjMzNX0.aYgHH87zjwl5XKS38ZDovTVxQsXJcTLupAJflcmelX0uexQBmU4D4LtVwDVkBpp4cBDeUKvyfvVLFxHWO0Yd7Q' --header 'Content-Type: application/json'	
	API Body	--data '{ "data_catalog_data_requests": { "cf_comments": null, "data_catalog_category_id": "e3253af4-ed73-11ec-b257-1e00ea366d34", "company_id": "69c00d5b-9801-4aac-b3a9-cfa6be441457", "created_on": "23/03/2026 14:16", "cf_viewed_by_offering_owner": 0, "user_offering_id": "254e0ef2-58b0-47be-949d-bac716bed73f", "title": "Example ed", "category": "Forecasts <i class=\"fa fa-caret-right\"></i> Dynamic line rating <i class=\"fa fa-caret-right\"></i> (Flexibility) Resources", "user_requesting": "European Dynamics <i class=\"fa fa-caret-right\"></i> Crete-valley-user2", "request_id": "9340034c-f8bf-40c0-98ea-e5023cd10446", "cf_type": "data", "status": "reject" } }'	Changes: → Status = set the variable as “accept” or “reject”
	Response	{ "response": "b925f6bb-1d00-47ac-aba2-b18432810523" }	

Total command to respond to an owned Data Offering service subscription request: curl --location

```
'https://enpower.eurodyn.com/api/dataset/v2/requests_on_offered_services?id=c0edf14a-179c-4fe8-933d-d424463694d9' --header
'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiIyNTY3MTZiZWQ3M2YiLCJpYXQiOiJlODI0MzYsImV4cCI6MTc3NjM4NjAzNn0.sXPSYMMGQbC8dPrkT3i0epE9pfkdJrKQ9kTUely_Bldpgfk0HCd3wLJkrcS3Wml7OHxOA00jfit5KeCC_NZ5BA
--header 'Content-Type: application/json' --data '{
  "data_catalog_data_requests": {
    "id": "c0edf14a-179c-4fe8-933d-d424463694d9",
    "created_by": "1ab3d24b-9a89-4990-8240-02a95dbf078d",
    "created_on": "2026-04-16T23:50:16Z",
    "modified_by": "254e0ef2-58b0-47be-949d-bac716bed73f",
    "modified_on": "2026-04-16T23:56:08Z",
    "input_profile": null,
    "input_data_source": null,
    "comments": null,
    "data_catalog_business_object_id": null,
    "data_catalog_data_offering_id": "d34de515-54ef-4038-8354-7d9407816405",
    "status": "reject",
    "viewed_by_offering_owner": 0,
    "owner_id": "1ab3d24b-9a89-4990-8240-02a95dbf078d"
  }
}'
```

6. Provide Data in the desired Data Offering		
Description	In this step the user provides the Data File (Entity) regarding a specific Data Offering service	
API Command	curl --location https://true-connector-1-server-localapi.eurodyn.com /api/provide-data	
API Headers	--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhNjdmZmEwNS0wNTA0LTQwNTItOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQiOiJlYXNzQ5NDI3MzUsImV4cCI6MTc3NDk0NjMzNX0.aYgHH87zjwI5XKS38ZDovTVxQsXJcTLupAJflcmelX0uexQBmU4D4LtVwDVkBpp4cBDeUKvyfvVLfXHWo0Yd7Q' --header 'Content-Type: application/json'	
API Body	-d '{"title":"ed", "description":"ed descr", "filename":"Hello.txt", "file":"Hello","fileSize":"string", "data_offering_id":"d34de515-54ef-4038-8354-7d9407816405", "code":"string"}'	
Response	{ "id": "d9a03314-f23e-44b0-815a-7f8d1f5a56e2", "responseCode": null }	

Total command: curl --location <https://true-connector-1-server-localapi.eurodyn.com/api/provide-data> -H 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhNjdmZmEwNS0wNTA0LTQwNTItOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQiOiJlYXNzQ5NDI3MzUsImV4cCI6MTc3NDk0NjMzNX0.CEiBSV_pjh2iycCr4Byki8FkTeCZudVElZAWw3-3vOte9qV58zzp4r1CKPa6Y9bnxwpRkgUuJeq5nIAxeRLmUg' -H 'Content-Type: application/json' -d '{"title":"ed","description":"ed descr","filename":"Hello.txt","file":"Hello","fileSize":"string","data_offering_id":" d34de515-54ef-4038-8354-7d9407816405","code":"string"}'

Data Consume process

1. User Authentication / Retrieve the AccessToken			
1.1 User/Auth	Description	In this step the user inserts its credentials and retrieves an accessToken that will be used on the Header of the next steps/curl commands.	
	API Command GET	curl -X POST "https://enpower.eurodyn.com/api/user/auth"	
	API Headers	-H "accept: application/json" -H "Content-Type: application/json"	
	API Body	-d "{\"username\":\"enpower-user\",\"password\":\"XXX\"}"	Changes: → enpower-user = the username of your Middleware account → XXX = the password of your Middleware account
	Response	{ "accessToken": "eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiJhNjdmZmEwNS0wNTA0LTQwNTltOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQiOiJlYXN0c3NDk0NjMzNX0uYgHH87zjwI5XKS38ZDovTVxQsXJcTlupAJflcmelX0uexQBmU4D4LTVwDVkBpp4cBDeUKvyfvVLfXHWo0Yd7Q", "user": { "id": "a67ffa05-0504-4052-8c39-27d948b16154", "username": "Enpower-user1", "email": enpower-user1@eurodyn.com } }	You will use the AccessToken for the rest of your commands

Total command for User Authentication Token:

```
curl -X POST "https://enpower.eurodyn.com/api/user/auth" -H "accept: application/json" -H "Content-Type: application/json" -d
{"username\":\"enpower-user\",\"password\":\"XXX\"}"
```

2. Discover the available Data Offering services		
Description	In this step the user retrieves the list of the available Data Offering services of the rest of the Data Space participants. Additionally, the user selects the desired Data Offering ID.	
API Command	curl --location ' https://enpower.eurodyn.com/api/datalist/my_catalog '	
API Headers	--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiIyNTRlMGVmMi01OGlwLTQ3YmUtOTQ5ZC1iYWMTZiZWQ3M2YiLCJpYXQiOiJlE3NzY0MDkzNzcsImV4cCI6MTc3NjQxMjk3N30.KDZQy2jt4ARAPlt3YY7IW9OszfLLdEkVmQ_aN0oqdFTDOaHXMTl6c2eVpSR3uFJ408RauEsDyNJoqa0ikrlmuw --header 'Content-Type: application/json'	
API Body		
Response	[{ "subscriptions": " <i class=\"fa-solid fa-circle\"></i> European Dynamics <i class=\"fa fa-caret-right\"></i> Crete-valley-user2 ", "title": "ED example 17/4", "profile_description": null, "category_id": "e32539aa-ed73-11ec-b257-1e00ea366d34", "cf_id": "d34de515-54ef-4038-8354-7d9407816405", "created_on": "16/04/2026 23:02", "service_id": "d4e0d61b-b724-40d4-ae53-af159ac39b93", "profile_selector": "json", "created_by_username": "Crete-valley-user1", "cf_push_uri": null, "category": "Market <i class=\"fa fa-caret-right\"></i> TSO-DSO (Coordinated) Merit Order List <i class=\"fa fa-caret-right\"></i> Merit Order List for mFRR (balancing services)", "email": "dimitrios.apostolidis@eurodyn.com", "cf_type": "data", "status": "active" }, {	The user can retrieve the ID of a desired Data Offering service and use it to subscribe to it.

```
"subscriptions": "<span class=\"inactive\"> <i class=\"fa-solid fa-circle\"></i> European  
Dynamics <i class=\"fa fa-caret-right\"></i> Crete-valley-user1</span> ",  
  "title": "ED example",  
  "profile_description": null,  
  "category_id": "e3253af4-ed73-11ec-b257-1e00ea366d34",  
  "cf_id": "8de267c7-0c72-432b-89ce-8a5759a32978",  
  "created_on": "16/04/2026 20:08",  
  "service_id": "0c4d0a54-ed76-11ec-b257-1e00ea366d34",  
  "profile_selector": "json",  
  "created_by_username": "Crete-valley-user2",  
  "cf_push_uri": null,  
  "category": "Forecasts <i class=\"fa fa-caret-right\"></i> Dynamic line rating <i class=\"fa fa-  
caret-right\"></i> (Flexibility) Resources",  
  "email": "dimitrios.apostolidis@eurodyn.com",  
  "cf_type": "data",  
  "status": "active"  
},  
{  
  "subscriptions": "<span class=\"inactive\"> <i class=\"fa-solid fa-circle\"></i> European  
Dynamics <i class=\"fa fa-caret-right\"></i> Crete-valley-user1</span> <br><span  
class=\"active\"> <i class=\"fa-solid fa-circle\"></i> COMSENSUS <i class=\"fa fa-caret-  
right\"></i> comsensus-2</span> ",  
  "title": "test",  
  "profile_description": "<?xml version=\"1.0\" encoding=\"utf-  
8\"?>\n<ReserveBid_MarketDocument xmlns=\"urn:iec62325.351:tc57wg16:451-  
7:reservebiddocument:7:1\">\n  <mRID>E244421012766</mRID>\n  <revisionNumber>1</revis  
ionNumber>\n  <type>A37</type>\n  <process.processType>A60</process.processType>\n  <s  
ender_MarketParticipant.mRID  
codingScheme=\"A01\">42F4652A9381D152</sender_MarketParticipant.mRID>\n  <sender_Ma  
rketParticipant.marketRole.type>A27</sender_MarketParticipant.marketRole.type>\n  <receiver  
_MarketParticipant.mRID codingScheme=\"A01\">10V1001C--  
00239S</receiver_MarketParticipant.mRID>\n  <receiver_MarketParticipant.marketRole.type>A  
35</receiver_MarketParticipant.marketRole.type>\n  <createdDateTime>2021-12-  
07T05:50:47Z</createdDateTime>\n",  
  "category_id": "5c4e310e-8665-41e9-a3e4-4e488c52b31d",  
  "cf_id": "b6a85d11-1263-487a-be6f-6d6ca69e5227",
```

	<pre> "created_on": "13/04/2026 12:33", "service_id": "6e2be2de-25e7-48bb-89ba-6fd7568b2cc8", "profile_selector": "csv", "created_by_username": "comsensus-1", "cf_push_uri": null, "category": "Generic- User defined service <i class=\"fa fa-caret-right\"></i> Generic- User defined service <i class=\"fa fa-caret-right\"></i> Generic", "email": "matija.cankar@comsensus.eu", "cf_type": "data", "status": "active" }] </pre>	
--	---	--

Total command for the Discovery of the available Data Offering services : curl --location 'https://enpower.eurodyn.com/api/datalist/my_catalog' -H 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiNTRlMGMVbMi01OGIwLTQ3YmUtOTQ5ZC1iYWw3MTZiZWQ3M2YiLCJpYXQiOiJlE3NzY0MDkzNzcsImV4cCI6MTc3NjQxMjk3N30.KDZQy2jt4ARAPIt3YY7IW9OszfLldEkVmQ_aN0oqdFTDOaHXMTl6c2eVpSR3uFJ408RauEsDyNJoqa0ikrlmuw' -H 'Content-Type: application/json'

Total command for the Discovery of the Data Offering services that the user have subscribed to : curl --location 'https://enpower.eurodyn.com/api/datalist/my_subscriptions' -H 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiNTRlMGMVbMi01OGIwLTQ3YmUtOTQ5ZC1iYWw3MTZiZWQ3M2YiLCJpYXQiOiJlE3NzY0MDkzNzcsImV4cCI6MTc3NjQxMjk3N30.KDZQy2jt4ARAPIt3YY7IW9OszfLldEkVmQ_aN0oqdFTDOaHXMTl6c2eVpSR3uFJ408RauEsDyNJoqa0ikrlmuw' -H 'Content-Type: application/json'

3. Subscribe to the desired Data Offering service		
Description	In this step the user creates a subscription request of a desired Data Offering service of another user	
API Command	curl --location 'https://enpower.eurodyn.com/api/dataset/v2/new_subscription'	
API Headers	--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiIyNTRlMGVmMi01OGlwLTQ3YmUtOTQ5ZC1iYWwzMTZiZWQ3M2YiLCJpYXQiOiJlbnNzY0MDkzNzcsImV4cCI6MTc3NjQxMjk3N30.KDZQy2jt4ARAPlt3YY7IW9OszfLldEkVmQ_aN0oqdFTDOaHXMTl6c2eVpSR3uFJ408RauEsDyNJoqa0ikrlmuw --header 'Content-Type: application/json'	
API Body	--data ' { "data_catalog_data_requests": { "id": null, "comments": null, "data_catalog_data_offering_id": "8de267c7-0c72-432b-89ce-8a5759a32978", "status": "pending" } }'	
Response	{ "response": "e20daaeb-87ea-44ea-9f80-a51baa751f20" }	

Total command for the subscription request for a desired Data Offering service: curl --location 'https://enpower.eurodyn.com/api/dataset/v2/new_subscription' -H 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiIyNTRlMGVmMi01OGlwLTQ3YmUtOTQ5ZC1iYWwzMTZiZWQ3M2YiLCJpYXQiOiJlbnNzY0MDkzNzcsImV4cCI6MTc3NjQxMjk3N30.KDZQy2jt4ARAPlt3YY7IW9OszfLldEkVmQ_aN0oqdFTDOaHXMTl6c2eVpSR3uFJ408RauEsDyNJoqa0ikrlmuw' -H 'Content-Type: application/json' -d ' { "data_catalog_data_requests": {
 "id": null,
 "comments": null,
 "data_catalog_data_offering_id": "8de267c7-0c72-432b-89ce-8a5759a32978",
 "status": "pending"
 }
}'

4. Retrieve the list of the total Data Entities that have been published / sorted by a specific Data Offering service ID		
Description	In this step the user retrieves the list of all the published Data Entities that have been shared based on the Data Offering services that the user has a subscription to.	
API Command	curl --location 'https://enpower.eurodyn.com/api/datalist/data_consumed'	
API Headers	--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhNjdmZmEwNS0wNTA0LTQwNTItOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQiOiJlYXNzQ5NDI3MzUslmV4cCI6MTc3NDk0NjMzNX0.aYgHH87zjwl5XKS38ZDovTVxQsXJcTLupAJflcmelX0uexQBmU4D4LtVwDVkBpp4cBDeUKvyfvVLfXHWo0Yd7Q' --header 'Content-Type: application/json'	
API Body		
Response	<pre>[{ "provider_company_id": "69c00d5b-9801-4aac-b3a9-cfa6be441457", "data_catalog_service_code": "Crete_Valley_05MRKT_0009", "data_description": "ed exampleee", "data_catalog_category_name": "Market", "offering_title": "ED example 17/4", "file_name": "NGINX_Configuration_enpower-connector-local-api.bin", "provider_username": "Crete-valley-user1", "provider_company_name": "European Dynamics", "data_title": "ed example", "data_catalog_category_id": "e32539aa-ed73-11ec-b257-1e00ea366d34", "data_catalog_business_object_id": "ea86b95d-4419-4baf-bcf1-9d99acd80e89", "created_on": "2026-04-17T11:09:48Z", "data_catalog_service_id": "d4e0d61b-b724-40d4-ae53-af159ac39b93", "data_catalog_business_object_code": "GEN_5091", "provider_id": "254e0ef2-58b0-47be-949d-bac716bed73f", "id": "a6a3ca0f-49b6-4d87-a3fc-3c3490b99258", "data_catalog_category_code": "05", "cf_type": "data" }]</pre>	

Total command for the retrieve of the list of the available Data Entities :

```
curl --location 'https://empower.eurodyn.com/api/datalist/data_consumed' -H 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiIxYWlzMZDI0Yi05YTg5LTQ5OTAtODI0MC0wMmE5NWRiZjA3OGQiLCJpYXQiOiE3NzY0MjQ5NDEsImV4cCI6M  
Tc3NjQyODU0MX0.iRXttSs8FJggzaCtboLUGa1fEhQXqdsDNBqbqijUqKWayjXWRxVltB1ZoyityKrr1nSGVMswQgctAiAAWSwLSw'  
-H 'Content-Type: application/json'
```

5. Consume Data Entity by its ID		
Description	In this step the user retrieves the Data file using its ID	
API Command	https://true-connector-1-server-localapi.eurodyn.com/api/consume-data/by-id?id=a6a3ca0f-49b6-4d87-a3fc-3c3490b99258	We are using the URL of the Local API that we have set within the Connector Configuration and the ID of the entity
API Headers	--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhNjdmZmEwNS0wNTA0LTQwNTItOGMzOS0yN2Q5NDhiMTYxNTQiLCJpYXQiOiJlYXNzQ5NDI3MzUsImV4cCI6MTc3NDk0NjMzNX0.aYgHH87zjwI5XKS38ZDovTVxQsXJcTLupAJflcmelX0uexQBmU4D4LtVwDVkBpp4cBDeUKvyfvVLFxHWO0Yd7Q' --header 'Content-Type: application/json'	
API Body		
Response		

Total command for the consumption of a Data Entity by its ID : <https://true-connector-1-server-localapi.eurodyn.com/api/consume-data/by-id?id=a6a3ca0f-49b6-4d87-a3fc-3c3490b99258>