



## About us

Enersol Biopower Private Limited is a pioneering manufacturer and exporter of sustainable biomass energy solutions, committed to converting organic waste into clean, reliable power with innovative technologies and global quality standards.

## Pellet Machine

The 100 kg per hour biomass pellet machine is designed for consistent output, high pellet density, and smooth operation. It efficiently converts biomass waste into 8 mm and 12 mm fuel pellets, making it ideal for small to medium-scale pellet production units.

## OUR CONTACT



[www.enersolbiopower.com](http://www.enersolbiopower.com)



+91 9414535665



Plot No. 57 A, Vrindavan Vihar, Akeda Dunder, laxminarayanpura, VKI Road No .19, Jaipur-302013



Enersol Biopower Pvt. Ltd.

# 100kg/hr. Pellet Machine with Pulverizer



Sustainable Fuel | Compact Design |  
Reliable Performance

# Key Features



- Production capacity of 100 kg per hour with continuous operation.
- Supports **8 mm and 12 mm** pellet sizes with interchangeable dies
- Powered by a **15 HP heavy-duty motor** for stable and efficient performance
- Robust **MS fabricated structure** for long service life
- Produces **high-density, uniform pellets** with low breakage
- Energy-efficient design with **easy operation and low maintenance**
- Suitable for a wide range of **biomass raw materials**



## Suitable Raw Materials

- Sawdust
- Agro waste (straw, husk, stalks)
- Crop residues
- Biomass powder
- Dry RDF material



## Applications

- Biomass fuel pellets
- Industrial boilers
- Gasifier systems
- Heating and thermal applications
- Institutional and rural energy solutions
- Renewable energy and waste-to-energy projects





# Key Benefits



- Converts waste into valuable fuel
- Reduces dependency on fossil fuels
- Eco-friendly and renewable energy solution
- Easy handling, storage, and transportation
- Ideal for decentralized pellet plants




# Technical Specification of Pellet Machine & Suitable Pulverizer

## TECHNICAL SPECIFICATION OF PELLET MACHINE

| Parameter                                    | Description                    |
|----------------------------------------------|--------------------------------|
| ✓ <i>Brand</i>                               | - Enersol Biopower             |
| ✓ <i>Model Name</i>                          | - ESB-R-PM100                  |
| ✓ <i>Capacity</i>                            | - 100kg/hr.                    |
| ✓ <i>Pellet size</i>                         | - 8 & 12mm                     |
| ✓ <i>Power required</i>                      | - 15HP, 3phase                 |
| ✓ <i>Input size of raw material</i>          | - ? 5 x 5 mm (granulated form) |
| ✓ <i>Acceptable moisture in raw material</i> | - 0-15%                        |

## TECHNICAL SPECIFICATION OF PULVERIZER

|                                 |                                                   |
|---------------------------------|---------------------------------------------------|
| ✓ <i>Model Name</i>             | - ESB-R-P120                                      |
| ✓ <i>Capacity</i>               | - 120kg/hr.                                       |
| ✓ <i>Feeding Size</i>           | - = 20–30 mm                                      |
| ✓ <i>Output Mesh Size</i>       | - 10 mesh (~ 2 mm)                                |
| ✓ <i>Power required</i>         | - 5 HP, 3phase                                    |
| ✓ <i>Material Compatibility</i> | - Wood chips, sawdust, crop residues, husk, straw |



# Connect us on YouTube



- ✓ <https://www.youtube.com/shorts/Vt8Ap0H48oA>
- ✓ <https://www.youtube.com/shorts/1BE ns niEUs>
- ✓ <https://www.youtube.com/shorts/OYD8DZiAGEE>
- ✓ <https://www.youtube.com/shorts/pbSpC4cl8Gl>
- ✓ <https://www.youtube.com/watch?v=llmDyrWrDLY>
- ✓ <https://www.youtube.com/watch?v=rez4Ge2xeWl&t=85s>
- ✓ <https://www.youtube.com/watch?v=gyQwJnbQayc>
- ✓ [https://www.youtube.com/shorts/05EVs0\\_gvsU](https://www.youtube.com/shorts/05EVs0_gvsU)

## Awards & Exhibitions



## Our Prestigious Partners

