

adaptive diffusion cosine subspace

Cosine eigenspace component-block tree after adaptive diffusion smoothing within each selected subspace.

Method: adaptive diffusion cosine subspace. Values shown on each tree page are: G0-BIC/gene, where lower is better within comparable non-degenerate trees; coherent, the fraction of clusters passing the G0-enrichment rule; within TF-IDF, the weighted mean within-cluster G0-vector cosine; largest, the fraction of genes in the largest cluster; and singletons, the singleton-gene fraction.

Best tree in this method-specific PDF:

adaptive_diffusion_cosine_subspace__tfidf__adaptive_modes_02_05




G0-BIC/gene: 1687.97

clusters: 40

coherent clusters: 21/40 (0.525)

largest cluster fraction: 0.233

singleton-gene fraction: 0.008



adaptive_diffusion_cosine_subspace_tfidf_adaptive_modes_02_05



display rank: 3
raw GO-IC rank: 18
quality tier: quality_plausible




method family: adaptive_diffusion_cosine_subspace
weighting: tfidf
block: adaptive_modes_02_05
modes: 2-5

GO-BIC active: 1016156.04
GO-BIC active/gene: 1687.97
GO active params: 37065
GO logLik: -227138.33

clusters: 40
largest cluster: 140 (0.233)
singletons: 5 (0.125 of clusters)
median cluster size: 6.5

coherent clusters: 21 (0.525)
median significant GO terms: 21.5
min cluster q: 4.91e-32
median within TF-IDF cosine: 0.1873
weighted within TF-IDF cosine: 0.1497
block energy fraction: 0.1819
segmentation_bic: -657.8000





adaptive_diffusion_cosine_subspace__binary__adaptive_common_mode_01



display rank: 4
raw GO-IC rank: 20
quality tier: quality_plausible






method family: adaptive_diffusion_cosine_subspace
weighting: binary
block: adaptive_common_mode_01
modes: 1-1




GO-BIC active: 1046379.73
GO-BIC active/gene: 1738.17
GO active params: 29477
GO logLik: -299764.55

clusters: 12
largest cluster: 175 (0.291)
singletons: 0 (0.000 of clusters)
median cluster size: 36.5

coherent clusters: 7 (0.583)
median significant GO terms: 30.5
min cluster q: 2.59e-20
median within TF-IDF cosine: 0.0599
weighted within TF-IDF cosine: 0.0691
block_energy_fraction: 0.1530
segmentation_bic: -650.2908







adaptive_diffusion_cosine_subspace_binary_adaptive_modes_12_21



display rank: 6
raw GO-IC rank: 24
quality tier: quality_plausible






method family: adaptive_diffusion_cosine_subspace
weighting: binary
block: adaptive_modes_12_21
modes: 12-21




GO-BIC active: 1127563.65
GO-BIC active/gene: 1873.03
GO active params: 41867
GO logLik: -246444.66

clusters: 46
largest cluster: 76 (0.126)
singletons: 5 (0.109 of clusters)
median cluster size: 11.0

coherent clusters: 28 (0.609)
median significant GO terms: 33.5
min cluster q: 1.68e-21
median within TF-IDF cosine: 0.1547
weighted within TF-IDF cosine: 0.1388
block_energy_fraction: 0.1234
segmentation_bic: -650.2908







adaptive_diffusion_cosine_subspace_tfidf_adaptive_modes_16_19



display rank: 8
raw GO-IC rank: 26
quality tier: quality_plausible




method family: adaptive_diffusion_cosine_subspace
weighting: tfidf
block: adaptive_modes_16_19
modes: 16-19

GO-BIC active: 1150604.11
GO-BIC active/gene: 1911.30
GO active params: 44488
GO logLik: -238705.00

clusters: 69
largest cluster: 68 (0.113)
singletons: 17 (0.246 of clusters)
median cluster size: 3.0

coherent clusters: 24 (0.348)
median significant GO terms: 0.0
min cluster q: 5.67e-16
median within TF-IDF cosine: 0.1164
weighted within TF-IDF cosine: 0.1138
block energy fraction: 0.0499
segmentation_bic: -657.8000





adaptive_diffusion_cosine_subspace_binary_adaptive_modes_56_80


display rank: 9
raw GO-IC rank: 28
quality tier: quality_plausible




method family: adaptive_diffusion_cosine_subspace
weighting: binary
block: adaptive_modes_56_80
modes: 56-80

GO-BIC active: 1191323.44
GO-BIC active/gene: 1978.94
GO active params: 45638
GO logLik: -249741.69

clusters: 60
largest cluster: 85 (0.141)
singletons: 12 (0.200 of clusters)
median cluster size: 5.5

coherent clusters: 24 (0.400)
median significant GO terms: 2.0
min cluster q: 8.43e-13
median within TF-IDF cosine: 0.1144
weighted within TF-IDF cosine: 0.1100
block energy fraction: 0.1340
segmentation_bic: -650.2908





adaptive_diffusion_cosine_subspace_binary_adaptive_modes_41_55



display rank: 12
raw GO-IC rank: 31
quality tier: quality_plausible




method family: adaptive_diffusion_cosine_subspace
weighting: binary
block: adaptive_modes_41_55
modes: 41-55

GO-BIC active: 1232342.15
GO-BIC active/gene: 2047.08
GO active params: 49834
GO logLik: -238446.84

clusters: 65
largest cluster: 48 (0.080)
singletons: 11 (0.169 of clusters)
median cluster size: 6.0

coherent clusters: 28 (0.431)
median significant GO terms: 3.0
min cluster q: 1.67e-10
median within TF-IDF cosine: 0.0950
weighted within TF-IDF cosine: 0.1059
block energy fraction: 0.0980
segmentation_bic: -650.2908





adaptive_diffusion_cosine_subspace_tfidf_adaptive_modes_20_31



display rank: 18
raw GO-IC rank: 11
quality tier: quality_mixed




method family: adaptive_diffusion_cosine_subspace
weighting: tfidf
block: adaptive_modes_20_31
modes: 20-31

GO-BIC active: 756807.30
GO-BIC active/gene: 1257.15
GO active params: 37978
GO logLik: -90543.74

clusters: 249
largest cluster: 21 (0.035)
singletons: 130 (0.522 of clusters)
median cluster size: 1.0

coherent clusters: 40 (0.161)
median significant GO terms: 0.0
min cluster q: 3.83e-10
median within TF-IDF cosine: 0.1545
weighted within TF-IDF cosine: 0.2082
block energy fraction: 0.1219
segmentation_bic: -657.8000





adaptive_diffusion_cosine_subspace_tfidf_adaptive_modes_11_15



display rank: 21
raw GO-IC rank: 19
quality tier: quality_mixed






method family: adaptive_diffusion_cosine_subspace
weighting: tfidf
block: adaptive_modes_11_15
modes: 11-15




GO-BIC active: 1018637.38
GO-BIC active/gene: 1692.09
GO active params: 52353
GO logLik: -112501.32

clusters: 236
largest cluster: 12 (0.020)
singletons: 88 (0.373 of clusters)
median cluster size: 2.0

coherent clusters: 38 (0.161)
median significant GO terms: 0.0
min cluster q: 1.03e-12
median within TF-IDF cosine: 0.1361
weighted within TF-IDF cosine: 0.1738
block energy fraction: 0.0737
segmentation_bic: -657.8000







adaptive_diffusion_cosine_subspace_tfidf_adaptive_modes_32_52



display rank: 25
raw GO-IC rank: 1
quality tier: degenerate




method family: adaptive_diffusion_cosine_subspace
weighting: tfidf
block: adaptive_modes_32_52
modes: 32-52

GO-BIC active: 1034.68
GO-BIC active/gene: 1.72
GO active params: 57
GO logLik: -85.30

clusters: 592
largest cluster: 3 (0.005)
singletons: 583 (0.985 of clusters)
median cluster size: 1.0

coherent clusters: 0 (0.000)
median significant GO terms: 0.0
min cluster q: 1.76e-02
median within TF-IDF cosine: 0.8925
weighted within TF-IDF cosine: 0.8439
block_energy_fraction: 0.1670
segmentation_bic: -657.8000





adaptive_diffusion_cosine_subspace_binary_adaptive_modes_07_11



display rank: 27
raw GO-IC rank: 3
quality tier: degenerate




method family: adaptive_diffusion_cosine_subspace
weighting: binary
block: adaptive_modes_07_11
modes: 7-11

GO-BIC active: 17292.91
GO-BIC active/gene: 28.73
GO active params: 927
GO logLik: -1620.12

clusters: 563
largest cluster: 7 (0.012)
singletons: 538 (0.956 of clusters)
median cluster size: 1.0

coherent clusters: 2 (0.004)
median significant GO terms: 0.0
min cluster q: 1.33e-05
median within TF-IDF cosine: 0.2681
weighted within TF-IDF cosine: 0.3424
block_energy_fraction: 0.1008
segmentation_bic: -650.2908





adaptive_diffusion_cosine_subspace_tfidf_adaptive_common_mode_01

display rank: 29
raw GO-IC rank: 5
quality tier: degenerate

method family: adaptive_diffusion_cosine_subspace
weighting: tfidf
block: adaptive_common_mode_01
nodes: 1-1

GO-BIC active: 60611.65
GO-BIC active/gene: 100.68
GO active params: 3248
GO logLik: -5687.12

clusters: 524
largest cluster: 9 (0.015)
singletons: 478 (0.912 of clusters)
median cluster size: 1.0

coherent clusters: 0 (0.000)
median significant GO terms: 0.0
min cluster q: 1.06e-01
median within TF-IDF cosine: 0.0063
weighted within TF-IDF cosine: 0.0500
block energy fraction: 0.1174
segmentation_bic: -657.8000

