

raw cosine subspace

Raw cosine eigenspace component-block tree: the PosetTree gate is run directly on cosine eigenspace blocks without adaptive diffusion smoothing.

Method: raw cosine subspace. Values shown on each tree page are: G0-BIC/gene, where lower is better within comparable non-degenerate trees; coherent, the fraction of clusters passing the G0-enrichment rule; within TF-IDF, the weighted mean within-cluster G0-vector cosine; largest, the fraction of genes in the largest cluster; and singletons, the singleton-gene fraction.

Best tree in this method-specific PDF:

raw_cosine_subspace__tfidf__adaptive_modes_16_19






G0-BIC/gene: 2005.87






clusters: 76






coherent clusters: 23/76 (0.303)

largest cluster fraction: 0.088

singleton-gene fraction: 0.025







```
raw_cosine_subspace_binary_adaptive_common_mode_01






display rank: 13
raw GO-IC rank: 14
quality tier: broad_coherent






method family: raw_cosine_subspace
weighting: binary
block: adaptive_common_mode_01
modes: 1-1






GO-BIC active: 871152.74
GO-BIC active/gene: 1447.10
GO active params: 13836
GO logLik: -330704.34

clusters: 3
largest cluster: 330 (0.548)
singletons: 0 (0.000 of clusters)
median cluster size: 211.0

coherent clusters: 2 (0.667)
median significant GO terms: 654.0
min cluster q: 7.25e-37
median within TF-IDF cosine: 0.0744
weighted within TF-IDF cosine: 0.0617
block energy_fraction: 0.1530
segmentation_bic: -650.2908
```







```
raw_cosine_subspace_tfidf_adaptive_modes_02_05




display rank: 16
raw GO-IC rank: 9
quality tier: quality_mixed

method family: raw_cosine_subspace
weighting: tfidf
block: adaptive_modes_02_05
modes: 2-5

GO-BIC active: 502483.05
GO-BIC active/gene: 834.69
GO active params: 23925
GO logLik: -69898.42

clusters: 256
largest cluster: 35 (0.058)
singletons: 177 (0.691 of clusters)
median cluster size: 1.0

coherent clusters: 19 (0.074)
median significant GO terms: 0.0
min cluster q: 4.03e-22
median within TF-IDF cosine: 0.1707
weighted within TF-IDF cosine: 0.1805
block_energy_fraction: 0.1819
segmentation_bic: -657.8000
```



raw_cosine_subspace_tfidf_adaptive_modes_06_10



display rank: 17
raw GO-IC rank: 10
quality tier: quality_mixed






method family: raw_cosine_subspace
weighting: tfidf
block: adaptive_modes_06_10
modes: 6-10




GO-BIC active: 598985.89
GO-BIC active/gene: 994.99
GO active params: 27543
GO logLik: -90726.67

clusters: 233
largest cluster: 39 (0.065)
singletons: 151 (0.648 of clusters)
median cluster size: 1.0

coherent clusters: 20 (0.086)
median significant GO terms: 0.0
min cluster q: 2.13e-25
median within TF-IDF cosine: 0.1213
weighted within TF-IDF cosine: 0.1888
block_energy_fraction: 0.1128
segmentation_bic: -657.8000







raw_cosine_subspace_binary_adaptive_modes_02_06



display rank: 20
raw GO-IC rank: 16
quality tier: quality_mixed






method family: raw_cosine_subspace
weighting: binary
block: adaptive_modes_02_06
modes: 2-6






GO-BIC active: 888801.66
GO-BIC active/gene: 1476.41
GO active params: 37578
GO logLik: -159572.77






clusters: 108
largest cluster: 71 (0.118)
singletons: 46 (0.426 of clusters)
median cluster size: 2.0






coherent clusters: 19 (0.176)
median significant GO terms: 0.0
min cluster q: 8.51e-37
median within TF-IDF cosine: 0.2272
weighted within TF-IDF cosine: 0.1622
block_energy_fraction: 0.2318
segmentation_bic: -650.2908
















raw_cosine_subspace_tfidf_adaptive_common_mode_01



display rank: 30
raw GO-IC rank: 6
quality tier: degenerate




method family: raw_cosine_subspace
weighting: tfidf
block: adaptive_common_mode_01
modes: 1-1

GO-BIC active: 262509.04
GO-BIC active/gene: 436.06
GO active params: 13520
GO logLik: -28777.66

clusters: 412
largest cluster: 9 (0.015)
singletons: 339 (0.823 of clusters)
median cluster size: 1.0

coherent clusters: 0 (0.000)
median significant GO terms: 0.0
min cluster q: 1.06e-01
median within TF-IDF cosine: 0.0227
weighted within TF-IDF cosine: 0.0415
block_energy_fraction: 0.1174
segmentation_bic: -657.0000





```
raw_cosine_subspace_binary_adaptive_modes_56_80

display rank: 31
raw GO-IC rank: 12
quality tier: degenerate

method family: raw_cosine_subspace
weighting: binary
block: adaptive_modes_56_80
nodes: 56-80

GO-BIC active: 866071.69
GO-BIC active/gene: 1438.66
GO active params: 6368
GO logLik: -384768.64

clusters: 1
largest cluster: 602 (1.000)
singletons: 0 (0.000 of clusters)
median cluster size: 602.0

coherent clusters: 0 (0.000)
median significant GO terms: 0.0
min cluster q: 1.00e+00
median within TF-IDF cosine: 0.0369
weighted within TF-IDF cosine: 0.0369
block_energy_fraction: 0.1340
segmentation_bic: -650.2908
```

