

legacy c2ef + raw cosine subspace

Historical c2ef legacy gates applied to a raw cosine eigenspace block tree.

Method: legacy c2ef + raw cosine subspace. Values shown on each tree page are: G0-BIC/gene, where lower is better within comparable non-degenerate trees; coherent, the fraction of clusters passing the G0-enrichment rule; within TF-IDF, the weighted mean within-cluster G0-vector cosine; largest, the fraction of genes in the largest cluster; and singletons, the singleton-gene fraction.

Best tree in this method-specific PDF:

legacy_c2ef__raw_cosine_subspace__tfidf__adaptive_modes_02_05




G0-BIC/gene: 1504.87

clusters: 19

coherent clusters: 11/19 (0.579)

largest cluster fraction: 0.216

singleton-gene fraction: 0.002



legacy_c2ef_raw_cosine_subspace_tfidf_adaptive_modes_02_05



display rank: 2
raw GO-IC rank: 4
quality tier: quality_plausible




method family: legacy_c2ef_raw_cosine_subspace
weighting: tfidf
block: adaptive_modes_02_05
modes: 2-5

GO-BIC active: 905930.46
GO-BIC active/gene: 1504.87
GO active params: 25770
GO logLik: -257637.68

clusters: 19
largest cluster: 130 (0.216)
singletons: 1 (0.053 of clusters)
median cluster size: 25.0

coherent clusters: 11 (0.579)
median significant GO terms: 49.0
min cluster q: 6.71e-54
median within TF-IDF cosine: 0.1192
weighted within TF-IDF cosine: 0.1342
block energy fraction: 0.1819
segmentation_bic: -657.8000





legacy_c2ef_raw_cosine_subspace_tfidf_adaptive_modes_16_19



display rank: 9
raw GO-IC rank: 11
quality tier: quality_plausible




method family: legacy_c2ef_raw_cosine_subspace
weighting: tfidf
block: adaptive_modes_16_19
modes: 16-19

GO-BIC active: 1184954.64
GO-BIC active/gene: 1968.36
GO active params: 39545
GO logLik: -292740.10

clusters: 27
largest cluster: 82 (0.136)
singletons: 1 (0.037 of clusters)
median cluster size: 16.0

coherent clusters: 15 (0.556)
median significant GO terms: 27.0
min cluster q: 3.48e-20
median within TF-IDF cosine: 0.0893
weighted within TF-IDF cosine: 0.0838
block energy fraction: 0.0499
segmentation_bic: -657.8000





legacy_c2ef_raw_cosine_subspace_tfidf_adaptive_modes_53_80

display rank: 13
raw GO-IC rank: 2
quality tier: degenerate

method family: legacy_c2ef_raw_cosine_subspace
weighting: tfidf
block: adaptive_modes_53_80
modes: 53-80

GO-BIC active: 866071.69
GO-BIC active/gene: 1438.66
GO active params: 6368
GO logLik: -384768.64

clusters: 1
largest cluster: 602 (1.000)
singletons: 0 (0.000 of clusters)
median cluster size: 602.0

coherent clusters: 0 (0.000)
median significant GO terms: 0.0
min cluster q: 1.00e+00
median within TF-IDF cosine: 0.0369
weighted within TF-IDF cosine: 0.0369
block_energy_fraction: 0.1753
segmentation_bic: -657.8000

