



Rank 1: current adaptive diffusion cosine subspace, binary / adaptive_modes_02_05: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 5; genes: 150; largest cluster sizes: C4=47, C3=43, C0=21, C1=20, C2=19

Rank 1: current adaptive diffusion cosine subspace, binary / adaptive_modes_02_05

Subspace embedding




Adaptive diffusion embedding



No GO-term loading data available


Rank 2: current adaptive diffusion cosine subspace, tfidf / adaptive_modes_11_21: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 5; genes: 150; largest cluster sizes: C4=85, C1=26, C3=22, C0=9, C2=8

Rank 2: current adaptive diffusion cosine subspace, tfidf / adaptive_modes_11_21

Subspace embedding




Adaptive diffusion embedding



No GO-term loading data available

Rank 3: current adaptive diffusion cosine subspace, tfidf / adaptive_modes_06_10: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 66; genes: 150; largest cluster sizes: C38=8, C31=6, C32=5, C18=5, C19=5, C53=4, C45=4, C64=4, C12=4, C48=4, C42=4, C10=4, C57=4, C50=4, C41=3, C37=3


Method: current TBS gate on an average-linkage tree built from adaptive diffusion distances inside this cosine eigenspace subspace. Values: GO-BIC/gene is lower-is-better within quality tier; specificity score combines the fraction and strength of clusters with specific enriched GO terms. Clusters: 66; specific clusters: 12; specificity score: 0.549; GO-BIC/gene: 806.164.

Rank 3: current adaptive diffusion cosine subspace, tfidf / adaptive_modes_06_10

Subspace embedding




Adaptive diffusion embedding



No GO-term loading data available


Rank 4: current adaptive diffusion cosine subspace, binary / adaptive_modes_52_80: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 16; genes: 150; largest cluster sizes: C4=34, C13=27, C10=18, C3=13, C6=12, C15=10, C14=10, C1=6, C5=6, C2=5, C11=3, C12=2, C7=1, C0=1, C9=1, C8=1

Rank 4: current adaptive diffusion cosine subspace, binary / adaptive_modes_52_80

Subspace embedding




Adaptive diffusion embedding



No GO-term loading data available

Rank 5: current adaptive diffusion cosine subspace, tfidf / adaptive_modes_63_80: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 59; genes: 150; largest cluster sizes: C24=10, C58=6, C40=5, C38=5, C48=5, C3=4, C35=4, C7=4, C5=3, C13=3, C25=3, C36=3, C22=3, C26=3, C52=3, C30=3


Method: current TBS gate on an average-linkage tree built from adaptive diffusion distances inside this cosine eigenspace subspace. Values: GO-BIC/gene is lower-is-better within quality tier; specificity score combines the fraction and strength of clusters with specific enriched GO terms. Clusters: 59; specific clusters: 0; specificity score: 0.000; GO-BIC/gene: 1438.941.

Rank 5: current adaptive diffusion cosine subspace, tfidf / adaptive_modes_63_80

Subspace embedding




Adaptive diffusion embedding



No GO-term loading data available

Rank 6: current adaptive diffusion cosine subspace, tfidf / adaptive_modes_02_05: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 122; genes: 150; largest cluster sizes: C37=6, C84=4, C89=3, C91=3, C99=2, C86=2, C97=2, C42=2, C111=2, C15=2, C2=2, C8=2, C13=2, C39=2, C85=2, C34=2


Method: current TBS gate on an average-linkage tree built from adaptive diffusion distances inside this cosine eigenspace subspace. Values: GO-BIC/gene is lower-is-better within quality tier; specificity score combines the fraction and strength of clusters with specific enriched GO terms. Clusters: 122; specific clusters: 1; specificity score: 0.407; GO-BIC/gene: 145.917.

Rank 6: current adaptive diffusion cosine subspace, tfidf / adaptive_modes_02_05

Subspace embedding




Adaptive diffusion embedding



No GO-term loading data available

Rank 7: current adaptive diffusion cosine subspace, binary / adaptive_modes_06_09: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 148; genes: 150; largest cluster sizes: C127=2, C78=2, C50=1, C51=1, C40=1, C30=1, C19=1, C72=1, C90=1, C7=1, C47=1, C121=1, C140=1, C103=1, C92=1, C49=1


Method: current TBS gate on an average-linkage tree built from adaptive diffusion distances inside this cosine eigenspace subspace. Values: GO-BIC/gene is lower-is-better within quality tier; specificity score combines the fraction and strength of clusters with specific enriched GO terms. Clusters: 148; specific clusters: 0; specificity score: 0.000; GO-BIC/gene: 0.709.

Rank 7: current adaptive diffusion cosine subspace, binary / adaptive_modes_06_09

Subspace embedding




Adaptive diffusion embedding



No GO-term loading data available

Rank 8: current adaptive diffusion cosine subspace, binary / adaptive_modes_10_21: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 146; genes: 150; largest cluster sizes: C1=2, C21=2, C65=2, C139=2, C132=1, C58=1, C9=1, C44=1, C69=1, C140=1, C25=1, C72=1, C114=1, C86=1, C33=1, C2=1


Method: current TBS gate on an average-linkage tree built from adaptive diffusion distances inside this cosine eigenspace subspace. Values: GO-BIC/gene is lower-is-better within quality tier; specificity score combines the fraction and strength of clusters with specific enriched GO terms. Clusters: 146; specific clusters: 0; specificity score: 0.000; GO-BIC/gene: 2.736.

Rank 8: current adaptive diffusion cosine subspace, binary / adaptive_modes_10_21

Subspace embedding




Adaptive diffusion embedding



No GO-term loading data available

Rank 9: current adaptive diffusion cosine subspace, tfidf / adaptive_modes_22_62: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 145; genes: 150; largest cluster sizes: C30=2, C105=2, C81=2, C141=2, C99=2, C93=1, C67=1, C137=1, C122=1, C58=1, C33=1, C119=1, C35=1, C95=1, C97=1, C18=1


Method: current TBS gate on an average-linkage tree built from adaptive diffusion distances inside this cosine eigenspace subspace. Values: GO-BIC/gene is lower-is-better within quality tier; specificity score combines the fraction and strength of clusters with specific enriched GO terms. Clusters: 145; specific clusters: 0; specificity score: 0.000; GO-BIC/gene: 3.851.

Rank 9: current adaptive diffusion cosine subspace, tfidf / adaptive_modes_22_62

Subspace embedding




Adaptive diffusion embedding



No GO-term loading data available

Rank 10: current adaptive diffusion cosine subspace, binary / adaptive_modes_22_51: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 144; genes: 150; largest cluster sizes: C1=2, C63=2, C71=2, C120=2, C75=2, C101=2, C55=1, C59=1, C129=1, C25=1, C137=1, C105=1, C111=1, C64=1, C66=1, C108=1


Method: current TBS gate on an average-linkage tree built from adaptive diffusion distances inside this cosine eigenspace subspace. Values: GO-BIC/gene is lower-is-better within quality tier; specificity score combines the fraction and strength of clusters with specific enriched GO terms. Clusters: 144; specific clusters: 0; specificity score: 0.000; GO-BIC/gene: 4.864.

Rank 10: current adaptive diffusion cosine subspace, binary / adaptive_modes_22_51

Subspace embedding




Adaptive diffusion embedding



No GO-term loading data available

Rank 11: current adaptive diffusion cosine subspace, tfidf / adaptive_common_mode_01: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 137; genes: 150; largest cluster sizes: C33=10, C22=3, C30=2, C32=2, C117=1, C126=1, C10=1, C130=1, C121=1, C87=1, C5=1, C39=1, C8=1, C100=1, C20=1, C108=1


Method: current TBS gate on an average-linkage tree built from adaptive diffusion distances inside this cosine eigenspace subspace. Values: GO-BIC/gene is lower-is-better within quality tier; specificity score combines the fraction and strength of clusters with specific enriched GO terms. Clusters: 137; specific clusters: 0; specificity score: 0.000; GO-BIC/gene: 30.955.

Rank 11: current adaptive diffusion cosine subspace, tfidf / adaptive_common_mode_01

Subspace embedding




Adaptive diffusion embedding




No GO-term loading data available

Rank 12: current adaptive diffusion cosine subspace, binary / adaptive_common_mode_01: tree with cluster assignments




Tree cluster assignments: the colored strip is the final current TBS cluster id in dendrogram leaf order.
Clusters: 112; genes: 150; largest cluster sizes: C0=6, C101=4, C24=3, C31=3, C26=3, C97=3, C40=3, C103=3, C78=2, C11=2, C23=2, C37=2, C57=2, C25=2, C30=2, C35=2

Subspace embedding



Adaptive diffusion embedding



No GO-term loading data available