







`nmap -sV -sC 192.168.120.100`




nmap -sV -p- 192.168.120.100


nmap -A 192.168.120.100



nmap -A <http://192.168.120.100/dvwa>



nmap -Pn -sV -p 80 192.168.120.100



Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
 - Windows 10 x7E pc1
 - Windows 10 x7E pc2
 - kali-linux-T-19-j-virtual-vmware-amd64 for VAPT
 - Windows Server T-19 for XAMP and DVWA
 - Pfsense FW
 - Ubuntu 16-bit for Splunk

pfSense.SOC.DEPI - Status: Dashboard

192.168.254.2

pfSense COMMUNITY EDITION

System - Interfaces - Firewall - Services - VPN - Status - Diagnostics - Help

Status / Dashboard

System Information

Name	pfSense.SOC.DEPI
User	admin@192.168.254.140 (Local Database)
System	VMware Virtual Machine Netgate Device ID: 14d511d02e1ff27bb94a
BIOS	Vendor: Phoenix Technologies LTD Version: 6.00 Release Date: Thu Nov 12 2020
Version	2.7.2-RELEASE (amd64) built on Wed Dec 6 22:10:00 EET 2023 FreeBSD 14.0-CURRENT
CPU Type	12th Gen Intel(R) Core(TM) i5-1235U 2 CPUs: 1 package(s) x 2 core(s) AES-NI CPU Crypto: Yes (inactive) QAT Crypto: No
Hardware crypto	Inactive
Kernel PTI	Disabled

Netgate Services And Support

Contract type: Community Support
Community Support Only

NETGATE AND pfSense COMMUNITY SUPPORT RESOURCES

If you purchased your pfSense gateway firewall appliance from Netgate and elected **Community Support** at the point of sale or installed pfSense on your own hardware, you have access to various community support resources. This includes the **NETGATE RESOURCE LIBRARY**.

You also may upgrade to a Netgate Global Technical Assistance Center (TAC) Support subscription. We're always on! Our team is staffed 24x7x365 and committed to delivering enterprise-class, worldwide support at a price point that is more than competitive when compared to others in our space.

- Upgrade Your Support
- Community Support Resources
- Netgate Global Support FAQ
- Official pfSense Training by Netgate
- Netgate Professional Services
- Visit Netgate.com

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

28°C

Search

ENG

4/24/2026

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
 - Windows 10 x7E pc1
 - Windows 10 x7E pc2
 - kali-linux-T-19-j-virtual-vmware-amd64 for VAPT
 - Windows Server T-19 for XAMP and DVWA
 - Pfsense FW
 - Ubuntu 16-bit for Splunk

pfSense.SOC.DEPI - Interfaces: WAN_192_168_250_129_internet (em0)

192.168.254.2/interfaces.php?if=wan

pfSense COMMUNITY EDITION

System - Interfaces - Firewall - Services - VPN - Status - Diagnostics - Help

Interfaces / WAN_192_168_250_129_internet (em0)

General Configuration

Enable	☒ Enable interface
Description	WAN_192_168_250_129_internet Enter a description (name) for the interface here.
IPv4 Configuration Type	DHCP
IPv6 Configuration Type	None
MAC Address	xxxxxxxxxxxx This field can be used to modify ("spoof") the MAC address of this interface. Enter a MAC address in the following format: xxxxxxxx or leave blank.
MTU	 If this field is blank, the adapter's default MTU will be used. This is typically 1500 bytes but can vary in some circumstances.
MSS	 If a value is entered in this field, then MSS clamping for TCP connections to the value entered above minus 40 for IPv4 (TCP/IPV4 header size) and minus 60 for IPv6 (TCP/IPV6 header size) will be in effect.

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

28°C

Search

ENG

4/24/2026

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
 - Windows 10 x7E pc1
 - Windows 10 x7E pc2
 - kali-linux-T-19-j-virtual-machine-amd64 for VAPT
 - Windows Server T-19 for XAMP and DVWA
 - Pfsense FW
 - Ubuntu 16-bit for Splunk

Home | Ubuntu 16-bit For Splunk | Pfsense FW | Windows 10 x7E pc1 | **Windows Server T-19 AD** | Windows 10 x7E pc2 | Windows Server T-19 for XAMP... | kali-lin...

Not secure 192.168.254.2/firewall_rules.php?if=wan

System | Interfaces | **Firewall** | Services | VPN | Status | Diagnostics | Help

Firewall / Rules / WAN_192.168.250_129_INTERNET

Floating WAN_192.168.250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

☐	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒	0/213 KIB	*	Reserved Not assigned by IANA	*	*	*	*	*	*	Block bogon networks	
☐	0/317 KIB	IPv4 *	*	*	*	*	*	none			

Add Add Delete Toggle Copy Save Separator

pfSense is developed and maintained by Netgate. © ESP 2004 - 2020 View license.

2:34 PM 4/24/2026

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

28°C مشمس جزئي

Search

ENG

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
 - Windows 10 x7E pc1
 - Windows 10 x7E pc2
 - kali-linux-T-19-j-virtual-machine-amd64 for VAPT
 - Windows Server T-19 for XAMP and DVWA
 - Pfsense FW
 - Ubuntu 16-bit for Splunk

Home | Ubuntu 16-bit For Splunk | Pfsense FW | Windows 10 x7E pc1 | **Windows Server T-19 AD** | Windows 10 x7E pc2 | Windows Server T-19 for XAMP... | kali-lin...

Not secure 192.168.254.2/firewall_rules.php?if=opt1

System | Interfaces | **Firewall** | Services | VPN | Status | Diagnostics | Help

Firewall / Rules / DMZ_1921681201_WEBSRV_WEBAPP

Floating WAN_192.168.250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE **DMZ_1921681201_WEBSRV_WEBAPP**

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

☐	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒	0/213 KIB	*	Reserved Not assigned by IANA	*	*	*	*	*	*	Block bogon networks	
☐	5/31.25 MIB	IPv4 *	*	*	*	*	*	none			

Add Add Delete Toggle Copy Save Separator

pfSense is developed and maintained by Netgate. © ESP 2004 - 2020 View license.



2:33 PM 4/24/2026

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

28°C مشمس جزئي

Search

ENG



Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
 - Windows 10 x86 pc1
 - Windows 10 x86 pc2
 - kali-linux-T-19-vmware-amd64 for VAPT
 - Windows Server T-19 for XAMP and DVWA
 - Pfsense FW
 - Ubuntu 16-bit for Splunk

Home | Ubuntu 16-bit for Splunk | Pfsense FW | Windows 10 x86 pc1 | **Windows Server T-19 AD** | Windows 10 x86 pc2 | Windows Server T-19 for XAMP... | kali-lin...

192.168.254.2/firewall_rules.php?if=opt1

System | Interfaces | **Firewall** | Services | VPN | Status | Diagnostics | Help

Firewall / Rules / DMZ_1921681201_WEBSRV_WEBAPP

The firewall rule configuration has been changed. The changes must be applied for them to take effect. [Apply Changes](#)

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE **DMZ_1921681201_WEBSRV_WEBAPP**

WINDOWS10_PC1_10_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒	0/215 KiB	*	Reserved Not assigned by IANA	*	*	*	*	*	*	Block bogon networks	
☐	0/0 B	IPv4 TCP	*	*	DMZ_1921681201_WEBSRV_WEBAPP address	80 (HTTP)	*	none			
☐	5/31.25 MiB	IPv4 *	*	*	*	*	*	none			

[Add](#) [Add](#) [Delete](#) [Toggle](#) [Copy](#) [Save](#) [Separator](#)

2:39 PM 4/24/2026

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

29°C عالم عالى

Search

ENG 4/24/2026

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
 - Windows 10 x86 pc1
 - Windows 10 x86 pc2
 - kali-linux-T-19-vmware-amd64 for VAPT
 - Windows Server T-19 for XAMP and DVWA
 - Pfsense FW
 - Ubuntu 16-bit for Splunk

Home | Ubuntu 16-bit for Splunk | Pfsense FW | Windows 10 x86 pc1 | **Windows Server T-19 AD** | Windows 10 x86 pc2 | Windows Server T-19 for XAMP... | kali-lin...

192.168.254.2/firewall_rules.php?if=opt1

System | Interfaces | **Firewall** | Services | VPN | Status | Diagnostics | Help

Firewall / Rules / DMZ_1921681201_WEBSRV_WEBAPP

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE **DMZ_1921681201_WEBSRV_WEBAPP**

WINDOWS10_PC1_10_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒	0/226 KiB	*	Reserved Not assigned by IANA	*	*	*	*	*	*	Block bogon networks	
☐	0/0 B	IPv4 TCP	*	*	DMZ_1921681201_WEBSRV_WEBAPP address	80 (HTTP)	*	none			
☐	5/31.25 MiB	IPv4 *	*	*	*	*	*	none			

[Add](#) [Add](#) [Delete](#) [Toggle](#) [Copy](#) [Save](#) [Separator](#)



2:40 PM 4/24/2026

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

29°C عالم عالى

Search

ENG 4/24/2026



Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
 - Windows 10 x86 pc1
 - Windows 10 x86 pc2
 - kali-linux-T-19.3-vmware-amd64 for VAPT
 - Windows Server T-19 for XAMP and DVWA
 - Pfsense FW
 - Ubuntu 16-bit for Splunk

192.168.254.2/firewall_rules.php?f=opt1

System Interfaces Firewall Services VPN Status Diagnostics Help

Firewall / Rules / DMZ_1921681201_WEBSRV_WEBAPP

The firewall rule configuration has been changed. The changes must be applied for them to take effect.

Apply Changes

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒	0/229 KIB	*	Reserved Not assigned by IANA	*	*	*	*	*	*	Block bogon networks	    
☒	0/0 B	IPv4 TCP	*	*	192.168.120.100	80 (HTTP)	*	none			    
☒	0/31.25 MIB	IPv4 *	*	*	*	*	*	none			    

Add Add Delete Toggle Copy Save Separation

29°C عالم عالى

Search

2:46 PM 4/24/2026

ENG

29°C عالم عالى

Search

2:46 PM 4/24/2026

ENG

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
 - Windows 10 x86 pc1
 - Windows 10 x86 pc2
 - kali-linux-T-19.3-vmware-amd64 for VAPT
 - Windows Server T-19 for XAMP and DVWA
 - Pfsense FW
 - Ubuntu 16-bit for Splunk

192.168.254.2/firewall_rules.php?f=opt1

System Interfaces Firewall Services VPN Status Diagnostics Help

Firewall / Rules / DMZ_1921681201_WEBSRV_WEBAPP

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒	0/229 KIB	*	Reserved Not assigned by IANA	*	*	*	*	*	*	Block bogon networks	    
☒	0/0 B	IPv4 TCP	*	*	192.168.120.100	80 (HTTP)	*	none			    
☒	0/31.25 MIB	IPv4 *	*	*	*	*	*	none			    

Add Add Delete Toggle Copy Save Separation

29°C عالم عالى

Search

2:46 PM 4/24/2026



ENG


29°C عالم عالى

Search


2:46 PM 4/24/2026



ENG











New-NetFirewallRule -DisplayName "Allow HTTP SOC Lab" -Direction Inbound -LocalPort 80 -Protocol TCP -Action Allow































To direct input to this VM, move the mouse pointer inside or press Ctrl+G.





To direct input to this VM, move the mouse pointer inside or press Ctrl+G.






index=* "whoami"

| stats values(sourcetype) as Log_Sources, count by host





curl -I <http://192.168.120.100/dvwa/login.php>

curl

<http://192.168.120.100/dvwa/vulnerabilities/exec/index.php?ip=127.0.0.1;whoami&Submit=Submit>

nmap -sV -sC 192.168.120.100

nmap -A 192.168.120.100

nmap -Pn -sV -p 80 192.168.120.100

curl -I <http://192.168.120.100/dvwa/login.php>

