













Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x76 pc1
- Windows 10 x76 pc2
- kali-linux-T-19.3-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules.php?if=wan

System Interfaces Firewall Services VPN Status Diagnostics Help

Firewall / Rules / WAN_192_168_250_129_INTERNET

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	0/0 B	IPv4 *	WAN_192_168_250_129_INTERNET address	*	DMZ_1921681201_WEBSRV_WEBAPP address	*	*	none			  
☐	0/0 B	IPv4 *	WAN_192_168_250_129_INTERNET address	*	LAN_1921682542_DATACENTER_MANAGE address	*	*	none			  
☐	3/14.94	IPv4 *	MIB	*	*	*	*	none			  

22°C

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x76 pc1
- Windows 10 x76 pc2
- kali-linux-T-19.3-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules_edit.php?if=wan&after=-1

System Interfaces Firewall Services VPN Status Diagnostics Help

Firewall / Rules / Edit

Edit Firewall Rule

Action

Choose what to do with packets that match the criteria specified below.
Hint: the difference between block and reject is that with reject, a packet (TCP RST or ICMP port unreachable for UDP) is returned to the sender, whereas with block the packet is dropped silently. In either case, the original packet is discarded.

Disabled ☐ Disable this rule
Set this option to disable this rule without removing it from the list.

Interface

Choose the interface from which packets must come to match this rule.

Address Family

Select the Internet Protocol version this rule applies to.

Protocol



Choose which IP protocol this rule should match.



Source



Source ☐ Invert match

22°C

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.







Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x7E pc1
- Windows 10 x7E pc2
- kali-linux-T-19-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules.php?if=wan

System Interfaces Firewall Services VPN Status Diagnostics Help

Firewall / Rules / WAN_192_168_250_129_INTERNET

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	✓	0/0 B	IPv4 *	! WAN_192_168_250_129_INTERNET address	*	! WINDOWS10_PC2_10_2_1_1_FINANCE address	*	*	none		  
☐	✓	2/408 B	IPv4 *	! WAN_192_168_250_129_INTERNET address	*	! WINDOWS10_PC1_10_1_1_1_HR address	*	*	none		  
☐	✓	0/0 B	IPv4 *	! WAN_192_168_250_129_INTERNET address	*	! DMZ_1921681201_WEBSRV_WEBAPP address	*	*	none		  

12:52 PM 4/26/2026

أضف فوق بنفسي الآن

Search

ENG

kali-linux-T-19-vmware-amd64 for VAPT - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x7E pc1
- Windows 10 x7E pc2
- kali-linux-T-19-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

kali@kali: ~

```
Session Actions Edit View Help
PING 192.168.254.140 (192.168.254.140) 56(84) bytes of data.
-
192.168.254.140 ping statistics --
22 packets transmitted, 0 received, 100% packet loss, time 21490ms

[kali@kali]~$ ping 192.168.254.2
PING 192.168.254.2 (192.168.254.2) 56(84) bytes of data.
^C
192.168.254.2 ping statistics --
12 packets transmitted, 0 received, 100% packet loss, time 11259ms

[kali@kali]~$ ping 192.168.254.140
PING 192.168.254.140 (192.168.254.140) 56(84) bytes of data.
^C
192.168.254.140 ping statistics --
13 packets transmitted, 0 received, 100% packet loss, time 12296ms

[kali@kali]~$ ping 192.168.254.2
PING 192.168.254.2 (192.168.254.2) 56(84) bytes of data.
^C
192.168.254.2 ping statistics --
7 packets transmitted, 0 received, 100% packet loss, time 6132ms

[kali@kali]~$ ping 192.168.250.129
PING 192.168.250.129 (192.168.250.129) 56(84) bytes of data.
64 bytes from 192.168.250.129: icmp_seq=1 ttl=64 time=0.781 ms
64 bytes from 192.168.250.129: icmp_seq=2 ttl=64 time=0.936 ms
64 bytes from 192.168.250.129: icmp_seq=3 ttl=64 time=0.663 ms
192.168.250.129 ping statistics --
3 packets transmitted, 3 received, 0% packet loss, time 2017ms
rtt min/avg/max/ndev = 0.663/0.793/0.936/0.111 ms



[kali@kali]~$ ip route
default via 192.168.250.2 dev eth0 proto dhcp src 192.168.250.128 metric 100
192.168.250.0/24 dev eth0 proto kernel scope link src 192.168.250.128 metric 100



[kali@kali]~$
```



25°C



Search

ENG









Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pc2
- kali-linux-T-19-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules.php?if=lan

System - Interfaces - Firewall - Services - VPN - Status - Diagnostics - Help

Firewall / Rules / LAN_1921682542_DATACENTER_MANAGE

The firewall rule configuration has been changed. The changes must be applied for them to take effect.

Apply Changes

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
1/1.05 MIB	*	*	*	LAN_1921682542_DATACENTER_MANAGE Address	80	*	*	*	Anti-Lockout Rule	
0/0 B	IPv4	LAN_1921682542_DATACENTER_MANAGE address	*	! WINDOWS10_PC1_10_1_1_1_HR address	*	*	*	none		
2/1 KIB	IPv4	LAN_1921682542_DATACENTER_MANAGE address	*	! DMZ_1921681201_WEBSRV_WEBAPP address	*	*	*	none		

23°C

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pc2
- kali-linux-T-19-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules.php?if=lan

System - Interfaces - Firewall - Services - VPN - Status - Diagnostics - Help

Firewall / Rules / LAN_1921682542_DATACENTER_MANAGE

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP



WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
1/1.05 MIB	*	*	*	LAN_1921682542_DATACENTER_MANAGE Address	80	*	*	*	Anti-Lockout Rule	
0/0 B	IPv4	LAN_1921682542_DATACENTER_MANAGE address	*	! WINDOWS10_PC1_10_1_1_1_HR address	*	*	*	none		
4/2 KIB	IPv4	LAN_1921682542_DATACENTER_MANAGE address	*	! DMZ_1921681201_WEBSRV_WEBAPP address	*	*	*	none		

23°C

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x76 pc1
- Windows 10 x76 pc2
- kali-linux-T-19.3-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules.php?if=lan

System - Interfaces - Firewall - Services - VPN - Status - Diagnostics - Help

Firewall / Rules / LAN_1921682542_DATACENTER_MANAGE

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192168250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	1/1.06	*	*	*	LAN_1921682542_DATACENTER_MANAGE Address	80	*	*	*	Anti-Lockout Rule	
☐	0/0.8	IPv4	LAN_1921682542_DATACENTER_MANAGE address	*	!WINDOWS10_PC2_10_2_1_1_FINANCE address	*	*	none	*		
☐	6/9 KIB	IPv4	LAN_1921682542_DATACENTER_MANAGE address	*	!WINDOWS10_PC1_10_1_1_1_HR address	*	*	none	*		

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

Search

1:30 PM 4/26/2026

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x76 pc1
- Windows 10 x76 pc2
- kali-linux-T-19.3-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules_edit.php?if=opt1&after=-1

System - Interfaces - Firewall - Services - VPN - Status - Diagnostics - Help

Firewall / Rules / Edit

Edit Firewall Rule

Action: Pass

Choose what to do with packets that match the criteria specified below. Hint: the difference between block and reject is that with reject, a packet (TCP RST or ICMP port unreachable for UDP) is returned to the sender, whereas with block the packet is dropped silently. In either case, the original packet is discarded.

Disabled: ☐ Disable this rule

Set this option to disable this rule without removing it from the list.

Interface: DMZ_1921681201_WEBSRV_WEBAPP

Choose the interface from which packets must come to match this rule.

Address Family: IPv4

Select the Internet Protocol version this rule applies to.

Protocol: Any

Choose which IP protocol this rule should match.

Source



Source: ☐ Invert match Any Source Address /

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

Search

1:31 PM 4/26/2026



Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x76 pc1
- Windows 10 x76 pc2
- kali-linux-T-19.3-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules.php?if=opt1

Not secure

Firewall / Rules / DMZ_1921681201_WEBSRV_WEBAPP

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	0/0 B	IPv4 *	DMZ_1921681201_WEBSRV_WEBAPP address	*	WINDOWS10_PC1_10_1_1_1_HR address	*	*	none			 
☐	0/17.02 MIB	IPv4 *	DMZ_1921681201_WEBSRV_WEBAPP subnets	*	192.168.254.156	*	*	none			 
☐	0/0 B	IPv4 TCP	*	*	192.168.120.100	80 (HTTP)	*	none			 

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

Search

1:32 PM 4/26/2026

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x76 pc1
- Windows 10 x76 pc2
- kali-linux-T-19.3-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules_edit.php?if=opt1&after=-1

Not secure

Firewall / Rules / Edit

Edit Firewall Rule

Action: Pass

Choose what to do with packets that match the criteria specified below. Hint: the difference between block and reject is that with reject, a packet (TCP RST or ICMP port unreachable for UDP) is returned to the sender, whereas with block the packet is dropped silently. In either case, the original packet is discarded.

Disabled: ☐ Disable this rule. Set this option to disable this rule without removing it from the list.

Interface: DMZ_1921681201_WEBSRV_WEBAPP

Choose the interface from which packets must come to match this rule.

Address Family: IPv4

Select the Internet Protocol version this rule applies to.

Protocol: Any

Choose which IP protocol this rule should match.

Source



Source: ☐ Invert match Any Source Address /

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

Search

1:32 PM 4/26/2026



Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pc2
- kali-linux-T-19.3-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules.php?if=opt1

Not secure

Firewall / Rules / DMZ_1921681201_WEBSRV_WEBAPP

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒ 0/0 B	IPv4 *	DMZ_1921681201_WEBSRV_WEBAPP address	*	WINDOWS10_PC2_10_2_1_1_FINANCE address	*	*	*	none		
☒ 0/0 B	IPv4 *	DMZ_1921681201_WEBSRV_WEBAPP address	*	WINDOWS10_PC1_10_1_1_1_HR address	*	*	*	none		
☒ 0/17.02 MiB	IPv4 *	DMZ_1921681201_WEBSRV_WEBAPP subnets	*	192.168.254.156	*	*	*	none		

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pc2
- kali-linux-T-19.3-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules_edit.php?if=opt2&after=-1

Not secure

Firewall / Rules / Edit

Edit Firewall Rule

Action: Pass

Choose what to do with packets that match the criteria specified below. Hint: the difference between block and reject is that with reject, a packet (TCP RST or ICMP port unreachable for UDP) is returned to the sender, whereas with block the packet is dropped silently. In either case, the original packet is discarded.

Disabled: ☐ Disable this rule

Set this option to disable this rule without removing it from the list.

Interface: WINDOWS10_PC1_10_1_1_1_HR

Choose the interface from which packets must come to match this rule.

Address Family: IPv4

Select the Internet Protocol version this rule applies to.

Protocol: Any



Choose which IP protocol this rule should match.

Source

Source: ☐ Invert match Any Source Address /

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C



Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pc2
- kali-linux-T-19-3-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

Home | Ubuntu 16-bit For Splunk | Pfsense FW | Windows 10 x86 pc1 | Windows Server T-19 AD | Windows 10 x86 pc2 | Windows Server T-19 for XAMP...

Not secure 192.168.254.2/firewall_rules.php?if=opt2

System Interfaces Firewall Services VPN Status Diagnostics Help

Firewall / Rules / WINDOWS10_PC1_10_1_1_HR

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192.168.250.129_INTERNET LAN_192.168.254.2_DATACENTER_MANAGE DMZ_192.168.1201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
0/0 B	*	Reserved Not assigned by IANA	*	*	*	*	*	*	Block bogus networks	
0/0 B	IPV4 *	! WINDOWS10_PC1_10_1_1_HR address	*	! WINDOWS10_PC2_10_2_1_1_FINANCE address	*	*	none			
0/13 KIB	IPV4 *	*	*	*	*	*	none			

Add Add Delete Toggle Copy Save Separate

23°C

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pc2
- kali-linux-T-19-3-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

Home | Ubuntu 16-bit For Splunk | Pfsense FW | Windows 10 x86 pc1 | Windows Server T-19 AD | Windows 10 x86 pc2 | Windows Server T-19 for XAMP...

Administrator Command Prompt

```
C:\Users\Administrator>ping 192.168.254.2

Pinging 192.168.254.2 with 32 bytes of data:
Reply from 192.168.254.2: bytes=32 time=1ms TTL=64
Reply from 192.168.254.2: bytes=32 time=1ms TTL=64
Reply from 192.168.254.2: bytes=32 time=1ms TTL=64
Reply from 192.168.254.2: bytes=32 time=1ms TTL=64

Ping statistics for 192.168.254.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 1ms

C:\Users\Administrator>ping 192.168.250.129

Pinging 192.168.250.129 with 32 bytes of data:
Reply from 192.168.250.129: bytes=32 time=1ms TTL=64
Reply from 192.168.250.129: bytes=32 time=1ms TTL=64
Reply from 192.168.250.129: bytes=32 time=1ms TTL=64
Reply from 192.168.250.129: bytes=32 time=1ms TTL=64

Ping statistics for 192.168.250.129:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms



C:\Users\Administrator>ping 192.168.250.128



Pinging 192.168.250.128 with 32 bytes of data:
Reply from 192.168.250.128: bytes=32 time=1ms TTL=63
Reply from 192.168.250.128: bytes=32 time=2ms TTL=63
Reply from 192.168.250.128: bytes=32 time=1ms TTL=63
Reply from 192.168.250.128: bytes=32 time=1ms TTL=63

Ping statistics for 192.168.250.128:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 3ms, Average = 1ms
```

23°C

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.





Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x7L pc1
- Windows 10 x7L pcT
- kali-linux-T-19-J-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

Home x Ubuntu 16-bit For Splunk x Pfsense FW x Windows 10 x7L pc1 x Windows Server T-19 AD x Windows 10 x7L pcT x Windows Server T-19 for XAMP... x k... x

Not secure 192.168.254.2/firewall_rules_edit.php?id=0

Source

Source ☒ Invert match WAN_192_168_250_129_INTERNET subnets Source Address /

Destination

Destination ☒ Invert match WINDOWS10_PC2_10_2_1_1_FINANCE subnets Destination Address /

Extra Options

Log ☒ Log packets that are handled by this rule
Hint: the firewall has limited local log space. Don't turn on logging for everything. If doing a lot of logging, consider using a remote syslog server (see the Status: System Logs: Settings page).

Description

A description may be entered here for administrative reference. A maximum of 52 characters will be used in the ruleset and displayed in the firewall log.

Advanced Options [Display Advanced](#)

Rule Information

Tracking ID	1777099163
Created	4/25/26 09:39:23 by admin@192.168.254.140 (Local Database)
Updated	4/25/26 09:39:23 by admin@192.168.254.140 (Local Database)

[Save](#)

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

Search

3:05 PM 4/26/2026

ENG

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x7L pc1
- Windows 10 x7L pcT
- kali-linux-T-19-J-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

Home x Ubuntu 16-bit For Splunk x Pfsense FW x Windows 10 x7L pc1 x Windows Server T-19 AD x Windows 10 x7L pcT x Windows Server T-19 for XAMP... x k... x

Not secure 192.168.254.2/firewall_rules.php?if=wan

pfsense COMMUNITY EDITION

System - Interfaces - Firewall - Services - VPN - Status - Diagnostics - Help

Firewall / Rules / WAN_192_168_250_129_INTERNET

The firewall rule configuration has been changed.
The changes must be applied for them to take effect. [Apply Changes](#)

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	☒	0/0 B	IPv4 *	I WAN_192_168_250_129_INTERNET subnets	*	I WINDOWS10_PC2_10_2_1_1_FINANCE subnets	*	*	none		Download Edit Delete
☐	☒	0/408 B	IPv4 *	I WAN_192_168_250_129_INTERNET address	*	I WINDOWS10_PC1_10_1_1_1_HR address	*	*	none		Download Edit Delete
☐	☒	0/0 B	IPv4 *	I WAN_192_168_250_129_INTERNET address	*	I DMZ_1921681201_WEBSRV_WEBAPP address	*	*	none		Download Edit Delete

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

Search

3:07 PM 4/26/2026

ENG

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

- My Computer
 - Windows Server T-19 AD
 - Windows 10 x76 pc1
 - Windows 10 x76 pcT
 - kali-linux-T-19-j-virtualware-amd64 for VAPT
 - Windows Server T-19 for XAMP and DVWA
 - Pfsense FW
 - Ubuntu 16-bit For Splunk

Home x Ubuntu 16-bit For Splunk x Pfsense FW x Windows 10 x76 pc1 x Windows Server T-19 AD x Windows 10 x76 pcT x Windows Server T-19 for XAMP... x k... x

Not secure 192.168.254.2/firewall_rules.php?if=wan

pfsense COMMUNITY EDITION System Interfaces Firewall Services VPN Status Diagnostics Help

Firewall / Rules / WAN_192_168_250_129_INTERNET

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP



WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE



Rules (Drag to Change Order)



	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	✓	0/0 B	IPV4 *	! WAN_192_168_250_129_INTERNET subnets	*	! WINDOWS10_PC2_10_2_1_1_FINANCE subnets	*	*	none		  
☐	✓	0/408 B	IPV4 *	! WAN_192_168_250_129_INTERNET address	*	! WINDOWS10_PC1_10_1_1_1_HR address	*	*	none		  
☐	✓	0/0 B	IPV4 *	! WAN_192_168_250_129_INTERNET address	*	! DMZ_1921681201_WEBSRV_WEBAPP address	*	*	none		  



To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



23°C 308 PM 4/26/2026 ENG 192.168.1.1











Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pcT
- kali-linux-T-19-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit for Splunk

Home × Ubuntu 16-bit For Splunk × Pfsense FW × Windows 10 x86 pc1 × Windows Server T-19 AD × Windows 10 x86 pcT × Windows Server T-19 for XAMP... × k... ×

Not secure 192.168.254.2/firewall_rules.php?if=wan

Firewall / Rules / WAN_192.168.250_129_INTERNET

The firewall rule configuration has been changed.
The changes must be applied for them to take effect.

Apply Changes

Floating WAN_192.168.250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)										
States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	0/0 B	IPv4 *	I WAN_192_168_250_129_INTERNET subnets	*	I WINDOWS10_PC2_10_2_1_1_FINANCE subnets	*	*	none		
☐	0/0 B	IPv4 *	I WAN_192_168_250_129_INTERNET subnets	*	I WINDOWS10_PC1_10_1_1_1_HR subnets	*	*	none		
☐	0/0 B	IPv4 *	I WAN_192_168_250_129_INTERNET subnets	*	I DMZ_1921681201_WEBSRV_WEBAPP subnets	*	*	none		
☐	0/0 B	IPv4 *	I WAN_192_168_250_129_INTERNET subnets	*	I LAN_1921682542_DATACENTER_MANAGE subnets	*	*	none		

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

Search

3:11 PM 4/26/2026

ENG

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pcT
- kali-linux-T-19-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit for Splunk

Home × Ubuntu 16-bit For Splunk × Pfsense FW × Windows 10 x86 pc1 × Windows Server T-19 AD × Windows 10 x86 pcT × Windows Server T-19 for XAMP... × k... ×

Not secure 192.168.254.2/firewall_rules.php?if=wan

Firewall / Rules / WAN_192.168.250_129_INTERNET

The changes have been applied successfully. The firewall rules are now reloading in the background.
Monitor the filter reload progress.

Floating WAN_192.168.250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)										
States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☐	0/0 B	IPv4 *	I WAN_192_168_250_129_INTERNET subnets	*	I WINDOWS10_PC2_10_2_1_1_FINANCE subnets	*	*	none		
☐	0/0 B	IPv4 *	I WAN_192_168_250_129_INTERNET subnets	*	I WINDOWS10_PC1_10_1_1_1_HR subnets	*	*	none		
☐	0/0 B	IPv4 *	I WAN_192_168_250_129_INTERNET subnets	*	I DMZ_1921681201_WEBSRV_WEBAPP subnets	*	*	none		
☐	0/0 B	IPv4 *	I WAN_192_168_250_129_INTERNET subnets	*	I LAN_1921682542_DATACENTER_MANAGE subnets	*	*	none		



To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

Search

3:11 PM 4/26/2026

ENG



Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pcT
- kali-linux-T-19-j-virtual-machine-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules_edit.php?id=7

System - Interfaces - Firewall - Services - VPN - Status - Diagnostics - Help

Firewall / Rules / Edit

Edit Firewall Rule

Action
Choose what to do with packets that match the criteria specified below. Hint: the difference between block and reject is that with reject, a packet (TCP RST or ICMP port unreachable for UDP) is returned to the sender, whereas with block the packet is dropped silently. In either case, the original packet is discarded.

Disabled ☐ Disable this rule
Set this option to disable this rule without removing it from the list.

Interface
Choose the interface from which packets must come to match this rule.

Address Family
Select the Internet Protocol version this rule applies to.

Protocol
Choose which IP protocol this rule should match.

Source

Source ☒ Invert match /

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

3:15 PM 4/26/2026

ENG

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pcT
- kali-linux-T-19-j-virtual-machine-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules_edit.php?id=7

System - Interfaces - Firewall - Services - VPN - Status - Diagnostics - Help

Firewall / Rules / Edit

Edit Firewall Rule

Source

Source ☒ Invert match /

Destination

Destination ☒ Invert match /

Extra Options

Log ☒ Log packets that are handled by this rule
Hint: the firewall has limited local log space. Don't turn on logging for everything. If doing a lot of logging, consider using a remote syslog server (see the Status: System Logs: Settings page).

Description
A description may be entered here for administrative reference. A maximum of 52 characters will be used in the ruleset and displayed in the firewall log.

Advanced Options

Rule Information



Tracking ID	1777101384
Created	4/25/26 10:16:24 by admin@192.168.254.140 (Local Database)
Updated	4/25/26 10:16:24 by admin@192.168.254.140 (Local Database)

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

3:15 PM 4/26/2026

ENG



Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pc2
- kali-linux-T-19-j-virtual-machine-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

Home x Ubuntu 16-bit For Splunk x Pfsense FW x Windows 10 x86 pc1 x Windows Server T-19 AD x Windows 10 x86 pc2 x Windows Server T-19 for XAMP... x k... x

Not secure 192.168.254.2/firewall_rules.php?if=lan

Firewall / Rules / LAN_1921682542_DATACENTER_MANAGE

The firewall rule configuration has been changed.
The changes must be applied for them to take effect.

Apply Changes

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒ 1/1.28 MIB	*	*	*	LAN_1921682542_DATACENTER_MANAGE Address	80	*	*	*	Anti-Lockout Rule	
☒ 0/0 B	IPv4 *	! LAN_1921682542_DATACENTER_MANAGE subnets	*	! WINDOWS10_PC2_10_2_1_1_FINANCE subnets	*	*	none	*		
☒ 0/0 B	IPv4 *	! LAN_1921682542_DATACENTER_MANAGE subnets	*	! WINDOWS10_PC1_10_1_1_1_HR subnets	*	*	none	*		
☒ 5/13 KIB	IPv4 *	! WAN_192_168_250_129_INTERNET subnets	*	! DMZ_1921681201_WEBSRV_WEBAPP subnets	*	*	none	*		

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

Search

3:17 PM 4/26/2026

ENG

1921681201

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pc2
- kali-linux-T-19-j-virtual-machine-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

Home x Ubuntu 16-bit For Splunk x Pfsense FW x Windows 10 x86 pc1 x Windows Server T-19 AD x Windows 10 x86 pc2 x Windows Server T-19 for XAMP... x k... x

Not secure 192.168.254.2/firewall_rules.php?if=lan

Firewall / Rules / LAN_1921682542_DATACENTER_MANAGE

The changes have been applied successfully. The firewall rules are now reloading in the background.
Monitor the filter reload progress.

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒ 1/1.28 MIB	*	*	*	LAN_1921682542_DATACENTER_MANAGE Address	80	*	*	*	Anti-Lockout Rule	
☒ 0/0 B	IPv4 *	! LAN_1921682542_DATACENTER_MANAGE subnets	*	! WINDOWS10_PC2_10_2_1_1_FINANCE subnets	*	*	none	*		
☒ 0/0 B	IPv4 *	! LAN_1921682542_DATACENTER_MANAGE subnets	*	! WINDOWS10_PC1_10_1_1_1_HR subnets	*	*	none	*		
☒ 1/13 KIB	IPv4 *	! WAN_192_168_250_129_INTERNET subnets	*	! DMZ_1921681201_WEBSRV_WEBAPP subnets	*	*	none	*		

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



23°C

Search

3:17 PM 4/26/2026

ENG

1921681201



Windows Server T-IR AD - VMware Workstation

Library

Type here to search

- My Computer
 - Windows Server T-IR AD
 - Windows 10 x76 pc1
 - Windows 10 x76 pc2
 - kali-linux-T-IR-vmware-amd64 for VAPT
 - Windows Server T-IR for XAMP and DVWA
 - Pfsense FW
 - Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules.php?if=opt1

Firewall / Rules / DMZ_1921681201_WEBSRV_WEBAPP

The firewall rule configuration has been changed. The changes must be applied for them to take effect.

Apply Changes

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
0/2 KIB	IPv4 *	DMZ_1921681201_WEBSRV_WEBAPP subnets	*	WINDOWS10_PC2_10_2_1_1_FINANCE subnets	*	*	none			
0/0 B	IPv4 *	DMZ_1921681201_WEBSRV_WEBAPP address	*	WINDOWS10_PC1_10_1_1_1_HR address	*	*	none			
0/17.02 MIB	IPv4 *	DMZ_1921681201_WEBSRV_WEBAPP subnets	*	192.168.254.156	*	*	none			

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C

Windows Server T-IR AD - VMware Workstation

Library

Type here to search

- My Computer
 - Windows Server T-IR AD
 - Windows 10 x76 pc1
 - Windows 10 x76 pc2
 - kali-linux-T-IR-vmware-amd64 for VAPT
 - Windows Server T-IR for XAMP and DVWA
 - Pfsense FW
 - Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules.php?if=opt1

Firewall / Rules / DMZ_1921681201_WEBSRV_WEBAPP

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP



WINDOWS10_PC1_10_1_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE



Rules (Drag to Change Order)



States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
0/2 KIB	IPv4 *	DMZ_1921681201_WEBSRV_WEBAPP subnets	*	WINDOWS10_PC2_10_2_1_1_FINANCE subnets	*	*	none			
0/0 B	IPv4 *	DMZ_1921681201_WEBSRV_WEBAPP address	*	WINDOWS10_PC1_10_1_1_1_HR address	*	*	none			
0/17.02 MIB	IPv4 *	DMZ_1921681201_WEBSRV_WEBAPP subnets	*	192.168.254.156	*	*	none			

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

23°C







Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pc2
- kali-linux-T-19-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules.php?if=opt2

System Interfaces Firewall Services VPN Status Diagnostics Help

Firewall / Rules / WINDOWS10_PC1_10_1_1_HR

The firewall rule configuration has been changed. The changes must be applied for them to take effect.

Apply Changes

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒ 0/0 B	*	Reserved Not assigned by IANA	*	*	*	*	*	*	Block bogon networks	
☒ 5/45.08 MIB	IPv4 *	! WINDOWS10_PC1_10_1_1_HR subnets	*	! WINDOWS10_PC2_10_2_1_1_FINANCE subnets	*	*	none			
☒ 0/14 KIB	IPv4 *	*	*	*	*	*	none			

Add Add Delete Toggle Copy Save Separator

3:21 PM 4/26/2026

أشعة فوق بنفسجية... الآن

Search

ENG 4/26/2026

Windows Server T-19 AD - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Windows Server T-19 AD
- Windows 10 x86 pc1
- Windows 10 x86 pc2
- kali-linux-T-19-vmware-amd64 for VAPT
- Windows Server T-19 for XAMP and DVWA
- Pfsense FW
- Ubuntu 16-bit For Splunk

192.168.254.2/firewall_rules.php?if=opt2

System Interfaces Firewall Services VPN Status Diagnostics Help

Firewall / Rules / WINDOWS10_PC1_10_1_1_HR

The changes have been applied successfully. The firewall rules are now reloading in the background. Monitor the filter reload progress.

Floating WAN_192_168_250_129_INTERNET LAN_1921682542_DATACENTER_MANAGE DMZ_1921681201_WEBSRV_WEBAPP

WINDOWS10_PC1_10_1_1_HR WINDOWS10_PC2_10_2_1_1_FINANCE

Rules (Drag to Change Order)

States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒ 0/0 B	*	Reserved Not assigned by IANA	*	*	*	*	*	*	Block bogon networks	
☒ 7/45.08 MIB	IPv4 *	! WINDOWS10_PC1_10_1_1_HR subnets	*	! WINDOWS10_PC2_10_2_1_1_FINANCE subnets	*	*	none			
☒ 1/14 KIB	IPv4 *	*	*	*	*	*	none			

Add Add Delete Toggle Copy Save Separator

3:21 PM 4/26/2026

أشعة فوق بنفسجية... الآن

Search

ENG 4/26/2026

