## **Hydraulic Fracturing Fluid Product Component Information Disclosure**

Fracture Date	11/9/2012
State:	California
County:	Kern
API Number:	0402967380
Operator Name:	Occidental of Elk Hills, Inc.
Well Name and Number:	266-24R
Longitude:	-119.451546
Latitude:	35.301285
Long/Lat Projection:	NAD83
Production Type:	Oil
True Vertical Depth (TVD):	2,876
Total Water Volume (gal)*:	17,421

## **Hydraulic Fracturing Fluid Composition:**

Trade Name	Supplier	Purpose	Ingredients	Chemical Abstract Service Number (CAS #)	Maximum Ingredient Concentratio n in Additive (% by mass)**	Maximum Ingredient Concentratio n in HF Fluid (% by mass)**	Comments
Lease Water	Operator				100.00%	77.01390%	Density = 8.540
SAND - PREMIUM BROWN	Halliburton	Proppant	Crystalline silica, quartz	14808-60-7	100.00%	20.49910%	
SAND - COMMON WHITE	Halliburton	Proppant	Crystalline silica, quartz	14808-60-7	100.00%	0.77648%	
FE-1A ACIDIZING COMPOSITION	Halliburton	Additive	Acetic acid	64-19-7	60.00%	0.07042%	
			Acetic anhydride	108-24-7	100.00%	0.11737%	
MO-67	Halliburton	pH Control Additive	Sodium hydroxide	1310-73-2	30.00%	0.05888%	
EXPEDITE 225 COMPONENT A	Halliburton	Resin	Epoxy resin	Confidential Business Information	100.00%	0.34954%	
			Butyl glycidyl ether	2426-08-6	30.00%	0.10486%	

			Butyl lactate	138-22-7	10.00%	0.03495%
EXPEDITE 225 COMPONENT B	Halliburton	Hardener	Methanol	67-56-1	60.00%	0.16537%
			Modified cycloaliphatic amine adduct	Mixture	60.00%	0.16537%
			Phosphate ester	Confidential Business Information	10.00%	0.02756%
GBW-30 BREAKER	Halliburton	Breaker	Hemicellulase enzyme	9012-54-8	15.00%	0.00757%
			Carbohydrates	Confidential Business Information	95.00%	0.04793%
BC-140	Halliburton	Crosslinker	Ethylene glycol	107-21-1	30.00%	0.02454%
			Monoethanolamine borate	26038-87-9	60.00%	0.04907%
LGC-36 UC	Halliburton	Liquid Gel Concentrate	Guar gum	9000-30-0	60.00%	0.29879%
			Naphtha, hydrotreated heavy	64742-48-9	60.00%	0.29879%
LOSURF-300 NONIONIC SURFACTANT	Halliburton	Surfactant	Isopropanol	67-63-0	60.00%	0.08086%
			Light aromatic solvent	64742-95-6	30.00%	0.04043%
			Ethoxylated nonylphenol	Confidential Business Information	10.00%	0.01348%
GBW-30 BREAKER	Halliburton	Breaker	Hemicellulase enzyme	9012-54-8	15.00%	0.00054%
			Carbohydrates	Confidential Business Information	95.00%	0.00344%
BE-3S BACTERICIDE	Halliburton	Biocide	2,2 Dibromo-3-nitrilopropionamide	10222-01-2	100.00%	0.00311%
			2-Monobromo-3-nitrilopropionamid e	1113-55-9	5.00%	0.00016%
			Crystalline silica, quartz	14808-60-7		
			Ethylenediamine	107-15-3		
			Fatty alcohol polyglycol ether surfactant	9043-30-5		
			Formaldehyde polymer with 4,1,1-dimethylethyl phenolmethyl oxirane	29316-47-0		
			Formaldehyde polymer with methyl oxirane, 4-nonylphenol and oxirane	63428-92-2		
			Naphthalene	91-20-3		
			Organo Amino Silane	Confidential Business Information		
			Phosphoric acid	7664-38-2		

Quaternary Amine	Confidential Business Information
Quaternary ammonium compounds, bis(hydrog tallow alkyl) dimethyl,sa bentonite	enated
Siloxanes and silicones	, dimethyl, 63148-52-7
Sodium chloride	7647-14-5
Water	7732-18-5

Note: For Field Development Products (products that begin with FDP), MSDS level only information has been provided.

Ingredients Listed Below The White Line Are Part of the Fluid Composition Provided by Halliburton Which Do Not Appear On the Material Safety Data Sheets (MSDS)

Ingredient information for chemicals subject to 29 CFR 1910.1200(i) and Appendix D are obtained from suppliers Material Safety Data Sheets (MSDS)

v2.0

<sup>\*</sup> Total Water Volume sources may include fresh water, produced water, and/or recycled water

<sup>\*\*</sup> Information is based on the maximum potential for concentration and thus the total may be over 100%