Systems Thinking

Systems Analysis & Design

Author: Eng. Carlos Andrés Sierra, M.Sc.
cavirguezs@udistrital.edu.co

Full-time Adjunct Professor
Computer Engineering Program
School of Engineering
Universidad Distrital Francisco José de Caldas

2025-III

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Outline



Introduction to Systems Thinking I

- A **system** is a set of interconnected elements with a common purpose.
- Not all elements need to be connected to each other, but every **connection** should be meaningful.
- The more **connections** there are, the more complex the system becomes. A clear representation must be feasible.
- Each element must have **at least** one connection. Isolated elements make no sense in a system.



Figure: Prompt: Draw an image of a box with input and output arrows.

Introduction to Systems Thinking I

- A **system** is a set of interconnected elements with a common purpose.
- Not all elements need to be connected to each other, but every **connection** should be meaningful.
- The more **connections** there are, the more complex the system becomes. The representation must be feasible.
- Each element must have at **least** one connection. Isolated elements make no sense in a system.





Figure: Prompt: Draw an image of a box with input and output arrows.

Introduction to Systems Thinking I

- A **system** is a set of interconnected elements with a common purpose.
- Not all elements need to be connected to each other, but every **connection** should be meaningful.
- The more **connections** there are, the more complex the system becomes. The representation must be feasible.
- Each element must have **at least** one connection. Isolated elements make no sense in a system.



Figure: Prompt: Draw an image of a box with input and output arrows.

Introduction to Systems Thinking I

- A **system** is a set of interconnected elements with a common purpose.
- Not all elements need to be connected to each other, but every **connection** should be meaningful.
- The more **connections** there are, the more complex the system becomes. The representation must be feasible.
- Each element must have **at least** one connection. Isolated elements make no sense in a system.



Figure: Prompt: Draw an image of a box with input and output arrows.

Complexity in Systems

System complexity could be defined as the number of elements and connections in a system.

Introduction to Systems Thinking II



- In **systems thinking**, if you just split parts and forget relationships, you will lost the full picture.
- It is called **holistic** approach, try to see all the picture with all the meaning details.
- Define the **box boundaries** is sometimes tricky, as we said, not too complex, not too simple. It is like the desired universe balance of Thanos.

Introduction to Systems Thinking II



- In **systems thinking**, if you just split parts and forget relationships, you will lost the full picture.
- It is called **holistic** approach, try to see all the picture with all the meaning details.
- Define the **box boundaries** is sometimes tricky, as we said, not too complex, not too simple. It is like the desired universe balance of Thanos.

Introduction to Systems Thinking III

- Another important concept is the **homeostasis**, it means to put a system in an equilibrium state. That is hard, **systems** are both not in equilibrium and resilient to change. **Chaotic attractors** study is useful here.
- A system is more than the sum of the parts. It means, relationships, behaviors, recovery capacity, are forgotten when you see the system just as its parts.



Introduction to Systems Thinking III

- Another important concept is the **homeostasis**, it means to put a system in an equilibrium state. That is hard, **systems** are both not in equilibrium and resilient to change. **Chaotic attractors** study is useful here.
- A **system** is more than the sum of the parts. It means, relationships, behaviors, recovery capacity, are forgotten when you see the system just as its parts.

Introduction to Systems Thinking IV

- **Systems thinking** is a way to understand and represent problems in order to find the best possible solution.
- Think in a **problem as a system** lets you understand details, involved elements, relevant information.
- **Systems** should be viable, auto-sostenible, provides internal feedback loops, and also looks like a whole live-entity.



Introduction to Systems Thinking IV

- **Systems thinking** is a way to understand and represent problems in order to find the best possible solution.
- Think in a **problem as a system** lets you understand details, involved elements, relevant information.
- **Systems** should be viable, auto-sostenible, provides internal feedback loops, and also looks like a whole live-entity.

Introduction to Systems Thinking V



- **Computation** helps to represent behaviors in a mathematical way. Also, it lets to find patterns and information, simplify process; an example of all this is the Artificial Intelligence.
- **Top-Down** approach is useful when you want to see the full picture, and then split it into parts.
- **Bottom-Up** approach is useful when you want to see the parts and then connect them to get the full picture.



Introduction to Systems Thinking V



- **Computation** helps to represent behaviors in a mathematical way. Also, it lets to find patterns and information, simplify process; an example of all this is the Artificial Intelligence.
- **Top-Down** approach is useful when you want to see the full picture, and then split it into parts.
- **Bottom-Up** approach is useful when you want to see the parts and then connect them to get the full picture.

Introduction to Systems Thinking VI

- It is important to understand the **sensitivity** of the problem because it leads to making better decisions.
- The simplest **system definition** is: given some inputs after applying a designed process to them, you will obtain some outputs.
- In a **deterministic** world, the same inputs produce the same outputs. However, real life is not deterministic.



Introduction to Systems Thinking VI

- It is important to understand the **sensitivity** of the problem because it leads to making better decisions.
- The simplest **system definition** is: given some inputs, after applying a designed process to them, you will obtain some outputs.
- In a **deterministic** world, the same inputs produce the same outputs. However, real life is not deterministic.



Introduction to Systems Thinking VII



- Since **randomness** is normal in the real world, relying solely on deterministic processes is dangerous. Using **stochastic processes** is a better approach.
- **Stochastic processes** make use of probability, which leads to a better representation of real-world behavior.
- Here, **Chaos Theory** becomes a useful tool. To put it simply, chaos can be defined as a harmonious balance between rules and randomness.



Introduction to Systems Thinking VII



- Since **randomness** is normal in the real world, relying solely on deterministic processes is dangerous. Using **stochastic processes** is a better approach.
- **Stochastic processes** make use of probability, which leads to a better representation of real-world behavior.
- Here, **Chaos Theory** becomes a useful tool. To put it simply, chaos can be defined as a harmonious balance between rules and randomness.

Systems Structure Draw



Case of Study: Transportation System



Outline

Systems Properties I

- **Emergence** is a property of systems that means that the whole system is more than the sum of its parts.
- **Interconnectedness** is a property of systems that means that all the elements are connected in a meaningful way.
- **Feedback** is a property of systems that means that the system has internal loops that control the system behavior.
- **Hierarchy** is a property of systems that means that the system has levels of organization.



Systems Properties I

- **Emergence** is a property of systems that means that the whole system is more than the sum of its parts.
- **Interconnectedness** is a property of systems that means that all the elements are connected in a meaningful way.
- **Feedback** is a property of systems that means that the system has internal loops that control the system behavior.
- **Hierarchy** is a property of systems that means that the system has levels of organization.

Systems Properties I

- **Emergence** is a property of systems that means that the whole system is more than the sum of its parts.
- **Interconnectedness** is a property of systems that means that all the elements are connected in a meaningful way.
- **Feedback** is a property of systems that means that the system has internal loops that control the system behavior.
- **Hierarchy** is a property of systems that means that the system has levels of organization.





Systems Properties I

- **Emergence** is a property of systems that means that the whole system is more than the sum of its parts.
- **Interconnectedness** is a property of systems that means that all the elements are connected in a meaningful way.
- **Feedback** is a property of systems that means that the system has internal loops that control the system behavior.
- **Hierarchy** is a property of systems that means that the system has levels of organization.



Systems Properties II

- **Equifinality** is a property of systems that means that the system can reach the same goal from different paths.
- **Permeability** is a property of systems that means that the system can interact with the environment.
- **Dissipative** is a property of systems that means that the system can lose energy and information to the environment.
- **Homeostasis** is a property of systems that means that the system can maintain a stable state.

Systems Properties II

- **Equifinality** is a property of systems that means that the system can reach the same goal from different paths.
- **Permeability** is a property of systems that means that the system can interact with the environment.
- **Dissipative** is a property of systems that means that the system can lose energy and information to the environment.
- **Homeostasis** is a property of systems that means that the system can maintain a stable state.

Systems Properties II



- **Equifinality** is a property of systems that means that the system can reach the same goal from different paths.
- **Permeability** is a property of systems that means that the system can interact with the environment.
- **Dissipative** is a property of systems that means that the system can lose energy and information to the environment.
- **Homeostasis** is a property of systems that means that the system can maintain a stable state.

Systems Properties II



Chaotic Attractor

- **Equifinality** is a property of systems that means that the system can reach the same goal from different paths.
- **Permeability** is a property of systems that means that the system can interact with the environment.
- **Dissipative** is a property of systems that means that the system can lose energy and information to the environment.
- **Homeostasis** is a property of systems that means that the system can maintain a stable state.

Systems Properties III

- **Equilibrium** is a property of systems that means that the system can reach a stable state.
- **Adaptability** is a property of systems that means that the system can change to adapt to the environment.
- **Self-organization** is a property of systems that means that the system can organize itself.
- **Self-regulation** is a property of systems that means that the system can regulate itself.



UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Systems Properties III

- **Equilibrium** is a property of systems that means that the system can reach a stable state.
- **Adaptability** is a property of systems that means that the system can change to adapt to the environment.
- **Self-organization** is a property of systems that means that the system can organize itself.
- **Self-regulation** is a property of systems that means that the system can regulate itself.



Systems Properties III

- **Equilibrium** is a property of systems that means that the system can reach a stable state.
- **Adaptability** is a property of systems that means that the system can change to adapt to the environment.
- **Self-organization** is a property of systems that means that the system can organize itself.
- **Self-regulation** is a property of systems that means that the system can regulate itself.



UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Systems Properties III

- **Equilibrium** is a property of systems that means that the system can reach a stable state.
- **Adaptability** is a property of systems that means that the system can change to adapt to the environment.
- **Self-organization** is a property of systems that means that the system can organize itself.
- **Self-regulation** is a property of systems that means that the system can regulate itself.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Outline

Basic Concepts

A **system** can be classified according to different criteria like openness, adaptability, determinism, and linearity.





Systems Classification I

- **Open systems** are systems that can interact with the environment.
- **Closed systems** are systems that cannot interact with the environment.
- **Adaptive systems** are systems that can change to adapt to the environment.
- **Non-adaptive systems** are systems that cannot change to adapt to the environment.

Systems Classification I

- **Open systems** are systems that can interact with the environment.
- **Closed systems** are systems that cannot interact with the environment.
- **Adaptive systems** are systems that can change to adapt to the environment.
- **Non-adaptive systems** are systems that cannot change to adapt to the environment.



Systems Classification I

- **Open systems** are systems that can interact with the environment.
- **Closed systems** are systems that cannot interact with the environment.
- **Adaptive systems** are systems that can change to adapt to the environment.
- **Non-adaptive systems** are systems that cannot change to adapt to the environment.



Systems Classification I

- **Open systems** are systems that can interact with the environment.
- **Closed systems** are systems that cannot interact with the environment.
- **Adaptive systems** are systems that can change to adapt to the environment
- **Non-adaptive systems** are systems that cannot change to adapt to the environment.



semi-adaptive

Systems Classification II

- **Deterministic systems** are systems that produce the same output for the same input.
- **Stochastic systems** are systems that produce different outputs for the same input.
- **Linear systems** are systems that produce proportional outputs for the same input.
- **Non-linear systems** are systems that produce non-proportional outputs for the same input.

closed system

Systems Classification II

- **Deterministic systems** are systems that produce the same output for the same input.
- **Stochastic systems** are systems that produce different outputs for the same input.
- **Linear systems** are systems that produce proportional outputs for the same input.
- **Non-linear systems** are systems that produce non-proportional outputs for the same input.

Systems Classification II



- **Deterministic systems** are systems that produce the same output for the same input.
- **Stochastic systems** are systems that produce different outputs for the same input.
- **Linear systems** are systems that produce proportional outputs for the same input.
- **Non-linear systems** are systems that produce non-proportional outputs for the same input.

$f(x) = x$...

Systems Classification II



- **Deterministic systems** are systems that produce the same output for the same input.
- **Stochastic systems** are systems that produce different outputs for the same input.
- **Linear systems** are systems that produce proportional outputs for the same input.
- **Non-linear systems** are systems that produce non-proportional outputs for the same input.

non-linear
are
stochastic
} Complex

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Thanks!

Questions?

Repo: *https://github.com/EngAndres/ud-public/tree/main/courses/systems-analysis*