

Facultad de
INGENIERÍA

Sede Bogotá

Gestión de Requerimientos

Ing. Henry Roberto Umaña Acosta

Ing. Jairo Hernán Aponte Melo

Ing. Liliana Marcela Olarte Mesa

Docentes



Entorno ágil

- Descubrimiento de requerimientos

- Enfoque ágil
- ▪ Documentación *simple*
- Proceso → *business* ↔ *impact*

- Historias de usuario

- Conversación → *client*
- Aceptación ← *criteria*

- Requerimientos no funcionales

- Generación de historias de usuario

- Taller de historias de usuario
- Mapa de historias de usuario



Entorno ágil

✓ Descubrimiento de requerimientos

- ✓ Enfoque ágil
- ✓ Documentación
- ✓ Proceso

- Historias de usuario
 - Conversación
 - Aceptación
 - Requerimientos no funcionales



Descubrimiento de requerimientos



Product Owner
Tech Leader

Stakeholders
Client Side

Enfoque ágil

- Conversación
- Proceso adaptativo

draws



Tomado de: <https://pixabay.com/illustrations/cooperate-finance-business-office-437511/>

client expectations | • communication skills
• trustness

✓ Descubrimiento de requerimientos

Documentación

- Suficiente
- Oportuna

validations


time → ASAP



Tomado de: <https://www.gestiopolis.com/papeles-de-trabajo-para-auditoria/>

✓ Descubrimiento de requerimientos

write only the essential



Tomado de: <https://pixabay.com/es/illustrations/lista-de-verificación-negocio-3679741/>



Entorno ágil

✓ Descubrimiento de requerimientos

- ✓ Enfoque ágil
- ✓ Documentación
- ✓ Proceso

✓ Historias de usuario

- ✓ Conversación
- ✓ Aceptación
- ✓ Requerimientos no funcionales

007309407ce

✓ Historias de usuario

↳ 1 / per functionality

→ Like written by the user
↳ business language

Classical Requirement
→ Too much technical

Conversación

■ Actividades

➤ ¿Quién?

➤ ¿Qué?

➤ ¿Por qué?

rol
need
impact

■ Items

➤ Hechos

➤ Entorno

➤ Riesgos

Business Process

Business Analyst

BPMN

flowchart + actors



Tomado de: <https://www.pxfuel.com/es/free-photo-qlhyb>

✓ Historia de usuario - Ejemplo

Title:	Priority:	Estimate:
User story		
As a [type of user], I want to [perform some task] so that I can [achieve some goal].		
Acceptance criteria		
Given that [some context], when [some action is carried out] then [a set of observable outcomes should occur].		

Tomado de: <https://www.aha.io/roadmapping/guide/requirements-management/what-is-a-good-feature-or-user-story-template>

✓ Historias de usuario

Requerimientos no funcionales

- Creación
 - General
 - Específica

time?
security?
storage
computation

quality + performance



Tomado de: <https://rohitverma141.medium.com/how-pms-can-incorporate-non-functional-requirements-in-their-prds-c01c23ebf967>

✓ Historias de usuario – Ejemplo RNF

Performance Constraint

As Mary, I want to receive a response to any input in less than one second.

Acceptance Criteria

- Measure the time between clicking a button or hitting a key to the response being displayed.
- 50 users active on the website; no other booking is taking place.

Tomado de: <https://www.romanpichler.com/blog/agile-nonfunctional-requirements/>

Facultad de
INGENIERÍA

Sede Bogotá

Gracias por su atención

Contacto: hrumana@unal.edu.co
jhapontem@unal.edu.co
lmolartem@unal.edu.co
