

- 1- mohammed said Alshandoodi
2- said sultan alsharji

Scenario 11: Pharmacy

Prescription	Type
id	Number
prescriptionDate	String
customerName	String
medicines	List[Medicine]

addMedicine → Add medicine to prescription.

calculateTotalCost → Sum cost of all medicines.

markCompleted → Mark prescription as collected.

Medicine	Type
id	Number
name	String
dosage	String
quantity	Number
manufacturer	Manufacturer

updateStock → Change available quantity.

getDetails → Show medicine information.

Manufacturer	Type
id	Number
name	String
country	String
contactNumber	String

upplyMedicine→ Supply medicine to pharmacy.

=====EX=====

Prescription	Value
id	12
prescriptionDate	12/02/2001
customerName	Omar
medicines	List[Medicine1]

Medicine	Value
id	1
name	Panadol
dosage	100 gram
quantity	2
manufacturer	Cpanadol

Manufacturer 1	Value
id	2
name	Cpanadol
country	Oman
contactNumber	92156247

Scenario 12: Football League

League	Type
id	Number
leagueName	String
teams	List[Team]
matches	list[match]

addTeam → Add team to league.

scheduleMatch → Create match between teams.

showStandings → Display league ranking.

Team	type
id	Number
teams name	String
coach	String
squad	List[Player]

addPlayer → Add player to squad.

countPlayers → Count players in team.

player	type
id	Number
fullname	str
age	num
postion	String

updateStats → Update goals/cards/etc.

changePosition → Update playing position.

match	type
id	Number
matchDate	String
homeTeam	team
awayTeam	team
Time	String

startMatch → Start match.

recordScore → Save match score.

endMatch → Finish match.

=====EX=====

League	value
id	2
leagueName	Premier League
teams	List[Team1, Team2]
matches	list[match1,match2]

Team 1	value
id	1
teams name	Chelsea
coach	Said
squad	List[Player1]

player1	value
id	1
fullname	Said
age	28
postion	Defender

match1	value
id	3
matchDate	28/06/2026
homeTeam	Barcelona
awayTeam	Chelsea
Time	8:20 PM

Scenario 13: Hotel Booking

Reservation	type
id	Number
checkInDate	String
nights	String
guest	guest
room	room
checkOutDate	String
services	List[Service]

`createReservation` → Add reservation.

`checkAvailableRooms` → Show free rooms.

Guest	type
id	Number
fullName	String
passportNumber	String
phoneNumber	String

`assignRoom` → Link room to reservation.

`addService` → Add extra service charge.

`calculateBill` → Sum room + services.

Room	type
id	Number
roomNumber	String
roomType	String
nightlyRate	Number

markOccupied → Set room as occupied.

markAvailable → Set room as free.

Service	type
id	Number
serviceName	String
charge	Number

addCharge → Add service fee.

===== EX=====

Reservation	value
id	3
checkInDate	23/02/2021
nights	5
guest	guest
room	room
checkOutDate	28/02/2021
services	List[Service]

Guest	value
id	33
fullName	Said Sultan
passportNumber	1455234124
phoneNumber	921512341

Room	value
id	11
roomNumber	25
roomType	VIP
nightlyRate	45

Service	value
id	15
serviceName	breakFast
charge	10

Scenario 14: Online Course Platform

Course	type
id	Number
courseName	String
instructor	String
modules	List[Module]

addModule → Add module to course.

calculateDuration → Sum lesson durations.

Module	type
id	Number
moduleName	String
lessons	List[Lesson]

addLesson → Add lesson to module.

countLessons → Count lessons.

Lesson	type
id	Number
lessonTitle	String
videoURL	String
durationMinutes	Number

playVideo → Start lesson video.

getLength → Return lesson duration.

=====EX=====

Course	value
id	10
courseName	OOP
instructor	Mr.Mohammed

Module	value
id	1
moduleName	Introduction to code
lessons	List[Lesson]

Lesson	value
id	2
lessonTitle	Alphabit
videoURL	https://google.com
durationMinutes	23

Scenario 15: Bank Account

Customer	type
id	Number
fullName	String
phoneNumber	String
accounts	List[Account]

openAccount → Create new bank account.

closeAccount → Close account.

Account	type
id	Number
accountNumber	String
balance	Number
accountType	String
transactions	List[Transaction1]

deposit → Add money to balance.

withdraw → Remove money from balance.

checkBalance → Show current balance.

addTransaction → Save transaction record.

Transaction	type
id	Number
transactionDate	String
amount	Number
transactionType	String

`recordTransaction` → Store transaction details.

`getSummary` → Show transaction summary.

=====EX=====

Customer	value
id	501
fullName	Said Al Sharji
phoneNumber	1300
accounts	List[Account1]

Account 1	value
id	1001
accountNumber	12341234234
balance	1234
accountType	Saving
transactions	List[Transaction1]

Transaction	value
id	1
transactionDate	12/2/2001
amount	100
transactionType	Deposit