


TP 04 WEB DESIGN

LECTURER: HOK TIN

STUDENT: SENG ENGHAV

ID E20200159






LINK GITHUB

https://github.com/Enghav/TP4

TPO4.1




```
1 <!DOCTYPE html>
2 <html lang="en">
     <head>
       <meta charset="UTF-8" />
       <meta http-equiv="X-UA-Compatible" content="IE=edge" />
      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
      <link rel="stylesheet" href="index.css" />
      <title>Document</title>
     </head>
     <body>
       <div style="display: flex; justify-content: space-around;">
        <div class="case1">
          <div class="child">
            child
          </div>
        </div>
        <div class="case2">
          <div class="child2">
            child
          </div>
        </div>
       </div>
       <div style="display: flex; justify-content: space-around; margin-top: 30px;">
          <div class="case3">
            <div class="child3">
              child
            </div>
          </div>
          <div class="case4">
            <div class="child4">
              child
            </div>
          </div>
         </div>
     </body>
36 </html>
```

```
• • •
1 .case1{
       width: 200px;
      height: 200px;
      background-color: #ccc;
       display: flex;
       flex-direction: column;
8 .child{
       position: absolute;
       background-color: orange;
       width: 50px;
      height: 50px;
      margin :10px;
       text-align: center;
15 }
16 .case2{
       width: 200px;
      height: 200px;
      background-color: #ccc;
       display: flex;
       flex-direction: row;
       align-items: end;
23 }
24 .child2{
       position: absolute;
       background-color: orange;
      width: 50px;
      height: 50px;
      margin :10px;
       text-align: center;
31 }
```

```
2 .case3{
       width: 200px;
       height: 200px;
       background-color: #ccc;
       display: flex;
       flex-direction: center;
       align-items: center;
       justify-content: center;
10 }
11 .child3{
       position: absolute;
       background-color: orange;
       width: 50px;
       height: 50px;
       margin :10px;
       text-align: center;
18 }.case4{
       width: 200px;
       height: 200px;
       background-color: #ccc;
       display: flex;
       flex-direction: center;
       align-items: center;
       justify-content: end;
26 }
27 .child4{
       position: absolute;
       background-color: orange;
       width: 50px;
       height: 50px;
       margin :10px;
       text-align: center;
34 }
```

TP04.2




```
• • •
  <!DOCTYPE html>
   <html lang="en">
     <head>
       <meta charset="UTF-8" />
      <meta http-equiv="X-UA-Compatible" content="IE=edge" />
      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
      <link rel="stylesheet" href="index.css" />
      <title>Document</title>
     </head>
     <body>
       <div style="display: flex; justify-content: space-around;">
        <div class="case1">
          <div class="child">
            child
          </div>
        </div>
        <div class="case2">
          <div class="child2">
            child
          </div>
        </div>
       </div>
       <div style="display: flex; justify-content: space-around; margin-top: 30px;">
          <div class="case3">
            <div class="child">
              child
            </div>
          </div>
          <div class="case4">
            <div class="child4">
              child
            </div>
          </div>
        </div>
    </body>
36 </html>
```

```
.case1{
       width: 200px;
       height: 200px;
       background-color: #ccc;
       display: flex;
       flex-direction: column;
   .child{
       position: absolute;
       background-color: orange;
       width: 190px;
       height: 50px;
       margin :5px;
       text-align: center;
15 }
16 .case2{
       width: 200px;
18
       height: 200px;
       background-color: #ccc;
       display: flex;
       flex-direction: row;
21
22 }
```

```
.child2{
       position: absolute;
       background-color: orange;
       width: 50px;
       padding-left:70px;
       padding-right: 70px;
       margin :5px;
       flex-direction: row;
       text-align:center;
10 }
11 .case3{
       width: 200px;
       height: 200px;
       background-color: #ccc;
       display: flex;
       flex-direction: center;
       align-items: center;
18 }
19 .case4{
       width: 200px;
       height: 200px;
       background-color: #ccc;
       display: flex;
       flex-direction: center;
       justify-content: end;
26 }
27 .child4{
       background-color: orange;
       width: 50px;
       padding-top:75px;
       margin :5px;
       text-align: center;
33 }
```

TP04.3




```
1 <!DOCTYPE html>
2 <html lang="en">
     <head>
       <meta charset="UTF-8" />
       <meta http-equiv="X-UA-Compatible" content="IE=edge" />
       <meta name="viewport" content="width=device-width, initial-scale=1.0" />
       <link rel="stylesheet" href="index.css" />
       <title>Document</title>
     </head>
     <body>
       <div style="display: flex; justify-content: space-around">
         <div class="case1">
           <div class="child">
             <div class="c1"></div>
             <div class="c2"></div>
             <div class="c3"></div>
           </div>
         </div>
         <div class="case2">
           <div class="child2">
             <div class="c4"></div>
             <div class="c5"></div>
             <div class="c6"></div>
           </div>
         </div>
       </div>
       <div style="display: flex; justify-content: space-around; margin-top: 30px">
         <div class="case3">
           <div class="child">
             <div class="c1"></div>
             <div class="c2"></div>
             <div class="c3"></div>
           </div>
         </div>
         <div class="case4">
           <div class="child4">
             <div class="c4"></div>
             <div class="c5"></div>
             <div class="c6"></div>
           </div>
         </div>
       </div>
     </body>
44 </html>
```

```
.case1{
       width: 200px;
       height: 200px;
       background-color: #ccc;
       display: flex;
       flex-direction: center;
       align-items: center;
8 }
9 .child{
       position: absolute;
       background-color: orange;
       width: 190px;
       height: 50px;
       margin :5px;
       text-align: center;
       display: flex;
17 }
18 .case2{
       width: 200px;
       height: 200px;
       background-color: #ccc;
       display: flex;
       flex-direction: column;
       align-items: center;
25 }
26 .child2{
       position: absolute;
       background-color: orange;
       width: 50px;
       height: 190px;
       margin :5px;
       flex-direction: row;
       text-align:center;
34 }
```

```
1 .case3{
       width: 200px;
       height: 200px;
       background-color: #ccc;
       display: flex;
       flex-direction: center;
       align-items: end;
8 }
9 .case4{
       width: 200px;
       height: 200px;
       background-color: #ccc;
       display: flex;
       flex-direction: center;
       justify-content: end;
16 }
17 .child4{
       background-color: orange;
       margin :5px;
       text-align: center;
21 }
22 .c1{
       background-color: blueviolet;
       width: 62px;
       height: 40px;
       margin:4px;
27 }
28 .c2{
       background-color: blueviolet;
       width: 62px;
       height: 40px;
       margin: 4px;
33 }
```

```
.c3{
    background-color: blueviolet;
    width: 62px;
    height: 40px;
    margin: 4px;
.c4{
    background-color: blueviolet;
    width: 40px;
    height: 56px;
    margin: 5px;
.c5{
    background-color: blueviolet;
    width: 40px;
    height: 56px;
    margin: 5px;
.c6{
    background-color: blueviolet;
    width: 40px;
    height: 56px;
    margin: 5px;
```

TP04.4



```
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
   <meta http-equiv="X-UA-Compatible" content="IE=edge" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
   <link rel="stylesheet" href="index.css" />
   <title>Document</title>
  </head>
  <body>
   <div style="display: flex; justify-content: space-around">
      <div class="case1">
       <div class="case2">
         <div class="col"></div>
         <div class="col2">
           <div class="row1"></div>
           <div class="row2"></div>
           <div class="row3"></div>
         </div>
         <div class="col3"></div>
        </div>
      </div>
      <div class="case3">
       <div class="case4">
         <div class="col4"></div>
         <div class="col5">
           <div class="row4"></div>
           <div class="row5"></div>
           <div class="row6"></div>
         </div>
         <div class="col6"></div>
        </div>
      </div>
    </div>
```

```
<div
      style="
       display: flex;
       flex-direction: column;
       align-items: center;
       margin-top: 30px;
      <div class="c">
       <div class="case5">
         <div class="c1">
           <div class="c2"></div>
         </div>
         <div style="display: flex">
           <div class="r">
             <div class="R1"></div>
             <div class="R2"></div>
           </div>
           <div class="r2"></div>
         </div>
       </div>
       <div class="case6">
           <div class="c3"></div>
           <div class="c4"></div>
       </div>
      </div>
    </div>
  </body>
</html>
```


```
.case1{
    width:200px;
   height: 200px;
   background-color:#ccc;
   display: flex;
    flex-direction: center;
.case2{
   width: 194px;
   height: 194px;
   margin: 4px;
   display: flex;
   flex-direction: row;
.col{
   background-color:orange;
    width: 60px;
   height: 190px;
    margin: 2px;
.col2{
   background-color: orange;
   width: 60px;
   height: 190px;
    margin: 2px;
    display: flex;
    flex-direction: column;
.col3{
   background-color: orange;
   width: 60px;
   height: 190px;
    margin: 2px;
```

```
.row1{
   background-color: rgb(57, 72, 170);
   width: 54px;
   height: 60px;
   margin: 3px;
.row2{
   background-color: rgb(57, 72, 170);
   width: 54px;
   height: 60px;
    margin: 3px;
.row3{
   background-color: rgb(57, 72, 170);
   width: 54px;
   height: 60px;
   margin: 3px;
.case3{
   width:200px;
   height: 200px;
   background-color:#ccc;
   display: flex;
   flex-direction: center;
.case4{
   width: 194px;
   height: 194px;
   margin: 4px;
   display: flex;
   flex-direction: column;
```

```
.col4{
   background-color:orange;
   width: 190px;
   height: 60px;
   margin: 2px;
.col5{
   background-color:orange;
   width: 190px;
   height: 60px;
   margin: 2px;
   display: flex;
   flex-direction: row;
.col6{
   background-color:orange;
   width: 190px;
    height: 60px;
   margin: 2px;
.row4{
   background-color: rgb(57, 72, 170);
   width: 60px;
   height: 54px;
   margin: 3px;
.row5{
   background-color: rgb(57, 72, 170);
   width: 60px;
   height: 54px;
   margin: 3px;
```

```
.row6{
   background-color: rgb(57, 72, 170);
   width: 60px;
   height: 54px;
   margin: 3px;
.c{
   width:200px;
   height:200px;
   display: flex;
   background-color: #ccc;
.case5{
   width: 133px;
   height: 198px;
 .c1{
   display: flex;
   margin: 3px;
.c2{
   background-color:orange;
   width: 128px;
   height: 60px;
   float: left;
 .r{
   flex-direction: row;
   margin-left: 3px;
```

```
.R1 {
 height: 64px;
  width: 62px;
 background-color: orange;
.R2 {
 height: 64px;
  width: 62px;
  background-color: orange;
  margin-top: 3px;
.r2 {
  height: 131px;
  width: 62px;
 background-color: orange;
 margin-left: 3px;
.case6 {
 width: 64px;
 height: 194px;
  margin: 3px;
 background-color: orange;
  margin-left: 0px;
.c3 {
 width: 54px;
 height: 90px;
  margin: 5px;
  background-color: green;
.c4 {
 width: 54px;
 height: 90px;
  margin: 5px;
 background-color: green;
```




```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="index.css">
    <title>Document</title>
</head>
<body>
    <div style="display: flex; justify-content: space-around;">
        <div class="case1">
            <div class="col1">
                <div class="row1"></div>
                <div class="row2"></div>
                <div class="row3"></div>
            </div>
        </div>
        <div class="case2">
            <div class="row4">
                <div class="col2"></div>
                <div class="col3"></div>
                <div class="col4"></div>
            </div>
        </div>
    </div>
    <div style="display: flex; justify-content: space-around; margin-top: 30px;">
        <div class="case3">
            <div class="col5">
                <div class="row5"></div>
                <div class="row6"></div>
                <div class="row7"></div>
            </div>
        </div>
        <div class="case4">
            <div class="row8">
                <div class="col6"></div>
                <div class="col7"></div>
                <div class="col8"></div>
            </div>
        </div>
    </div>
</body>
</html>
```

```
.case1 {
  width: 200px;
  height: 200px;
  background-color: #ccc;
  display: flex;
  flex-direction: row;
  align-items: center;
.col1 {
  background-color: orange;
  width: 190px;
  height: 60px;
  margin: 2px;
  display: flex;
.row1 {
  background-color: rgb(57, 72, 170);
  width: 60px;
  height: 54px;
  margin: 3px;
.row2 {
  background-color: rgb(57, 72, 170);
  width: 60px;
  height: 54px;
  margin: 3px;
.row3 {
  background-color: rgb(57, 72, 170);
  width: 60px;
  height: 54px;
  margin: 3px;
```

```
.case2 {
  width: 200px;
  height: 200px;
  background-color: #ccc;
  display: flex;
  flex-direction: column;
  align-items: center;
.row4 {
  background-color: orange;
  width: 60px;
  height: 194px;
  margin: 2px;
.col2 {
  background-color: rgb(57, 72, 170);
  width: 54px;
  height: 60px;
  margin: 3px;
.col3 {
  background-color: rgb(57, 72, 170);
  width: 54px;
  height: 60px;
  margin: 3px;
.col4 {
  background-color: rgb(57, 72, 170);
  width: 54px;
  height: 60px;
  margin: 3px;
```

```
.case3 {
 width: 200px;
 height: 200px;
 background-color: #ccc;
 display: flex;
 flex-direction: row;
  align-items: end;
.col5 {
 background-color: orange;
 width: 190px;
 height: 60px;
 margin: 2px;
 display: flex;
.row5 {
 background-color: rgb(57, 72, 170);
 width: 60px;
 height: 54px;
 margin: 3px;
.row6 {
 background-color: rgb(57, 72, 170);
 width: 60px;
 height: 54px;
  margin: 3px;
.row7 {
 background-color: rgb(57, 72, 170);
 width: 60px;
 height: 54px;
 margin: 3px;
```


```
.case4 {
 width: 200px;
 height: 200px;
 background-color: #ccc;
 display: flex;
 flex-direction: column;
  align-items: end;
.row8 {
  background-color: orange;
 width: 60px;
 height: 194px;
 margin: 2px;
.col6 {
 background-color: rgb(57, 72, 170);
 width: 54px;
 height: 60px;
 margin: 3px;
.col7 {
 background-color: rgb(57, 72, 170);
 width: 54px;
 height: 60px;
 margin: 3px;
.col8 {
 background-color: rgb(57, 72, 170);
 width: 54px;
 height: 60px;
 margin: 3px;
```



```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="index.css">
   <title>Document</title>
</head>
<body>
    <div >
    <div class="case">
       <div class="case1">
            <div class="wapper">
            </div>
            <div class="wapper2"></div>
       </div>
   </div>
   <div class="case2">
       <div class="case3">
            <div class="wapper3">
            </div>
            <div class="wapper4"></div>
       </div>
   </div>
</div>
</body>
</html>
```

```
.case{
   width: 300px;
   height: 200px;
.case1{
   display: flex;
    flex-direction: column;
    align-items: end;
.wapper{
   width: 200px;
   height: 200px;
   background-color: rgb(145, 142, 147);
.wapper2{
   width: 100px;
   height: 100px;
   background-color: orange;
   position:absolute;
    translate: -150px 50px;
```

```
.case2{
    margin-left: 200px;
   margin-top: 30px;
   width: 300px;
   height: 200px;
.case3{
    display: flex;
   flex-direction: column;
    align-items: end;
.wapper3{
   width: 200px;
   height: 200px;
   background-color: rgb(145, 142, 147);
.wapper4{
   width: 100px;
   height: 100px;
   background-color: orange;
   position:absolute;
   translate: -50px 150px;
```



```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <link rel="stylesheet" href="index.css" />
    <title>Document</title>
  </head>
  <body>
    <div style="display: flex; justify-content: space-around">
      <div class="wrapper">
        <div class="c1"></div>
        <div class="r1"></div>
        <div class="c2"></div>
      </div>
      <div class="wrapper">
        <div class="c1"></div>
        <div class="r2"></div>
      </div>
    </div>
    <div>
      <div class="wrapper2">
        <div class="c1"></div>
        <div class="r3"></div>
        <div class="c2"></div>
      </div>
    </div>
  </body>
</html>
```

```
.wrapper{
    width: 200px;
   height: 200px;
    background-color: #ccc;
.c1{
    width: 120px;
   height: 40px;
   background-color: orange;
    position:absolute;
    translate: 40px 20px;
.r1{
    width: 40px;
    height: 90px;
    background-color: orange;
    position:absolute;
    translate: 80px 60px;
.c2{
    width: 120px;
   height: 40px;
    background-color: orange;
    position:absolute;
    translate: 40px 140px;
.r2{
    width: 40px;
    height: 120px;
    background-color: orange;
    position:absolute;
    translate: 80px 60px;
```

```
.wrapper2{
   margin-left: 180px;
   margin-top: 30px;
   width: 200px;
   height: 200px;
   background-color: #ccc;
.c1{
   width: 120px;
   height: 40px;
   background-color: orange;
   position:absolute;
   translate: 40px 20px;
.r3{
   width: 40px;
   height: 90px;
   background-color: orange;
   position:absolute;
   translate: 40px 60px;
.c2{
   width: 120px;
   height: 40px;
   background-color: orange;
   position:absolute;
   translate: 40px 140px;
```

WEB DESIGN

THE END