

ABP v9.2 Highlights & Community News



- X @EngincanVeske
- **O** EngincanV
- engincanveske.substack.com

ABP 9.2 Highlights

- Added ApplicationName Property to Isolate Background Jobs
 & Background Workers
- Docs Module: Added "Alternative Words" to Filter Items
- Introducing the **Bunny BLOB Storage Provider**
- Upgraded MongoDB.Driver to v3.1.0
- Using Timezone Settings to Display DateTime
- Identity Pro Module: Require Email Verification to Register
- Switching Users During OAuth Login

Read the blog post



Added ApplicationName Property to Isolate Background Jobs & Background Workers

```
public override void PreConfigureServices(ServiceConfigurationContext context)
    PreConfigure<AbpBackgroundJobWorkerOptions >(options ⇒
        options.ApplicationName = context.Services.GetApplicationName()!;
    });
```



Docs Module: "Alternative Words" for Filtering Items

```
docs-nav.json
"text": "Exception Handling",
"path": "framework/fundamentals/exception-handling.md",
"keywords": ["Error", "Another Value"]
```



Bunny BLOB Storage Provider

```
Configure<AbpBlobStoringOptions >(options ⇒
    options.Containers.ConfigureDefault(container ⇒
        container.UseBunny(bunny ⇒
            bunny.StorageZoneName = "your-storage-zone";
            bunny.ApiKey = "your-api-key";
            bunny.Region = "your-region"; // de, ny, la, sg, or sy
        });
    });
});
```

ABP BLOB Storage Providers

- File System
- Database
- Azure
- Aliyun
- Minio
- Aws
- Google
- Bunny NEW



Upgraded MongoDB.Driver to v3.1.0

```
//Previously (MongoDB.Driver v2)
var myEntity = await
  (await GetMongoQueryableAsync()).As<IMongoQueryable<MyEntity>>()
    .FirstOrDefaultAsync(x ⇒ x.Id = id);

//Now (MongoDB.Driver v3)
var myEntity = await GetQueryableAsync().FirstOrDefaultAsync(x ⇒ x.Id = id);
```

MongoDB v2 to v3




Using Timezone Settings to Display DateTime

```
Configure<AbpClockOptions>(options =>
{
    options.Kind = DateTimeKind.Utc;
});
```

ň	Settings		
S	ettings		
	Account	Timezone	
	Emailing	Asia/Tokyo (+09:00)	~
	Feature management	This setting is used for application-wide or tenant-based. The d the browser's or the server's timezone.	efault timezone will try to use
	Identity management	the blowser's of the server's timezone.	
	Saas management	Save	
	Time Zone		



Identity Pro: Require Email Verification to Register





Switching Users During OAuth Login

```
. .
.AddAbpOpenIdConnect("oidc", options ⇒
    options.Events = new OpenIdConnectEvents
        OnRedirectToIdentityProvider = redirectContext ⇒
            redirectContext.ProtocolMessage.Prompt = "select_account";
            return Task.CompletedTask;
    };
});
```



Migration Guides (v9.x to v9.2)

- Open-Source (Framework)
 - Added ApplicationName Property (need to create a new migration & apply it to the database)
 - Upgraded MongoDB.Driver to v3.1.0

PRO Modules & Features

Identity Pro Module: Require Email Verification to
 Register (AccountAppService has been changed)

Read the migration guide




Community News

- Community Posts (10+ articles & videos)
- Blog Post: "We Had A Blast At BASTA! Frankfurt 2025"






























Containerization: Blazor WASM + JWT Web API => Docker





Building a Scalable UI with React, ABP Framework, and Inertia.js using the MVC...





Migrating MongoDB GUIDs from Legacy to Standard Format (MongoDB v2 to v3)



nguyendigital
13 days ago, 20 views



We Had A Blast At BASTA! Frankfurt 2025



WE HAD A BLAST AT BASTA! FRANKFURT 2025

Our team had a great time at BASTA! Frankfurt 2025, held from March 3 to 8 at the Frankfurt Marriott Hotel. As a sponsor, we were excited to connect w...



Read the blog post



Thanks for listening!