

What's new with **ABP 8.2?**



Engincan VESKE

Software Engineer at Volosoft

E CODE CREATE CELEBRATE CODE CREAT DEVELOP

DESIGN

Overall

https://blog.abp.io/abp/announcing-abp-8-2-release-candidate

- Blazor Full-Stack Web App Ul
- Introducing the IBlockUiService for Blazor UI
- Case-Insensitive Indexes for MongoDB
- Session Management
- Suite: File/Image Property
- Suite: DateOnly & TimeOnly Types
- Periodic Log Deletion for Audit Logs



Blazor Full-Stack Web App UI

ASP.NET Blazor in .NET 8 allows you to use a single powerful component model to handle all of your web UI needs, including server-side rendering, client-side rendering, streaming rendering, progressive enhancement, and much more...

ABP v8.2.x supports the new <u>Blazor Web App</u> template, which you can directly created from either Suite or CLI with the following command:

abp new BookStore -t app -u blazor-webapp




Blazor Full-Stack Web App UI

When you create the project, you will typically see two main projects for Blazor UI, besides other projects:

- *.Blazor.WebApp (startup project of your application and contains the App.razor component, which is the root component of your application)
- *.Blazor.WebApp.Client



IBlockUiService for Blazor UI



```
//Inject the IBlockUiService
private readonly IBlockUiService _blockUiService;

public MyClass(IBlockUiService _blockUiService)
{
    _blockUiService = blockUiService;
}

//Blocking the element
await _blockUiService.Block(selectors: "#MySelectors", busy: true);

//Unblocking the element
await _blockUiService.UnBlock(selectors: "#MySelectors");
```




Case-Insensitive Indexes for MongoDB

```
protected override void CreateModel(IMongoModelBuilder modelBuilder)
    base.CreateModel(modelBuilder);
    modelBuilder.Entity<Question>(b =>
        b.CreateCollectionOptions.Collation = new Collation(locale:"en_US", strength: CollationStrength.Secondary);
        b.ConfigureIndexes(indexes =>
                indexes.CreateOne(
                    new CreateIndexModel<BsonDocument>(
                        Builders<BsonDocument>.IndexKeys.Ascending("MyProperty"),
                        new CreateIndexOptions { Unique = true }
    });
```

https://docs.abp.io/en/abp/8.2/MongoDB#configure-indexes-and-createcollectionoptions-for-a-collection




Session Management




- Prevents concurrent login
 - From same type of devices
 - o From all devices (mobile, web, etc...)
 - Or disable it completely (allow concurrent login)
- Allows to manage user sessions

https://docs.abp.io/en/commercial/8.2/modules/identity/session-management



















Suite: File/Image Property











Suite: DateOnly & TimeOnly Types




Note: The DateOnly and TimeOnly structures were introduced with .NET 6. With ABP v8.2, all startup templates target single target framework, so if you created your project before ABP v8.2, please make sure that all of your projects' target frameworks are .NET 8+.








Periodic Log Deletion for Audit Logs





After enabling the system wide clean up service, then you can configure the global **"Expired item** deletion period" for all tenants and hosts





Migration Guides

- ABP Framework 8.x to 8.2 Migration Guide
- ABP Commercial 8.x to 8.2 Migration Guide
- Migrating to Blazor Web App

