BOBY ENGINE WORK

HOMEPAGE — DEVELOPER VISUAL HANDOVER SPEC

12 locked mockups | Next.js App Router / React / TypeScript / Tailwind CSS / Framer Motion


Prepared from 12 approved image references and the uploaded 12-page Boby-Homepage-v1.pdf. Screenshots define visual intent; the PDF is authoritative for full copy and service terms. Estimated CSS dimensions are targets requiring screenshot calibration.

Global design tokens

Token	Hex	RGB
primaryDark	#0D0F12	13, 15, 18
charcoal	#16191E	22, 25, 30
alabaster	#F6F4F0	246, 244, 240
orange	#E85D26	232, 93, 38
gold	#C59B5F	197, 155, 95
white	#FFFFFF	255, 255, 255
softGrey	#EEF0F2	238, 240, 242
ink	#111820	17, 24, 32
line	#D8D4CF	216, 212, 207

Typography: Inter sans-serif. H1 60/46/34px; H2 54/40/30px; H3 32/27/23px; body 18/17/16px (desktop/tablet/mobile). Container 1360px; section padding 56–96px. Orange diagonals use separate skewed accents and clipped image layers.

CHAPTER 01 — HERO AND NAVIGATION



Approved mockup: 7D321A50-043E-416B-8F57-3089DE7B04B2.jpeg | 1536 x 785px

A — Layout & spacing

Full-width dark photographic hero, navbar top, copy left, translucent registration enquiry panel right. Desktop hero: grid 7/12 + 5/12; header 76px; hero min-height 650px; panel max-width 460px; badges three in row; mobile text and form before imagery.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

Sticky header, accessible dropdowns; CTA scrolls to #engine-quote, not invented quote modal; registration fallback and validation. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1536, 785]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.

E — Responsive

Desktop hero: grid 7/12 + 5/12; header 76px; hero min-height 650px; panel max-width 460px; badges three in row; mobile text and form before imagery. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

CHAPTER 02 — NINE-BRAND ENGINE COVERAGE



Approved mockup: B88BA52D-B591-48D1-945F-72DAC3B987DB.jpeg | 1536 x 1024px

A — Layout & spacing

Warm-white section; centred title and description; exactly nine branded horizontal photo cards in 3x3 grid. Desktop 3 columns gap 24px; cards min-height 200px; angled photo right 34%; tablet 2 columns; mobile 1.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

Each card navigates only to verified live brand URL; otherwise opens the assessment form with brand selected. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1536, 1024]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.


E — Responsive

Desktop 3 columns gap 24px; cards min-height 200px; angled photo right 34%; tablet 2 columns; mobile 1. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

CHAPTER 03 — EIGHT-ROW FITTED REBUILD PRICE GUIDE



Approved mockup: DF19A558-8877-443A-9AD6-F072866CE069.jpeg | 1536 x 1024px

A — Layout & spacing

Left-aligned header with engine photo fade to right; three-column 8-row pricing table; two note panels. Header 72px; table columns 43% / 22% / 35%; table row min-height 56px; note panels 60/40 split; mobile stacked semantic rows.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

No interactive engine-code filters in approved image. Add none by default; price guide is not an instant quote. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1536, 1024]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.


E — Responsive

Header 72px; table columns 43% / 22% / 35%; table row min-height 56px; note panels 60/40 split; mobile stacked semantic rows. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

CHAPTER 04 — CUSTOMER REVIEWS AND WORKSHOP PROOF



Approved mockup: 2124E2A5-66EB-4428-BFD8-5D66102B0C18.jpeg | 1199 x 1312px

A — Layout & spacing

Reviews three cards on light surface, then expert biography left with portrait and two workshop photographs right. Reviews 3 columns; expert 5/12 copy + 7/12 photo collage; mobile stack; portrait approx 50% of photo block.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

Review cards must be disabled until real attributed reviews are supplied; screenshot placeholders and verified badges are NOT publishable. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1199, 1312]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.

E — Responsive

Reviews 3 columns; expert 5/12 copy + 7/12 photo collage; mobile stack; portrait approx 50% of photo block. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

CHAPTER 05 — SEVEN SPECIALIST SERVICES



Approved mockup: F0AEDB05-962F-4EAD-8071-FA7679B3B744.jpeg | 1536 x 1024px

A — Layout & spacing

Light-background section, angled mechanic-photo header, four cards top row and three cards bottom row. Desktop 4 columns then 3 columns, 16-20px gaps, 170px image band, 20-24px padding; tablet 2 columns; mobile 1.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

Service cards can deep-link to valid pages or focus the quote form; never imply all pictured components are included. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1536, 1024]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.


E — Responsive

Desktop 4 columns then 3 columns, 16-20px gaps, 170px image band, 20-24px padding; tablet 2 columns; mobile 1. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

CHAPTER 06 — THREE-STAGE ENQUIRY JOURNEY



Approved mockup: 83BCD9B7-8D33-41AD-A4E4-8386A022EAAB.jpeg | 1536 x 1024px

A — Layout & spacing

Centred heading and intro; three large numbered process cards connected by circular arrow nodes. 3 equal columns gap 30px, cards 350px minimum height, large 120px icon medallions, connector arrows decorative.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

Sequential semantic order preserved on mobile; connectors hidden below 768px; no invented processing time. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1536, 1024]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.

E — Responsive

3 equal columns gap 30px, cards 350px minimum height, large 120px icon medallions, connector arrows decorative. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

CHAPTER 07 — ENGINE CODE DIRECTORY



Approved mockup: 075CEC97-0F1C-48C6-92B6-7461DA40FBDD.jpeg | 1536 x 1024px

A — Layout & spacing

Dark image header with orange angled separation; four-criterion identification strip; 5+4 engine-family tiles; dark notice. Five tiles first row and four second row; strip desktop horizontal; 12-16px gaps; on mobile tiles 1 column and strip stacked.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

Tiles link to validated engine destinations or form; engine labels are grouped, not proof of interchangeability. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1536, 1024]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.

E — Responsive

Five tiles first row and four second row; strip desktop horizontal; 12-16px gaps; on mobile tiles 1 column and strip stacked. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

CHAPTER 08 — SIX ENGINE FAILURE SYMPTOMS



Approved mockup: 7BF91833-319A-4A2A-A925-C18D4DA204DF.jpeg | 1536 x 1024px

A — Layout & spacing

Split image header; six symptom rows left and corresponding assessment rows right; warning strip below. Desktop 2 equal columns; 6 matched row pairs with row heights 68-82px; mobile pair each symptom with its assessment.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

Optional click-to-prefill symptom only if clearly styled as an action; no false diagnosis or accordion requirement. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1536, 1024]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.


E — Responsive

Desktop 2 equal columns; 6 matched row pairs with row heights 68-82px; mobile pair each symptom with its assessment. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

CHAPTER 09 — NINE-STAGE REBUILD PROCESS



Approved mockup: 7CFDFEBE-2B48-487E-AF1E-A2DB15205B54.jpeg | 1536 x 1024px

A — Layout & spacing

Large photo-header split, 3x3 numbered technical process cards, full-width dark conclusion strip. 3 columns gap 20px; each card ~190px tall; orange step number in dark corner; mobile one column.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

Step order fixed 01-09; reduced-motion handling; photos must not falsely document one job. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1536, 1024]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.


E — Responsive

3 columns gap 20px; each card ~190px tall; orange step number in dark corner; mobile one column. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

CHAPTER 10 — PARTS, QUALITY AND REPAIR-VERSUS-REBUILD



Approved mockup: 521E9857-EC4D-47B6-883E-3F1B14688FA2.jpeg | 1199 x 719px

A — Layout & spacing

Parts and precision-measurement photo collage on top; lower repair-vs-rebuild comparison with two contrast cards. Top 42% text / 58% photography; lower 48% explanation / 52% choice cards; stack at 768px.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

Repair and rebuild cards informational, not an automatic diagnosis or price promise. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1199, 719]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.


E — Responsive

Top 42% text / 58% photography; lower 48% explanation / 52% choice cards; stack at 768px. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

CHAPTER 11 — REMOVAL, COLLECTION, WARRANTY AND SERVICE



Approved mockup: B11B8594-CA96-461C-B5CD-B0AA571D718D(1).jpeg | 1019 x 679px

A — Layout & spacing

Two balanced cards: dark vehicle recovery/collection photo card and white warranty/service card; dark CTA ribbon below. Desktop 1:1 columns, 18px gap; 2 internal warranty cards; recovery photo approximately right 40%; mobile stack.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

Warranty terms link must be real; 2,000-mile chargeable workshop service and tolerance must remain visible. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1019, 679]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.

E — Responsive

Desktop 1:1 columns, 18px gap; 2 internal warranty cards; recovery photo approximately right 40%; mobile stack. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

CHAPTER 12 — FAQ AND ENGINE ASSESSMENT CONTACT



Approved mockup: D0789CC3-BCA5-458F-8C78-B7E578B45D00.jpeg | 1199 x 1312px

A — Layout & spacing

FAQ two-column accordion cards above; dark/photo/orange diagonal contact section below with enquiry form. FAQ 2 columns; form 2 fields per row then full-width textarea; contact split approx 53/47; mobile single column.

B — Components

Orange /// eyebrow, dual-tone heading, image bands, cards, icon labels and calls to action as visible; icon sizes 20–24px inline, 32–44px feature; borders 1px black/10, radius 12–20px, shadow 0 12px 28px rgba(13,15,18,.10).

C — Interactions

Nine FAQ entries from source, not only eight shown in image. Real form must include location, contact method and vehicle details, with manual lookup fallback. Hover lift 2px, arrow shift 4px, keyboard focus ring; fade-up only when reduced-motion preference allows.

D — Assets / performance

Whole-image bounding box [0, 0, 1199, 1312]. Source photographic crops are NOT recoverable as clean independent assets from this flattened composite. Use separately sourced original photographs; explicit dimensions/sizes, hero priority, below-fold lazy WebP/AVIF.

E — Responsive

FAQ 2 columns; form 2 fields per row then full-width textarea; contact split approx 53/47; mobile single column. At 375px stack columns, keep readable content and remove decorative connector lines.

F — Copy authority

Implement full unabridged source PDF text by H2/H3. Where screenshot abridges or contradicts the PDF, flag for review. No invented reviews, phone or price.

SOURCE COPY & ENGINEERING NOTES

The complete, unabridged original source PDF is provided separately by the user and is transcribed into the companion Markdown file. The following page-by-page text is included for inspection and traceability.

SOURCE PDF — PAGE 1

BOBY ENGINE WORK - HOMEPAGE CONTENT AND LAYOUT

Version 1.0 | SEO manager and developer review

H1/H2/H3 prefixes identify heading levels. IMAGE and LAYOUT notes are implementation instructions, not public copy. Mock reviews are clearly labelled in the appendix and must not be published as customer feedback.

META DETAILS

Meta title: Engine Rebuild & Repair Specialists | Boby Engine Work

Meta description: Engine rebuilding, reconditioning and repair at Boby Engine Work in Billericay. Explore model-specific fitted rebuild guides and request an engine assessment.

Canonical URL: https://bobyenginework.co.uk/

PAGE CONTENT

H1: Engine Rebuild & Reconditioning Specialists

Boby Engine Work diagnoses, repairs and rebuilds petrol and diesel engines for German, British and selected other vehicles. Tell us your registration and symptoms for an assessment of the engine you have, with a written scope before rebuilding begins.

10+ years' experience | 1,000+ clients across the business | 12-month rebuild warranty, subject to terms

Billericay workshop. Optional mainland UK collection, quoted separately.

Enter your registration to start your engine enquiry.

Request my engine assessment

No registration available? Send your model, year and engine details instead.

IMAGE 1 - HERO: One genuine photograph of Boby working on an engine in his workshop. Keep the introduction short. Place the registration box beside the image; on mobile show the heading and form before the image. Do not add an unqualified global starting price.

H2: Engine rebuilding for BMW, Mercedes, Jaguar, Land Rover and more

Choose your brand to explore the relevant models, engine families and repair routes. A model name helps organise the enquiry; the actual engine and damage determine the work. Our main coverage is combustion-engine generations still produced in 2015 or later, including some launched earlier.

H3: BMW engine rebuilds and repairs

Coverage includes 1 Series to 8 Series, X models, Z Series and relevant M cars. N47/B47 diesels, modular petrol engines and performance units need their own identification. A 320d, M340i and M3 are different engine enquiries, not interchangeable rebuild packages.

H3: Mercedes-Benz engine rebuilding

A-Class, C-Class, E-Class, SUVs, AMG, roadster and relevant van enquiries span several engine generations. OM651 and OM654 diesels, petrol M-series and AMG units are assessed by the fitted specification, not the badge alone.

Boby Engine Work | Homepage review 1

SOURCE PDF — PAGE 2

H3: Jaguar engine rebuild specialists

XE, XF, XJ, F-Type, F-Pace and E-Pace coverage includes the relevant diesel, petrol V6/V8 and Ingenium routes. Identify the model and engine before applying a guide; similar capacities can have different installations and repair scopes.

H3: Land Rover and Range Rover engine rebuilds

Defender, Discovery, Discovery Sport, Range Rover, Range Rover Sport, Evoque and Velar have different engines across generations. V6 diesel, Ingenium, petrol V6/V8 and later-engine enquiries are individually identified before a rebuild is quoted.

H3: Audi TFSI, TDI, S and RS engine repairs

Our Audi directory covers the relevant A, Q, TT, S/RS and rare-engine enquiries. Standard and high-output petrol, four-cylinder/V6 diesel and performance engines have separate routes; a TFSI or TDI badge is not a complete engine specification.

H3: Volkswagen TSI, TDI and van engine rebuilds

Golf, Polo, Passat, Tiguan, Touareg and the other listed passenger models sit alongside Transporter, Caravelle, Multivan, Amarok and Caddy enquiries. Petrol output classes, passenger-car diesels and van BiTDI work are kept distinct.

H3: MINI Cooper, Cooper S and JCW engine rebuilds

Hatch, Convertible, Clubman, Countryman, Coupe, Roadster, Paceman and JCW routes span different petrol/diesel families. A Cooper badge does not identify the engine; chassis, generation and actual code matter before parts or prices are selected.

H3: Porsche engine repair and rebuilding

911, Boxster, Cayman, Cayenne, Panamera and combustion-engine Macan enquiries include flat-four, flat-six, V6 and V8 routes. Generation and derivative must be established. Specialist Turbo/GT and unusual installations are assessed individually.

H3: Ford EcoBoost, EcoBlue and TDCi engine repairs

Selected Mustang, Focus ST/RS, Ranger, Transit, Transit Custom, Edge and combustion/hybrid Explorer enquiries are included. These names span different petrol and diesel engines; a familiar family name does not define the whole repair.

LAYOUT - BRAND GRID: Exactly nine brand cards, 3 x 3 on desktop, two columns on tablet, one on narrow phones. Card headings and copy above are the visible content. Link to the approved brand URL when live; otherwise open the quote form with that brand selected. Full model lists belong in the navigation/selector, not a second wall of homepage cards.

H2: How much does an engine rebuild cost? Fitted rebuild guide prices

The examples below apply to the named model and engine. They are starting guides for the relevant rebuild on a suitable core, not one price for every engine or a quotation for a minor repair. We identify the vehicle and damage before agreeing the written scope.

Vehicle and confirmed Rebuild guide Application to establish engine

BMW 3 Series - N47 diesel From £2,000 Relevant F30/F31/F34 N47 installation

Mercedes-Benz C-Class - From £4,000 Relevant W205-family OM651 2.1 installation OM651 diesel

Boby Engine Work | Homepage review 2

SOURCE PDF — PAGE 3

Vehicle and confirmed Rebuild guide Application to establish engine

Jaguar XF - 204DTD diesel From £4,500 Relevant X260 two-litre diesel

Land Rover Discovery Sport - From £4,000 Relevant L550 two-litre diesel 204DTD diesel

Audi A3 - standard-output From £4,000 Relevant 8V EA888 application EA888 petrol

Volkswagen Golf - high-output From £5,200 Relevant Mk7/Mk7.5 derivative EA888 petrol

MINI Hatch 3-Door - B38 From £3,000 Relevant F56 petrol installation petrol

Porsche Macan - EA888 petrol From £4,000 Relevant 95B 2.0 petrol installation

The guides include standard engine removal/refitting and standard fluids/consumables. The quotation identifies the engine parts and machining. Turbochargers, injectors, other ancillaries and optional collection are separate unless itemised. Significant block, crankshaft or head damage can change the scope; additional work is explained and agreed before proceeding.

Other engines, Ford applications, hybrids and unusual installations have their own guides or individual quotes. A matching family code in another vehicle does not establish the same installed price. A contained timing, sealing or cooling repair is quoted as its own job.

H2: Customer reviews of our engine rebuilding and repairs

Choosing an engine workshop is a significant decision. Customer feedback can help you understand the assessment, communication and repair experience behind the service.

LAYOUT - REVIEWS: Three review cards and a link to the original review source when genuine feedback is supplied. See the clearly labelled mock cards in the implementation appendix for layout only. Publish no invented reviewers, stars, rating total or review count. This section is disabled in the publishable data until genuine reviews replace the mocks.

H2: Meet Boby and see the engine rebuild workshop

Boby is the mechanic behind Boby Engine Work. The business brings more than ten years' experience and over 1,000 clients across its work on German, British and other selected vehicles.

The useful difference is a repair tied to the actual engine. Identification, inspection and a clear scope explain why a rebuild is needed, which components can be retained and what sits outside the engine-core work. An existing report is useful evidence, but it still needs to agree with the condition of the fitted engine.

Talk to Boby about the symptoms, earlier repairs and how you use the vehicle. That conversation helps distinguish a practical repair from assumptions based only on a badge or fault code.

IMAGE 2 - WORKSHOP PROOF: A real portrait of Boby beside a wide workshop view and a component-inspection close-up. Caption the actual subject. Do not invent a dated job, qualification, test result or customer outcome.

H2: Engine rebuilding, diagnostics and specialist repair services

The right engine job starts with the cause and condition, not an automatic order for a whole engine. We discuss the relevant services below as part of an assessed, written scope.

Boby Engine Work | Homepage review 3

SOURCE PDF — PAGE 4

H3: Engine rebuilds and reconditioning

Strip-down, cleaning, inspection, measurement and the agreed overhaul of a recoverable engine. Parts, machining and assembly are matched to the actual unit and damage rather than a universal package for every model.

H3: Engine diagnostics and fault finding

Assessment of non-start, mechanical noise, smoke, pressure, cooling and running concerns. Fault-code information is combined with appropriate mechanical evidence; a warning message alone does not identify internal damage or prove that rebuilding is required.

H3: Timing-chain, timing-belt and timing-failure repairs

The fitted engine determines the drive system and access. Contained timing work and repair after internal damage are different jobs. We establish the condition before recommending a limited repair or a larger overhaul.

H3: Cylinder-head, crankshaft and engine-block assessment

Inspection and measurement establish what can be recovered. Machining is specified where technically suitable; significant hard-part repair or replacement is separately agreed. Not every head needs skimming, and not every damaged crankshaft is economically recoverable.

H3: Cooling, lubrication and engine ancillary repairs

The original cause may involve oil supply, cooling, ventilation, fuel or forced-induction equipment. Turbocharger, injector and exhaust-system concerns are assessed and itemised where relevant to the engine work; they are not automatically renewed within every rebuild.

H3: Associated clutch, flywheel and mechanical work

Where removal or the agreed repair exposes related mechanical requirements, discuss them before work proceeds. Clutch, flywheel or connected-system work has its own condition and scope rather than being silently included in the engine guide.

H3: Bespoke performance engine projects

Discuss the engine, intended use, modifications and build goals with Boby before agreeing a project. Parts specification, testing and applicable terms are set separately. A standard road-engine rebuild guide or warranty should not be assumed to cover every tuned or track-focused build.

H2: How an engine rebuild enquiry works

H3: 1. Tell us the vehicle and symptoms

Start with the registration, model/year, mileage, location and whether the engine runs. Include any existing diagnosis, photographs or engine details. If the vehicle should not be driven, discuss arrival or recovery before moving it.

H3: 2. Establish the engine and agree the assessment

We identify the likely engine route and discuss the checks needed. The initial guide is not a remote diagnosis. Inspection and, where necessary, agreed dismantling establish the condition and the work that can be quoted.

H3: 3. Approve the scope, then arrange work and handover

The quotation explains the proposed repair, included work and separate items. Changes revealed during strip-down are discussed before extra work proceeds. After completion, handover covers the repair, maintenance and required follow-up service.

Boby Engine Work | Homepage review 4

SOURCE PDF — PAGE 5

LAYOUT - HOW IT WORKS: Three short numbered cards. This is the customer's booking journey; the nine-stage workshop process below explains the technical work without repeating the form instructions.

H2: Engine codes we rebuild: N47, OM651, Ingenium and more

An engine code helps narrow the repair, but its generation, output and vehicle installation still matter. Explore the family relevant to your vehicle or send the registration if you are unsure. A grouped directory name is not a promise of interchangeability.

Engine enquiry Coverage to identify

BMW N47, B47, N57 and B57 Actual model, generation and installed diesel diesels

BMW B38/B48/B58 and M Petrol family, performance derivative and vehicle engines

Mercedes OM651, OM654, Capacity, diesel family and installation OM642 and OM656

Mercedes petrol M-series and Actual M-code, generation and performance specification AMG

Jaguar/Land Rover Ingenium Fuel, code and model-specific route diesel and PT204 petrol

JLR 306DT, AJ126, AJ133 and V6/V8 or later architecture and exact application later engines

Audi/VW EA888 and Generation, output, petrol/diesel and vehicle EA189/EA288 TDI

Audi five-cylinder/V6/V8 and Exact family/derivative, not a shared group label alone Porsche engines

MINI N-series and B-series Chassis, generation and actual engine petrol/diesel

Ford EcoBoost, EcoBlue, TDCi Engine family, capacity, installation and use and V8

The model guides carry vehicle-specific detail. Engine pages explain the relevant family mechanics and rebuild approach. Hybrids are assessed for the combustion-engine concern; electric-only traction motors and batteries are outside this engine rebuild page.

H2: Engine failure symptoms: knocking, smoke, timing noise and overheating

A symptom tells us where to start, not what must be replaced. Tell us when it appeared and whether it followed a warning, overheating, recent work or an earlier breakdown.

What you notice What needs establishing

Timing rattle or suspected lost Noise source, timing condition and any internal damage timing

Deep knocking or oil-pressure Oil-supply evidence, bearings/rotating components and core condition concern

Boby Engine Work | Homepage review 5

SOURCE PDF — PAGE 6

What you notice What needs establishing

Smoke or increasing oil use Leaks, ventilation, turbo-related issues and cylinder sealing

Coolant loss or overheating Leak source and whether sealing/head/internal condition has been affected

Misfire, rough running or Fuel/ignition, timing and relevant mechanical condition non-start

Reduced power, EGR/DPF or Connected-system fault versus confirmed internal engine damage boost warning

With serious mechanical noise, pressure loss or suspected timing failure, stop running the engine and arrange assessment. Repeated starts or further driving can change the damage and the available repair options.

H2: Our engine rebuild process: from inspection to handover

H3: 1. Recovery or booked workshop arrival

We record the vehicle, symptoms and running status, review existing reports and agree how it will arrive. Optional transport is separately quoted rather than assumed to be included.

H3: 2. Engine identification and diagnosis

The fitted engine and relevant symptoms determine the checks. Appropriate mechanical evidence is considered alongside diagnostic information before the scope of removal or dismantling is agreed.

H3: 3. Engine removal where required

Access, drivetrain and connected equipment are considered for the actual vehicle. A compact car, SUV and van may have different installation requirements even when the family name is familiar.

H3: 4. Strip-down, cleaning and inspection

The engine is dismantled sufficiently to establish the damage and overhaul scope. Cleaning and inspection help distinguish reusable components from worn, damaged or contaminated parts.

H3: 5. Measurement and machining decisions

Relevant bores, journals and head components are assessed against the applicable repair requirements. Machining is specified where suitable; major structural damage can require a revised quotation or a different route.

H3: 6. Parts selection and engine assembly

The agreed internal, timing and sealing components are matched to the engine derivative. Assembly addresses the identified cause and condition, with ancillary work separately specified where needed.

H3: 7. Refitting and controlled first start

After refitting, appropriate fluid, connection and initial-running checks follow the repair scope. Coding or adaptation is carried out where the actual installation requires it, rather than promised universally.

H3: 8. Running checks and road test

Checks consider the original symptom and operation after the repair. A road test is performed where safe and appropriate; a dyno power run is not assumed to be included in every rebuild.

Boby Engine Work | Homepage review 6

SOURCE PDF — PAGE 7

H3: 9. Collection, handover and follow-up

We explain the completed work, maintenance and warranty conditions. The required chargeable running-in service is arranged in line with the terms, and any later concern should be reported promptly.

IMAGE 3 - NINE-STAGE PROCESS: Use original workshop photographs for arrival, engine removal, strip-down, measurement/machining, components, assembly, running checks and handover. Shared process photos must be labelled honestly; do not present them as one documented job unless they are.

H2: Engine rebuild parts, machining and quality checks

A proper rebuild specification identifies the actual components and work. We use OEM or appropriate OE-quality parts matched to the engine and agreed scope. The condition of the block, crankshaft, head and reusable internals informs the decision; rebuilding does not mean every surrounding component is automatically new.

Bearings, rings, timing and sealing work are specified as appropriate. A turbocharger, injector, fuel pump or other ancillary has its own condition and inclusion decision. Where significant additional damage changes the repair, the scope is explained before extra work proceeds.

The purpose is an engine repair based on compatibility, condition and the diagnosed cause, not a cosmetic refresh or an unsupported promise of better-than-factory performance.

IMAGE 4 - PARTS AND MEASUREMENT: Real parts laid out for an identified engine, plus a genuine inspection/measurement photograph. Do not imply every pictured part is included in all rebuild prices.

H2: Repair or rebuild your engine: which option makes sense?

A contained repair may be sufficient when the engine's internals remain sound. A recoverable core with confirmed internal wear or damage may justify a rebuild. Major block, crankshaft or head damage, unavailable parts or extensive connected-system repairs can change the economics.

The rest of the vehicle and your plans for it matter too. We discuss the evidence and scope so you can consider the work rather than assuming every fault needs a whole-engine overhaul. A cheaper advertised engine unit is not the same service as diagnosing, repairing and refitting your vehicle's engine.

If you are searching for a replacement engine, start by telling us what happened to the original unit. This homepage offers an assessment and rebuilding service, not a catalogue of new or used engines for purchase.

H2: Engine removal, refitting and mainland UK collection

Engine rebuilding takes place at our workshop in Ramsden Heath, Billericay. Customers can arrange a booked arrival or discuss optional mainland UK collection and delivery, subject to availability and a separate transport quote.

Tell us whether the vehicle starts, turns over, rolls and can be accessed for recovery. Provide the location and any restrictions before booking. A vehicle with a severe pressure warning, timing concern or mechanical noise should not be driven simply to reach the workshop.

Removal/refitting scope follows the actual installation and written quote. Already-removed engines, unusual conversions and previous dismantling should be discussed individually rather than assumed to match a standard installed-rebuild guide.

H2: Engine rebuild warranty and the 2,000-mile service

Covered rebuild components and associated workmanship have a 12-month unlimited-mileage warranty, subject to the full conditions. Excluded ancillaries are not covered simply because the engine has been rebuilt.

Boby Engine Work | Homepage review 7

SOURCE PDF — PAGE 8

The chargeable running-in service at 2,000 miles, within the stated 200-mile tolerance, must be completed at Boby's workshop. The published terms state that missing it voids the warranty. Read the conditions before booking; statutory rights are unaffected. Discuss towing, hire, modifications or track use before agreeing the work and applicable cover.

Read the warranty and full terms. Completion schedules are discussed for the actual repair and can change with strip-down findings, machining or parts availability.

H2: Engine rebuild, repair and reconditioning FAQs

H3: How much does an engine rebuild cost?

The price depends on the model, engine, installation and damage. The application examples above are starting guides for a suitable core, not one rate for every vehicle. The written quote identifies the work and any separately agreed items.

H3: Does a timing-chain problem always need a full rebuild?

No. A contained timing-drive fault may have a smaller repair scope. If timing has been lost, inspection must establish any valve, piston or head damage before a limited repair can be recommended.

H3: Are engine rebuilding and reconditioning the same service?

These terms can describe overlapping overhaul work. What matters is the written specification: the inspection, machining, components, assembly and fitting included for your engine. The label alone does not establish the scope or quality.

H3: Are turbochargers and injectors included in a rebuild?

Not automatically. They are assessed and itemised where relevant. An engine-core rebuild does not mean every connected component is replaced or covered by its warranty; refer to the written scope and conditions.

H3: Can I get help without knowing my engine code?

Yes. Start with the registration, model/year and symptoms, and add the VIN or engine number if available. A lookup helps identify the vehicle, but the fitted engine still needs confirmation, particularly after earlier replacement work.

H3: Do you sell new or used engines?

This site focuses on Boby's engine assessment, repair and rebuilding service. It is not a supply-only engine shop. Describe what happened to your existing engine so the suitable repair route can be discussed.

H3: How long does an engine rebuild take?

We discuss a schedule after assessing the likely work. Internal findings, machining and the availability of correct parts affect completion. A universal turnaround promised before the damage is known would not describe every rebuild.

H3: Can you collect a vehicle that no longer runs?

Optional mainland UK collection can be discussed and quoted separately, subject to availability. Provide the location, running/rolling status and access information so suitable arrangements can be considered before moving it.

H3: Do you rebuild hybrid or electric vehicle engines?

Relevant hybrid enquiries concern the combustion engine, with high-voltage and electrical work identified separately. Electric-only drive motors and batteries are outside this engine rebuild homepage. The model and fitted powertrain must be established first.

Boby Engine Work | Homepage review 8

SOURCE PDF — PAGE 9

H2: Request an engine rebuild assessment from Boby

Tell us your registration, model/year, mileage, symptoms, location and whether the vehicle runs. Add any engine details or existing report, and your preferred contact method. The next step is to establish the relevant engine and assessment scope, not sell you an engine before diagnosis.

Workshop: Unit D1, Windsor Road, Ramsden Heath, Billericay CM11 1QE.

Hours: Monday-Friday 9am-6pm; Saturday 11am-2pm, excluding English bank holidays.

Email: info@bobyenginework.co.uk

Request my engine assessment by email

IMAGE 5 - CONTACT: Real workshop entrance/signage photograph. Place the working enquiry form beside the contact details. The hero action must scroll to this form, with a manual-entry fallback when registration lookup fails.

Boby Engine Work | Homepage review 9

SOURCE PDF — PAGE 10

IMPLEMENTATION APPENDIX - NOT PUBLIC HOMEPAGE COPY

Agreed layout

Nine brand cards immediately after the hero and slim trust strip. Eight named application-price examples next; no blanket hero price. Reviews and workshop evidence then support the offer before the service, engine and process detail. Use 15 H2 sections, with concise repeatable cards and accessible content, rather than 15 walls of prose.

Mock review cards - layout only

The following quotes are invented solely as design placeholders at AJ's request. They are not customer feedback, evidence or publishable testimonials. Do not add names, car models, dates, star ratings, platform logos or a 'verified' badge. Keep them in preview-only data and replace each with genuine attributed feedback before enabling the live section.

MOCK REVIEW A - NOT A REAL CUSTOMER REVIEW

“The inspection was explained in plain English, and I understood the proposed work before deciding how to proceed.”

MOCK REVIEW B - NOT A REAL CUSTOMER REVIEW

“The written scope made it clear what the engine work covered and which additional items needed a separate decision.”

MOCK REVIEW C - NOT A REAL CUSTOMER REVIEW

“I appreciated being able to discuss the symptoms, the engine details and the next assessment step directly with the workshop.”

Navigation, forms and assets

The brand/model/engine catalogue is supplied as data. The homepage introduces the full nine-brand scope without printing all 140 model entries or 59 engine-page candidates as a huge index. The brand pages carry complete model directories; model and engine pages carry the detailed technical information.

Brand and engine destinations remain planned until deployed and checked. A brand card should open its live destination, or use the quote form with that brand selected if the destination is not yet live. Do not create broken navigation or claim all planned pages are already published.

Hero lookup flow: registration -> vehicle found or manual fallback -> confirm vehicle/engine where ambiguous -> collect symptoms, mileage, running status, postcode and contact details -> submit to the existing lead API -> show confirmation only after successful acceptance. No fake instant fixed quote. Use one quote form with a stable `engine-quote` anchor; preserve details when a visitor moves between steps.

Use genuine workshop images and permitted brand/vehicle assets. Do not present generated/composited scenes as documentary evidence of a completed customer repair. Mock reviews must never enter the live content or schema. The final data deliberately excludes rating/review markup and does not reproduce the live homepage's unverified review counts, placeholder phone or dyno/BMW-trained claims.

Service and price ownership

Core offer: assessment, repair, reconditioning and rebuild of the customer's engine. Related cooling, timing and mechanical work is scoped; ancillary diagnosis is not a promise of every standalone DPF/AdBlue/turbo service offered on JLR. Bespoke performance projects need separate specification and conditions rather than an assumption that the standard rebuild package covers them.

Boby Engine Work | Homepage review 10

SOURCE PDF — PAGE 11

The eight price cards use accepted master rows I007, I067, I123, I173, A006, A086, A181 and A171. Do not copy a value to another installation. Keep prices in one shared dataset with the brand/model/engine pages. No new prices, VAT arithmetic or dealer-saving percentages have been introduced.

Reference comparison

• Boby's live homepage informed workshop/service coverage. Its narrow BMW/performance emphasis is expanded here to the agreed multi-brand offer. Existing unverified review/test/certification/contact claims are not inherited.

• JLR's live homepage informed clear service routes, symptom navigation, model/engine context and enquiry capture. Its business claims, pricing basis and wider service offer are not transferred to Boby.

• The Range Rover Engines homepage plan and later approval draft informed the clean registration hero, early vehicle navigation, named application guides, early proof and separation of customer journey from detailed service content. Its JLR-only cards, staff history and pricing basis are not Boby's facts.

Sources

Supplied `Boby-Models-and-Engines-Master-List-2026-10-24(2).xlsx`; current eight-brand production handover; Boby homepage; JLR homepage; Boby terms and warranty; `Homepage-Strategy-and-Plan-v2.md` and `RangeRoverEngines-Homepage-Draft-for-Approval-v1.md`. The Range Rover Engines live URL did not return readable content in this check, so the source documents were used for that comparison.

Boby Engine Work | Homepage review 11

SOURCE PDF — PAGE 12

SCHEMA - FOR WEBSITE SETUP

Use the central business node consistently across the site. Populate its actual public contact details; do not introduce a phone until the intended number has been confirmed. The graph below has no rating, review, Product stock, fixed-price Offer or unsupported certification.

{ "@context": "https://schema.org", "@graph": [{ "@type": "AutoRepair", "@id": "https://bobyenginework.co.uk/#business", "name": "Boby Engine Work", "url": "https://bobyenginework.co.uk/", "email": "info@bobyenginework.co.uk", "address": { "@type": "PostalAddress", "streetAddress": "Unit D1, Windsor Road, Ramsden Heath", "addressLocality": "Billericay", "postalCode": "CM11 1QE", "addressCountry": "GB" }, "openingHoursSpecification": [{ "@type": "OpeningHoursSpecification", "dayOfWeek": ["Monday", "Tuesday", "Wednesday", "Thursday", "Friday"], "opens": "09:00", "closes": "18:00" }, { "@type": "OpeningHoursSpecification", "dayOfWeek": "Saturday", "opens": "11:00", "closes": "14:00" }] },

{ "@type": "WebSite", "@id": "https://bobyenginework.co.uk/#website", "url": "https://bobyenginework.co.uk/", "name": "Boby Engine Work", "publisher": { "@id": "https://bobyenginework.co.uk/#business" }, "inLanguage": "en-GB" }, { "@type": "WebPage", "@id": "https://bobyenginework.co.uk/#webpage", "url": "https://bobyenginework.co.uk/", "name": "Engine Rebuild & Repair Specialists | Boby Engine Work", "description": "Engine rebuilding, reconditioning and repair at Boby Engine Work in Billericay. Explore model-specific fitted rebuild guides and request an engine assessment.", "isPartOf": { "@id": "https://bobyenginework.co.uk/#website" }, "about": { "@id": "https://bobyenginework.co.uk/#busin

ess" }, "inLanguage": "en-GB" }] }

Boby Engine Work | Homepage review 12