BMW Brand Page — Developer Visual Handover

Approved seven-mockup production specification | Next.js App Router / React / TypeScript / Tailwind / Motion

Design references: the seven images attached in the current message. Website copy authority: BMW-Brand-Page-Headings-and-Images-2026-10-25.pdf. Measurements are implementation targets unless explicitly labeled screenshot-relative.

Global design tokens

primaryDark — #0D0F12 / rgb(13, 15, 18)

charcoal — #16191E / rgb(22, 25, 30)

alabaster — #F6F4F0 / rgb(246, 244, 240)

orange — #E85D26 / rgb(232, 93, 38)

gold — #C59B5F / rgb(197, 155, 95)

white — #FFFFFF / rgb(255, 255, 255)

grey — #66676B / rgb(102, 103, 107)

lightRow — #F1EDE8 / rgb(241, 237, 232)

warmBorder — #DED8D0 / rgb(222, 216, 208)

Typography & layout

Inter sans throughout; heading weights 700–800, body weight 400; avoid decorative serif.

H1 60/46/34px; H2 54/40/30px; H3 32/27/23px (desktop/tablet/mobile). Paragraph 18px max desktop; 16px mobile.


Max-width 1360px; 12-column grid; 24px desktop gaps; 64–80px section padding; 12–16px radii.

Orange accent #E85D26, muted gold #C59B5F, alternating dark and alabaster sections.

Header sticky; translucent blur after scroll 40px. Respect reduced motion. Accessible quote modal with context prefill.

For full JSX data arrays, exact copy, configuration, and step-by-step implementation, see companion Markdown.

01 / Navigation, BMW Hero and Trust Bar



A — Layout architecture

Navigation 88px screenshot-equivalent; left copy ~48%; right image ~52%; trust bar full-width below content.

B — Components and media

hero/workshop photograph; BMW engine bay; workshop mechanic

C — Motion and interactions

400ms fade-up, 80ms stagger; 2px hover lift; orange border emphasis; accessible quote modal; keyboard and reduced-motion support.

D — Screenshot reference crop regions

Hero image: x=44%, y=11%, w=56%, h=72%; trust bar: x=3%, y=85%, w=94%, h=12%.

E — Responsive contract

1440px desktop split, 768px compact grid, 375px single-column stack. Mobile typography 14–16px for cells and body; remove slanted masks. Tables must remain semantic or use fully labeled stacked cards.

F — Copy authority

All actual copy, prices and disclaimers come from the uploaded seven-page BMW brand PDF, not potentially distorted mockup text.

02 / BMW Models We Cover



A — Layout architecture

Top introduction with faded vehicle background; three horizontal feature rows; each row image 30%, copy 48%, model pills 22%.

B — Components and media

three distinct BMW model photographs; decorative BMW grille faded background

C — Motion and interactions

400ms fade-up, 80ms stagger; 2px hover lift; orange border emphasis; accessible quote modal; keyboard and reduced-motion support.

D — Screenshot reference crop regions

Rows: x=3%, y=20%, w=94%, h=24%; x=3%, y=45%, w=94%, h=24%; x=3%, y=70%, w=94%, h=24%.


E — Responsive contract

1440px desktop split, 768px compact grid, 375px single-column stack. Mobile typography 14–16px for cells and body; remove slanted masks. Tables must remain semantic or use fully labeled stacked cards.

F — Copy authority

All actual copy, prices and disclaimers come from the uploaded seven-page BMW brand PDF, not potentially distorted mockup text.

03 / Approach and BMW Rebuild Costs



A — Layout architecture

Approach uses left narrative 50% and right engine photograph 50%; pricing dark full-bleed with two white 3-column tables.

B — Components and media

removed engine photograph; 7 small engine thumbnails; faded BMW grille texture

C — Motion and interactions

400ms fade-up, 80ms stagger; 2px hover lift; orange border emphasis; accessible quote modal; keyboard and reduced-motion support.

D — Screenshot reference crop regions

Approach image: x=48%, y=0%, w=52%, h=32%; pricing table A x=4%, y=47%, w=92%, h=20%; table B x=4%, y=68%, w=92%, h=14%.

E — Responsive contract

1440px desktop split, 768px compact grid, 375px single-column stack. Mobile typography 14–16px for cells and body; remove slanted masks. Tables must remain semantic or use fully labeled stacked cards.

F — Copy authority

All actual copy, prices and disclaimers come from the uploaded seven-page BMW brand PDF, not potentially distorted mockup text.

Pricing: N47 £2,000; B47 £3,500; B48 £4,000; N57 £5,000; B58 £7,000; S55 £7,000; S58 £7,500. All are starting guides, not fixed quotes.

04 / Engine Families and Fault Investigation



A — Layout architecture

Dark upper capability section with right-side engine image; warm-light lower section with two side-by-side diagnostic table groups.

B — Components and media

BMW engine close-up; six mechanical icon illustrations

C — Motion and interactions

400ms fade-up, 80ms stagger; 2px hover lift; orange border emphasis; accessible quote modal; keyboard and reduced-motion support.

D — Screenshot reference crop regions

Engine: x=60%, y=0%, w=40%, h=41%; diagnostics left x=2%, y=53%, w=46%, h=29%; right x=49%, y=53%, w=49%, h=29%.

E — Responsive contract

1440px desktop split, 768px compact grid, 375px single-column stack. Mobile typography 14–16px for cells and body; remove slanted masks. Tables must remain semantic or use fully labeled stacked cards.

F — Copy authority

All actual copy, prices and disclaimers come from the uploaded seven-page BMW brand PDF, not potentially distorted mockup text.

05 / Rebuild Versus Replacement and Nine-Step Process



A — Layout architecture

Light comparison section with right engine photo; dark process section: 5 cards first row, 4 cards second row connected by orange line.

B — Components and media

removed BMW engine; nine workshop/process images

C — Motion and interactions

400ms fade-up, 80ms stagger; 2px hover lift; orange border emphasis; accessible quote modal; keyboard and reduced-motion support.

D — Screenshot reference crop regions

Engine: x=55%, y=0%, w=45%, h=43%; process cards: first row y=53%-73%, second y=77%-96%.

E — Responsive contract

1440px desktop split, 768px compact grid, 375px single-column stack. Mobile typography 14–16px for cells and body; remove slanted masks. Tables must remain semantic or use fully labeled stacked cards.

F — Copy authority

All actual copy, prices and disclaimers come from the uploaded seven-page BMW brand PDF, not potentially distorted mockup text.

Nine process steps, numbered 01–09, must be preserved. Desktop 5+4, mobile vertical timeline.

06 / Parts, Workshop Gallery and Warranty



A — Layout architecture

Light parts intro with diagonal photograph; dark four-photo gallery; light three-row warranty section with BMW bonnet detail.

B — Components and media

parts photograph; four workshop photographs; BMW bonnet crop

C — Motion and interactions

400ms fade-up, 80ms stagger; 2px hover lift; orange border emphasis; accessible quote modal; keyboard and reduced-motion support.

D — Screenshot reference crop regions

Parts photo x=50%, y=0%, w=50%, h=22%; gallery photos x=3%-97%, y=42%-61%; bonnet x=0%, y=75%, w=30%, h=25%.

E — Responsive contract

1440px desktop split, 768px compact grid, 375px single-column stack. Mobile typography 14–16px for cells and body; remove slanted masks. Tables must remain semantic or use fully labeled stacked cards.

F — Copy authority

All actual copy, prices and disclaimers come from the uploaded seven-page BMW brand PDF, not potentially distorted mockup text.

07 / Workshop Contact, FAQs and Final CTA

GET IN TOUCH

Visit or Contact the Workshop

Workshop Address
Unit D1, Windsor Road, Ramsden Heath, Billericay, CM11 1QE.

Business Hours
Monday–Friday: 9am – 6pm
Saturday: 11am – 2pm
(Excluding English bank holidays)

Email Us
info@bobyenginework.co.uk

Our workshop is at Unit D1, Windsor Road, Ramsden Heath, Billericay, CM11 1QE. Published business hours are Monday–Friday, 9am–6pm, and Saturday, 11am–2pm, excluding English bank holidays. Contact us before arranging vehicle delivery.

Email info@bobyenginework.co.uk with your registration, mileage, symptoms, previous diagnosis, vehicle location, whether it runs or can be loaded, and your preferred way to be contacted.



FAQS

BMW Engine Rebuild Questions

Does a BMW timing-chain fault always need an engine rebuild?
No. A worn timing system identified before internal damage can require a smaller repair. If the chain has failed, inspection must establish whether valves, pistons, the head or other components have been damaged.

Do you rebuild older BMW engines?
We assess older combustion-engine BMWs as well as later models. Condition, parts availability and the value of the repair to you determine the recommendation. Share the registration and any engine or rebuild history.

Can I get a price without knowing the engine code?
Yes. Start with the registration, model and symptoms. We establish the fitted engine before confirming the relevant scope and quotation. Mention any engine swap or significant modification.

Do you sell brand-new BMW engines?
Our service focuses on engine repair, rebuilding and reconditioning. A replacement-engine enquiry is assessed as part of that workshop service, with compatibility and availability checked individually.

How long will the rebuild take?
The diagnosis, machining requirements and parts availability affect the schedule. We discuss timing after assessing the job rather than promising the same completion time for every engine.

Can you help if the BMW no longer starts?
Tell us whether it stopped while driving, lost oil or coolant, or made a new noise. Avoid repeated restart attempts if internal damage is suspected. We can discuss the appropriate next step and vehicle-arrival arrangements.

NEXT STEP

Request Your BMW Engine Rebuild Assessment

Send your registration, approximate mileage, symptoms and any previous diagnosis. Add photographs or a short recording if you already have them; do not run a damaged engine to make one. We will help you establish the right assessment route and the most relevant rebuild guide.

Request a BMW Engine Assessment by Email →

A — Layout architecture

Light contact section with right workshop exterior; dark two-column, three-row FAQ; warm-light closing CTA.

B — Components and media

workshop exterior and BMW car

C — Motion and interactions

400ms fade-up, 80ms stagger; 2px hover lift; orange border emphasis; accessible quote modal; keyboard and reduced-motion support.

D — Screenshot reference crop regions

Exterior x=62%, y=0%, w=38%, h=32%; FAQ x=3%, y=40%, w=94%, h=32%; CTA x=57%, y=82%, w=40%, h=10%.

E — Responsive contract

1440px desktop split, 768px compact grid, 375px single-column stack. Mobile typography 14–16px for cells and body; remove slanted masks. Tables must remain semantic or use fully labeled stacked cards.

F — Copy authority

All actual copy, prices and disclaimers come from the uploaded seven-page BMW brand PDF, not potentially distorted mockup text.

Content and implementation QA

Source copy: use original PDF verbatim, with source metadata and JSON-LD.

Seven pricing rows; six fault families; nine process steps; six FAQs.

Warranty: 12-month unlimited-mileage for listed covered parts/labour subject to conditions; running-in service 2,000 miles ±200 at workshop, chargeable, mandatory under published terms.

Contact: Unit D1, Windsor Road, Ramsden Heath, Billericay, CM11 1QE; info@bobyenginework.co.uk.

Use genuine Boby workshop photos, not generated design mockup imagery as factual documentation.

Automated viewport QA: 375, 768, 1024 and 1440px; accessibility, responsive tables, form delivery, structured data, Lighthouse.

The companion Markdown contains the full original PDF text, typed structured arrays and Tailwind implementation detail.