Seed Treating Equipment



Category: **Agriculture & Gardening** Type: **Full SOP** Priority: **High** 6 labs

Covers these lab items: Seed Treating Equipment

What it is used for

Seed treating equipment applies approved protective or conditioning substances to seeds before sowing. Correct dosing, uniform treatment, and safe chemical handling help protect seeds, operators, and the environment.

Main parts

- Treatment hopper or container holds the seeds before processing.
- Metering mechanism controls the amount of treatment applied.
- Mixing chamber or rotating drum distributes treatment over the seeds.
- Feed and discharge openings guide seeds through the equipment.
- Motor, handle, or drive mechanism operates the equipment, depending on the model.
- Control panel or adjustment controls regulate operation on applicable models.
- Protective covers and guards reduce contact with moving parts.

Before you start

1. Read the equipment manual and product label before preparing the treatment.
2. Use only approved seed-treatment products and follow the specified dosage.
3. Wear the required PPE, including gloves, protective clothing, and eye protection.
4. Inspect the hopper, drum, seals, guards, controls, and electrical connections for damage.
5. Set up the equipment in a ventilated area away from food, drinking water, and animals.
6. Check that seeds are suitable for the selected treatment and the equipment is clean.

How to use

1. Measure the seed quantity and treatment product according to the product label.
2. Prepare the treatment mixture only if the product instructions require one.
3. Load the seeds into the designated hopper without exceeding its capacity.
4. Set the metering rate and mixing time according to the equipment instructions.
5. Start the equipment using the approved controls and confirm normal operation.
6. Introduce the treatment at the specified rate while the seeds move through the mixing area.
7. Observe the process to confirm that treatment is distributed evenly without excessive wetting.
8. Stop the equipment before opening covers, clearing blockages, or making adjustments.
9. Collect treated seeds in clearly labelled containers and keep them separate from untreated seeds.
10. Clean the equipment as directed, manage waste safely, and wash hands after removing PPE.

⚠ Safety

- Never handle seed-treatment chemicals without the PPE specified on the product label.
- Do not eat, drink, or smoke while handling treated seeds or chemicals.
- Keep hands away from moving mixers, rollers, and feed mechanisms.
- Do not use treated seeds for food, feed, or direct consumption.
- Prevent treatment chemicals and rinse water from entering drains or water sources.
- Keep treated seeds and chemicals away from children, animals, and unauthorised users.

Care & storage

- Switch off and isolate power before cleaning or servicing the equipment.
- Clean the hopper, mixing chamber, and discharge path according to product instructions.
- Inspect metering parts, seals, guards, and controls regularly for wear or damage.
- Store equipment clean and dry, and arrange authorised maintenance when required.

Common mistakes to avoid

- Applying more treatment product than the label specifies.
- Mixing treated and untreated seeds in the same container.
- Operating equipment with missing guards or blocked discharge openings.
- Handling treated seeds without protective equipment or proper labelling.

Disclaimer: This SOP is prepared from general information available on the internet. For detailed instructions, refer to the manufacturer's original manual / file.

Prepared by - Subodh Kumar