Paneer Press



Category: **Animal Husbandry & Dairy** Type: **Short SOP** Priority: **Medium** 1 labs

Covers these lab items: Paneer Press

What it is used for

A paneer press removes excess whey from coagulated milk solids to form paneer with a suitable texture. Maintain food hygiene and use the press according to its design and batch requirements.

How to use

1. Inspect the press frame, plates, handles, fasteners, and drainage outlets for damage.
2. Clean and sanitize all food-contact surfaces before use.
3. Place the prepared curd in a clean, food-grade cloth or approved mould.
4. Position the curd evenly inside the press and fit the top plate.
5. Apply pressure gradually according to the product and equipment instructions.
6. Allow whey to drain into a suitable clean container without contaminating the paneer.
7. Release the pressure safely, remove the paneer, and clean the press after use.

⚠ Safety

- Keep fingers clear of moving plates and pressure points.
- Do not exceed the press's rated load or force.
- Use food-grade materials and prevent contact with contaminated surfaces.
- Release pressure fully before dismantling or cleaning the press.

Care & storage

- Wash, sanitize, and dry the press after each batch and inspect fasteners regularly.

Disclaimer: This SOP is prepared from general information available on the internet. For detailed instructions, refer to the manufacturer's original manual / file.