



BRAND GUIDELINES

Engineering PLUS, LLC
9018 Heritage Pkwy
Woodridge, IL 60517
630.786.4200

Released: 10/01/2021

ENGINEERING PLUS LOGO

Our logo, a specifically designed configuration of letters and visual elements, is the cornerstone of our visual identity. As such, it is the only logo that should be used to represent our brand.

The logo is comprised of both an “icon” and text and should not be displayed without the icon.




ENGINEERING PLUS LOGO

The preferred logo is the 1 color blue logo on a white or light colored background.



1-COLOR BLACK LOGO

For non-color printing use on a white or light background.




1-COLOR WHITE LOGO

For use on dark backgrounds.

TITLE BLOCK LOGO

The title block logo was created for usage in CAD Drawings.



TITLE BLOCK LOGO

Sizes available are:

- 2.25" x 1.5"
- 3.5" x 2.5"
- 3.75" x 2.5"

ALTERNATE LOGOS

The alternate logo was created for horizontal use. This is not the preferred logo and should be used in only **limited circumstances** when the stacked version does not work in the space.



ALTERNATE LOGO

Blue logo on a white or light colored background



ALTERNATE 1-COLOR BLACK LOGO

For non-color printing use on a white or light background.



ALTERNATE 1-COLOR WHITE LOGO

For use on dark backgrounds.

ICON

The icon was created for digital media. The icon is typically used in social media profile images and other small spaces where it will be displayed along with other elements of your brand.



ICON

Blue icon on a white or light colored background



1-COLOR BLACK ICON

For non-color printing use on a white or light background.



1-COLOR WHITE ICON

For use on dark backgrounds.

LOGO DON'TS

Don't use the logo in the following ways.



X DO NOT

stretch, condense, or distort the logo.




X DO NOT

use the logo in place of the name in a headlin, phrase or sentence.



X DO NOT

use type without the icon.



X DO NOT

rotate the logo in any way.

PRIMARY COLOR PALETTE

The following colors can be tinted from 100% down to 5%.



BLUE

For web use: R:101 G: 110 B: 136

For printing use: C:66 M:54 Y:31 K:7

Hex color: #666f89

Pantone: PMS 282 60% or PMS 7545



GREEN

For web use: R:60 G: 125 B: 127

For printing use: C:78 M:36 Y:47 K:9

Hex color: #3c7d7f

Pantone: PMS 7475



DARK GREY

For web use: R:88 G:89 B: 91

For printing use: C:0 M:0 Y:0 K:80

Hex color: #58595b

Pantone: PMS 425



LIGHT GREY

For web use: R:166 G: 166 B: 165

For printing use: C:37 M:30 Y:31 K:0

Hex color: #a6a6a5

Pantone: PMS 422

ENGINEERING PLUS FONTS

The primary body copy font for Engineering PLUS is Montserrat and headline font is Sui Generis. Arial is the approved default when Montserrat and Sui Generis are not available.

Sui Generis Family

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!@#\$%

Montserrat Family

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!@#\$%

Arial Family

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789!@#\$%

TYPOGRAPHY USE

The primary body copy font for Engineering PLUS is Montserrat and headline font is Sui Generis

HEADLINES

Headlines should always be in Sui Generis .

SUB-HEADLINES

Sometimes paired with a headline, sub-headlines should be in Sui Generis, Montserrat Semi-Bold, or Montserrat Bold.

SECTION HEADINGS

In the body portion of a document, sections headers can be in Title Case or ALL CAPS in either Sui Generis Bold, Montserrat Bold or Montserrat Semi-Bold. Headings should never exceed the size of the Headline and be consistent throughout the document.

BODY COPY

Body copy should always be in sentence case and in Montserrat Regular.

Example

Headline

SUBHEADLINE LOREM IPSUM

Section Heading

Lorem ipsum dolor sit amet, lorem vestibulum
imperdiet, quam sodales est pharetra, felis
consectetuer.



Engineering PLUS, LLC
9018 Heritage Pkwy
Woodridge, IL 60517
630.786.4200

eplusadvisors.com