

NAME: M-HAMZA KHAN
ARID NO: 24-ARID-1044

ASSIGNMENT # 3

EXERCISE # 1 :-

Why the following windows
are used in visual studio

a) SOLUTION Explorer.

Used to manage all files
and components of a project.

Key Uses:-

- View project structure like forms, classes, resources etc
- Add / remove files
- Open code or design view

b) Property window

Used modifying properties controls or forms.

Key Uses:-

- Change control properties like Name, Text, Size, Color
- Assign event handlers (e.g., button click)

Example:-

- Selecting a button and changing its Text from 'Button1' to 'Submit'.

key uses:-

- change UI properties of selected controls or forms
- set behaviour (Enabled, Visible)

Examples:-

changing Button text $\rightarrow$ Text = "Submit"

c) Server Explorer:-

Used to manage database connections and servers.

key uses:-

- connect to SQL servers
- view tables, data, procedures.

Example:-

connecting your app to a database for data retrieval.

, EXERCISE 2:-

Why are the following controls used? Important properties of each and an example.

a) Tooltip:-

Show small tips and hints when hovering over a control.

Date: _____

properties:-

- Tooltip title
- Tooltip icon
- SetToolTip (Control, text)

Example:-

```
Tooltip t = new Tooltip();  
t.SetToolTip ( button1, "Click to  
submit form" );
```

b) progressBar

shows progress of a task.

properties:-

- Minimum
- Maximum
- Value

Example:-

```
ProgressBar.Value = 50;
```

c) colorDialog:-

open a dialoge to
select colors.

Properties :-

- color

Date: _____

Example:

```
ColorDialog cd = new ColorDialog();  
if ( cd. showDialog() == DialogEvent.OK )  
{  
    this. Backcolor = cd. color ;  
}
```

* EXERCISE # 3:

Why the following controls are used. Discuss properties & Example of each.

a) FlowLayout Panel:

Automatically arranges flow controls in a flow horizontal or vertical.

Properties:

- Flow Direction
- Wrap contents

Example:

Buttons arranged automatically in a row.

b) GroupBox:

Used for group related controls.

Properties:

- Text (Title of group)

Grouping radio buttons like gender selection.

c) Split Container

Used to Divides Form into two resizable panels.

properties:-

- Orientations
- Splitter Distance

Example:-

left panel → menu, Right panel
→ content

.. EXERCISE # 4 ..

Pizza ordering app.

```
private void btnPlaceOrder_Click()
{
    if (ListBox1.SelectedItem == null)
    {
        MessageBox.Show("Please select a pizza.");
        return;
    }
    string pizza = ListBox1.SelectedItem.ToString();
    int quantity = int.Parse(textBoxQuantity.Text);
    int price = 500;
```


Date:

```
int total = quantity * price;  
string currency = " ";  
if (radioUAE.Checked)  
    currency = "UAE";  
elseif (radioUSD.Checked)  
    currency = "USD";  
elseif (radioEUR.Checked)  
    currency = "EUR";  
MessageBox.Show("Order placed!",  
    pizza + " Quantity " + qv.quantity  
    + " Total " + total + " " + currency);  
}
```

```
private void btnReset_Click()  
{  
    listBox1.ClearSelected();  
    txtQuantity.Clear();  
    radioUAE.Checked = false;  
    radioUSD.Checked = false;  
    radioEUR.Checked = false;  
}
```

• EXERCISE # 5:

Date: _____

```
using System.Data;
using System.Data.SqlClient;

private void btnsearch_Click()
{
    string constr = "Data Source = . ;
    Initial Catalog = Your DB ; Integrated
    Security = 'True' ;

    SqlConnection con = new SqlConnection(
        constr);

    string query = "Select * From Students
        where ID = " + txtID.text + " @id";
    textBox1.text " @id";

    SqlCommand cmd = new SqlCommand
        (query, con);
    cmd.Parameters.AddWithValue(txt
        "@id", txtID.text);

    SqlDataAdapter da = new SqlDataAdapter(cmd);
    DataTable dt = new DataTable();

    da.Fill(dt);
    dataGridView1.DataSource = dt;
}
```

