SEPN_CHARGES_DATASET

Create a database named: "SEPN_charges_db" in MySQL and then create three tables named sepn_charges_2022_23_tb, sepn_charges_2023_24_tb and sepn_charges_2024_25_tb
-- Load the below three csv files into each tables.
-- 1. sepn_charges_2022_23.csv
-- 2. sepn_charges_2023_24.csv
-- 3. sepn_charges_2024_25.csv

-- THE BEGINING OF SCRIPT
-- ABOUT/TERMS AND CONDITION APPLIED TO THIS SEPN AND CHARGES
-- SEPN (Secure EFTPOS Network): for cashless payments
-- Purpose: Protects point-of-sale (POS) transactions and e-commerce transactions from cyberattacks, routing disruptions, and fraud attempts.
-- Benefit: Ensures tamper-proof, trusted connectivity for digital payments.
-- Transaction Charges: Fees banks apply when processing customer payments (e.g., transfers, card payments).
-- Fees applied by banks/payment processors for handling customer payments (Bank fee for processing a transfer)
-- Interbank Transfers: Typically do not carry charges; fees are applied only to customer-facing payments.
-- SEPN_charges - Combination of SEPN's secure payment framework with transaction fees(Customer pays ₦200 fee for a secure card transaction)
-- Types of Amounts in ISO 20022 (pacs.008 messages):
-- Interbank Settlement Amount: Currency settled between banks.
-- Instructed Amount: Amount specified by the debtor (payer).
-- Each bank sets its own pricing structure for these charges

-- TYPES OF "CHARGES" I AM CREATING FOR THIS SEPN PAYMENT CHARGEs SYSTEMS
-- Import_Super_Red_charge, -- Import_fixed_charge, -- Export_Super_Red_charges
-- Export_fixed_charge -- Residual_Charging_Band

```
DROP DATABASE IF EXISTS SEPN_charges_db;
CREATE DATABASE IF NOT EXISTS SEPN_charges_db;
USE SEPN_charges_db;

-- RUN THE BELOW CODE TO CREATE THE TABLE
DROP TABLE IF EXISTS Sepn_charges_2022_23_tb;
CREATE TABLE IF NOT EXISTS Sepn_charges_2022_23_tb(
ID INT UNSIGNED AUTO_INCREMENT,
Name VARCHAR(50) NOT NULL,   -- is text-based
```

```
Import_Super_Red_charge DECIMAL(10,2) NOT NULL,   -- is used for monetary/charge
values (up to 10 digits, 2 after the decimal
Import_fixed_charge DECIMAL(10,2) NOT NULL,    -- is used for monetary/charge values
(up to 10 digits, 2 after the decimal
Export_Super_Red_charge DECIMAL(10,2) NOT NULL,  -- is used for monetary/charge
values (up to 10 digits, 2 after the decimal
Export_fixed_charge DECIMAL(10,2)  NOT NULL,    -- is used for monetary/charge values
(up to 10 digits, 2 after the decimal
PRIMARY KEY (ID)  --  is set as the primary key
);

-- 1 SQL codes to check the structures
DESC sepn_charges_2022_23_tb;


--  Set the local_infile to 'ON' for faster loading
SET GLOBAL local_infile = 'ON';

-- Use the SHOW command to see that it is effected
SHOW GLOBAL VARIABLES LIKE 'local_infile';

SHOW VARIABLES LIKE "secure_file_priv";

-- Loading the CSV into SQL
LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server
8.0/Uploads/input_files/sepn_charges_2022_23.csv'
INTO TABLE sepn_charges_2022_23_tb
FIELDS TERMINATED BY ','
ENCLOSED BY '"'
LINES TERMINATED BY '\n'
IGNORE 1 ROWS
(ID, name, Import_Super_Red_charge, Import_fixed_charge, Export_Super_Red_charge,
Export_fixed_charge
);
```

-- 2 Displaying the total number of records in a table

```
SELECT COUNT(*) -- Using COUNT function is faster
FROM sepn_charges_2022_23_tb;
```

-- 3 TO SEE ALL THE DATA LOADED

```
SELECT *   -- The asterisk (*) is used to indicate all data
FROM sepn_charges_2022_23_tb
LIMIT 20;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

ID	Name	Import_Super_Red_charge	Import_fixed_charge	Export_Super_Red_charge	Export_fixed_charge
1	B&RLTD	3.26	568.74	0.00	0.00
2	BEDDIN	0.00	7483.96	0.00	0.00
3	BP_OIL	0.00	568.74	0.00	0.00
4	CHESDC	0.01	17311.24	0.00	0.00
5	DIGREA	7.61	34276.38	0.00	0.00
6	EUROTU	0.00	124027.21	0.00	0.00
7	GAT_AF	2.72	20999.35	0.00	0.00
8	GAT_BF	0.63	19164.24	0.00	0.00
9	KNGSPN	0.26	32723.85	0.00	0.00
10	NP_LAB	2.07	789.85	0.00	0.00
11	NR_3BR	0.75	33675.32	0.00	0.00
12	NR_AFD	0.16	19164.24	0.00	0.00
13	NR_ASH	0.36	19164.24	0.00	0.00
14	NR_BRI	0.00	33675.32	0.00	0.00
15	NR_BYF	0.69	33675.32	0.00	0.00
16	NR_CAN	0.00	8007.72	0.00	0.00
17	NR_CRO	0.00	33358.16	0.00	0.00
18	NR_DOR	7.67	8007.72	0.00	0.00
19	NR_EAS	1.41	8007.72	0.00	0.00
20	NR_FOK	1.77	8007.72	0.00	0.00

sepn_charges_2022_23_tb 3

-- NOTE Since SQL doesn't allow you to directly get "top and lowest" in one simple query for multiple columns,
-- you'll typically need UNION queries for each column,

-- the top 5 and bottom 5 for Import_Super_Red_charge from the sepn_charges_2022_23_tb table.

```
(
  SELECT Name, Import_Super_Red_charge, Export_Super_Red_charge
  FROM sepn_charges_2022_23_tb
  ORDER BY Import_Super_Red_charge DESC
  LIMIT 5
)
UNION ALL
(
  SELECT Name, Import_Super_Red_charge, Export_Super_Red_charge
  FROM sepn_charges_2022_23_tb
  ORDER BY Import_Super_Red_charge ASC
  LIMIT 5
);
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name	Import_Super_Red_charge	Export_Super_Red_charge
WIDHFM	9.77	0.00
BNTLY2	9.22	0.00
BNTLEY	9.22	0.00
NR_DOR	7.67	0.00
DIGREA	7.61	0.00
NR_CAN	0.00	0.00
BEDDIN	0.00	0.00
BP_OIL	0.00	0.00
WSTWDX	0.00	0.00
NR_BRI	0.00	0.00

Result 8

```
DROP TABLE IF EXISTS sepn_charges_2023_24_tb;
CREATE TABLE IF NOT EXISTS sepn_charges_2023_24_tb(
ID INT UNSIGNED AUTO_INCREMENT,
Name VARCHAR(50) NOT NULL,  -- is used for text fields
Residual_Charging_Band DECIMAL(10,2) NOT NULL,   -- is used for monetary/charge
values (up to 10 digits, 2 after the decimal,
Import_Super_Red_charge DECIMAL(10,2) NOT NULL,   -- is used for monetary/charge
values (up to 10 digits, 2 after the decimal
Import_fixed_charge DECIMAL(10,2) NOT NULL,      -- is used for monetary/charge
values (up to 10 digits, 2 after the decimal
Export_Super_Red_charge DECIMAL(10,2) NOT NULL,   -- is used for monetary/charge
values (up to 10 digits, 2 after the decimal
Export_fixed_charge DECIMAL(10,2) NOT NULL,     -- is used for monetary/charge values
(up to 10 digits, 2 after the decimal
PRIMARY KEY (ID)  --  is set as the primary key
);


-- 1 SQL codes to check the structures
DESC sepn_charges_2023_24_tb;

-- 1.1 Set the local_infile to 'ON' for faster loading
SET GLOBAL local_infile = 'ON';

-- 1.2 Use the SHOW command to see that it is effected
SHOW GLOBAL VARIABLES LIKE 'local_infile';

SHOW VARIABLES LIKE "secure_file_priv";

-- Loading the CSV into SQL
LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server
8.0/Uploads/input_files/sepn_charges_2023_24.csv'
INTO TABLE  sepn_charges_2023_24_tb
```

```
FIELDS TERMINATED BY ','
ENCLOSED BY '"'
LINES TERMINATED BY '\n'
IGNORE 1 ROWS
(ID, Name, Residual_Charging_Band, Import_Super_Red_charge, Import_fixed_charge,
Export_Super_Red_charge, Export_fixed_charge
);
```

-- show all records in all the culumns loaded

```
SELECT *
FROM sepn_charges_2023_24_tb
LMIT 20;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

ID	Name	Residual_Charging_Band	Import_Super_Red_charge	Import_fixed_charge	Export_Super_Red_charge	Export_fixed_charge
1	B&RLTD	1.00	2.57	915.78	0.00	0.00
2	BEDDIN	2.00	0.01	6187.90	0.00	0.00
3	BP_OIL	1.00	0.00	915.78	0.00	0.00
4	CHESDC	3.00	0.00	9870.55	0.00	0.00
5	DIGREA	4.00	0.00	25598.07	0.00	0.00
6	EUROTU	4.00	0.00	125905.33	0.00	0.00
7	GAT_AF	3.00	0.62	12939.47	0.00	0.00
8	GAT_BF	3.00	0.86	10888.51	0.00	0.00
9	KNGSPN	4.00	0.33	23862.93	0.00	0.00
10	NP_LAB	1.00	2.19	1162.89	0.00	0.00
11	NR_3BR	4.00	1.04	24926.31	0.00	0.00
12	NR_AFD	3.00	0.75	10888.51	0.00	0.00
13	NR_ASH	3.00	0.49	10888.51	0.00	0.00
14	NR_BRI	4.00	0.43	24926.31	0.00	0.00
15	NR_BYF	4.00	0.47	24926.31	0.00	0.00
16	NR_CAN	2.00	0.00	6773.27	0.00	0.00
17	NR_CRO	4.00	0.03	24571.85	0.00	0.00
18	NR_DOR	2.00	3.98	6773.27	0.00	0.00
19	NR_EAS	2.00	3.02	6773.27	0.00	0.00
20	NR_FOK	2.00	0.86	6773.27	0.00	0.00

sepn_charges_2023_24_tb 5

-- Displaying the total number of records

```
SELECT COUNT(*) -- Using COUNT function is faster
FROM sepn_charges_2023_24_tb;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

COUNT(*)
99

```
-- Top 5 and bottom 5 for  Import_fixed_charge from the SENP_charges_2023_24_tb
table
(
   SELECT Name, Import_fixed_charge, Export_fixed_charge
   FROM sepn_charges_2023_24_tb
   ORDER BY Import_fixed_charge DESC
   LIMIT 5
```

```
)
UNION ALL
(
  SELECT Name, Import_fixed_charge, Export_fixed_charge
  FROM sepn_charges_2023_24_tb
  ORDER BY Import_fixed_charge ASC
  LIMIT 5
);
```




```
DROP TABLE IF EXISTS sepn_charges_2024_25_tb;
CREATE TABLE IF NOT EXISTS sepn_charges_2024_25_tb(
ID INT UNSIGNED AUTO_INCREMENT,
Name VARCHAR(50) NOT NULL,  -- is used for text fields
Residual_Charging_Band  DECIMAL(10,2) NOT NULL,    -- is used for monetary/charge values (up to 10 digits, 2 after the decimal
Import_Super_Red_charge DECIMAL(10,2) NOT NULL,    -- is used for monetary/charge values (up to 10 digits, 2 after the decimal
Import_fixed_charge DECIMAL(10,2) NOT NULL,       -- is used for monetary/charge values (up to 10 digits, 2 after the decimal
Export_Super_Red_charge DECIMAL(10,2) NOT NULL,    -- is used for monetary/charge values (up to 10 digits, 2 after the decimal
Export_fixed_charge DECIMAL(10,2) NOT NULL,      -- is used for monetary/charge values (up to 10 digits, 2 after the decimal
PRIMARY KEY (ID)  --  is set as the primary key
);

-- 1 SQL codes to check the structures
DESC sepn_charges_2024_25_tb;

-- 1.1 Set the local_infile to 'ON' for faster loading
SET GLOBAL local_infile = 'ON';
```

-- 1.2 Use the SHOW command to see that it is effected
SHOW GLOBAL VARIABLES LIKE 'local_infile';

SHOW VARIABLES LIKE "secure_file_priv";

-- Loading the CSV into SQL
LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/input_files/sepn_charges_2024_25.csv'
INTO TABLE sepn_charges_2024_25_tb
FIELDS TERMINATED BY ','
ENCLOSED BY '"'
LINES TERMINATED BY '\n'
IGNORE 1 ROWS
(ID, Name, Residual_Charging_Band, Import_Super_Red_charge, Import_fixed_charge, Export_Super_Red_charge, Export_fixed_charge);

-- after loading check all the records in the fields
SELECT *
FROM sepn_charges_2024_25_tb
LIMIT 20;

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

ID	Name	Residual_Charging_Band	Import_Super_Red_charge	Import_fixed_charge	Export_Super_Red_charge	Export_fixed_charge
1	B&RLTD	1.00	1.86	2865.31	0.00	0.00
2	BEDDIN	2.00	0.01	16076.25	0.00	0.00
3	BP_OIL	1.00	0.31	2865.31	0.00	0.00
4	CHESDC	3.00	0.00	33041.98	0.00	0.00
5	DIGREA	4.00	0.00	69548.53	0.00	0.00
6	EUROTU	4.00	0.00	220981.93	0.00	0.00
7	GAT_AF	3.00	0.75	39690.72	0.00	0.00
8	GAT_BF	3.00	0.78	36594.39	0.00	0.00
9	KNGSPN	4.00	0.13	66928.99	0.00	0.00
10	NP_LAB	1.00	1.89	3238.38	0.00	0.00
11	NR_3BR	4.00	0.82	68534.37	0.00	0.00
12	NR_AFD	3.00	1.80	36594.39	0.00	0.00
13	NR_ASH	3.00	0.34	36594.39	0.00	0.00
14	NR_BRI	4.00	0.41	68534.37	0.00	0.00
15	NR_BYF	4.00	0.36	68534.37	0.00	0.00
16	NR_CAN	2.00	0.02	16959.97	0.00	0.00
17	NR_CRO	4.00	0.02	67999.24	0.00	0.00
18	NR_DOR	2.00	4.62	16959.97	0.00	0.00
19	NR_EAS	2.00	1.26	16959.97	0.00	0.00
20	NR_FOK	2.00	1.45	16959.97	0.00	0.00

-- **Displaying the total number of records in a table**
SELECT COUNT(*) -- Using COUNT function is faster
FROM sepn_charges_2024_25_tb;

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

COUNT(*)
99

-- Top 8 and bottom 8 for Residual_Charging_Band from sepn_charges_2024_25_tb

```
(
SELECT Name, Residual_Charging_Band, Import_fixed_charge,
Import_Super_Red_charge, Export_Super_Red_charge, Export_fixed_charge,
Import_fixed_charge
   FROM sepn_charges_2024_25_tb
   ORDER BY Residual_Charging_Band DESC
   LIMIT 8
)
UNION ALL
(
   SELECT Name, Residual_Charging_Band, Import_fixed_charge,
Import_Super_Red_charge, Export_Super_Red_charge, Export_fixed_charge,
Import_fixed_charge
   FROM sepn_charges_2024_25_tb
   ORDER BY Residual_Charging_Band ASC
   LIMIT 8
);
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Name	Residual_Charging_Band	Import_fixed_charge	Import_Super_Red_charge	Export_Super_Red_charge	Export_fixed_charge	Import_fixed_charge
NR_BYF	4.00	68534.37	0.36	0.00	0.00	68534.37
NR_BRI	4.00	68534.37	0.41	0.00	0.00	68534.37
NR_3BR	4.00	68534.37	0.82	0.00	0.00	68534.37
NR_LEA	4.00	67999.24	1.29	0.00	0.00	67999.24
DIGREA	4.00	69548.53	0.00	0.00	0.00	69548.53
EUROTU	4.00	220981.93	0.00	0.00	0.00	220981.93
NR_CRO	4.00	67999.24	0.02	0.00	0.00	67999.24
KNGSPN	4.00	66928.99	0.13	0.00	0.00	66928.99
BOBBNG	0.00	8.02	0.00	0.00	1603.20	8.02
BEDERF	0.00	577.83	0.20	-0.32	4105.64	577.83
WSTWDX	0.00	21.84	0.00	0.00	2184.44	21.84

Result 22

-- 3 SQL codes to display the number of customers who are Non-final demand (That is customers with zero(0) values as Residual Bands
-- for the year 2023/24 and 2024/25.

```
--  ie Count of Non-final demand customers for 2023/24
SELECT COUNT(*) AS non_final_demand_customers_2023_24
FROM sepn_charges_2023_24_tb
WHERE Residual_Charging_Band = 0;
```

Result Grid | Filter Rows: | Export: | Wr

non_final_demand_customers_2023_24
48

```
SELECT COUNT(*) AS non_final_demand_customers_2024_25
FROM sepn_charges_2024_25_tb
WHERE Residual_Charging_Band = 0;
```

Result Grid | Filter Rows: | E

non_final_demand_customers_2024_25
50

-- If you want both results in one output:

```
SELECT
(SELECT COUNT(*)
FROM sepn_charges_2023_24_tb
WHERE Residual_Charging_Band  = 0) AS non_final_demand_customers_2023_24,

(SELECT COUNT(*)
FROM sepn_charges_2024_25_tb
WHERE Residual_Charging_Band  = 0) AS non_final_demand_customers_2024_25;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

non_final_demand_customers_2023_24	non_final_demand_customers_2024_25
48	50

-- 4 SQL codes to display the number of customers who are final demand (That is customers with values 1 to 4 as Residual Bands
-- for the year 2023/24 and 2024/25.
-- For 2023/24

```
SELECT COUNT(*) AS final_demand_customers_2023_24
FROM sepn_charges_2023_24_tb
WHERE Residual_Charging_Band BETWEEN 1 AND 4;
```

Result Grid | Filter Rows:

	final_demand_customers_2023_24
▶	51

-- For 2024/25
SELECT COUNT(*) AS final_demand_customers_2024_25
FROM sepn_charges_2024_25_tb
WHERE Residual_Charging_Band BETWEEN 1 AND 4;

Result Grid | Filter Rows:

	final_demand_customers_2024_25
▶	49

-- 5 SQL Codes to calculate the annual import fixed charges for each customers of the year 2022/23

SELECT ID, name, import_fixed_charge, (import_fixed_charge * 12) AS annual_import_fixed_charge
FROM sepn_charges_2022_23_tb;

Result Grid | Filter Rows: | Export: | Wrap Cell Cor

	ID	name	import_fixed_charge	annual_import_fixed_charge
▶	1	B&RLTD	568.74	6824.88
	2	BEDDIN	7483.96	89807.52
	3	BP_OIL	568.74	6824.88
	4	CHESDC	17311.24	207734.88
	5	DIGREA	34276.38	411316.56
	6	EUROTU	124027.21	1488326.52
	7	GAT_AF	20999.35	251992.20
	8	GAT_BF	19164.24	229970.88
	9	KNGSPN	32723.85	392686.20
	10	NP_LAB	789.85	9478.20
	11	NR_3BR	33675.32	404103.84
	12	NR_AFD	19164.24	229970.88
	13	NR_ASH	19164.24	229970.88
	14	NR_BRI	33675.32	404103.84
	15	NR_BYF	33675.32	404103.84
	16	NR_CAN	8007.72	96092.64
	17	NR_CRO	33358.16	400297.92
	18	NR_DOR	8007.72	96092.64
	19	NR_EAS	8007.72	96092.64
	20	NR_FOK	8007.72	96092.64

20999.35

Result 22 ×

-- 6 Write SQL code to extract the year 2023/24 customer name, 2023/24 residual bands, each year daily import fixed charge,
-- and each year annual import fixed charge. The result should be extracted where 23/24 residual bands is equal to 24/25
-- residual bands, and the 2023/24 customer names is equal to 2024/25 customer names and 2022/23 customer names.

```
SELECT ID, name, import_fixed_charge, (import_fixed_charge * 365) AS
annual_import_fixed_charge
FROM sepn_charges_2022_23_tb;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

ID	name	import_fixed_charge	annual_import_fixed_charge
1	B&RLTD	568.74	207590.10
2	BEDDIN	7483.96	2731645.40
3	BP_OIL	568.74	207590.10
4	CHESDC	17311.24	6318602.60
5	DIGREA	34276.38	12510878.70
6	EUROTU	124027.21	931.65
7	GAT_AF	20999.35	7664762.75
8	GAT_BF	19164.24	6994947.60
9	KNGSPN	32723.85	11944205.25
10	NP_LAB	789.85	288295.25
11	NR_3BR	33675.32	12291491.80
12	NR_AFD	19164.24	6994947.60
13	NR_ASH	19164.24	6994947.60
14	NR_BRI	33675.32	12291491.80
15	NR_BYF	33675.32	12291491.80
16	NR_CAN	8007.72	2922817.80
17	NR_CRO	33358.16	12175728.40
18	NR_DOR	8007.72	2922817.80
19	NR_EAS	8007.72	2922817.80
20	NR_FOK	8007.72	2922817.80

124027.21

Result 23

```
SELECT ID, name, Residual_Charging_Band, import_fixed_charge, (import_fixed_charge
* 365) AS annual_import_fixed_charge
FROM sepn_charges_2023_24_tb;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

ID	name	Residual_Charging_Band	import_fixed_charge	annual_import_fixed_charge
1	B&RLTD	1.00	915.78	334259.70
2	BEDDIN	2.00	6187.90	2258583.50
3	BP_OIL	1.00	915.78	334259.70
4	CHESDC	3.00	9870.55	3602750.75
5	DIGREA	4.00	25598.07	9343295.55
6	EUROTU	4.00	125905.33	45955445.45
7	GAT_AF	3.00	12939.47	4722906.55
8	GAT_BF	3.00	10888.51	3974306.15
9	KNGSPN	4.00	23862.93	8709969.45
10	NP_LAB	1.00	1162.89	424454.85
11	NR_3BR	4.00	24926.31	9098103.15
12	NR_AFD	3.00	10888.51	3974306.15
13	NR_ASH	3.00	10888.51	3974306.15
14	NR_BRI	4.00	24926.31	9098103.15
15	NR_BYF	4.00	24926.31	9098103.15
16	NR_CAN	2.00	6773.27	2472243.55
17	NR_CRO	4.00	24571.85	8968725.25
18	NR_DOR	2.00	6773.27	2472243.55
19	NR_EAS	2.00	6773.27	2472243.55
20	NR_FOK	2.00	6773.27	2472243.55

Result 24

SELECT ID, name, Residual_Charging_Band, import_fixed_charge, (import_fixed_charge * 365) AS annual_import_fixed_charge
FROM sepn_charges_2024_25_tb;

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

ID	name	Residual_Charging_Band	import_fixed_charge	annual_import_fixed_charge
1	B&RLTD	1.00	2865.31	1045838.15
2	BEDDIN	2.00	16076.25	5867831.25
3	BP_OIL	1.00	2865.31	1045838.15
4	CHESDC	3.00	33041.98	12060322.70
5	DIGREA	4.00	69548.53	25385213.45
6	EUROTU	4.00	220981.93	80658404.45
7	GAT_AF	3.00	39690.72	14487112.80
8	GAT_BF	3.00	36594.39	13356952.35
9	KNGSPN	4.00	66928.99	24429081.35
10	NP_LAB	1.00	3238.38	1182008.70
11	NR_3BR	4.00	68534.37	25015045.05
12	NR_AFD	3.00	36594.39	13356952.35
13	NR_ASH	3.00	36594.39	13356952.35
14	NR_BRI	4.00	68534.37	25015045.05
15	NR_BYF	4.00	68534.37	25015045.05
16	NR_CAN	2.00	16959.97	6190389.05
17	NR_CRO	4.00	67999.24	24819722.60
18	NR_DOR	2.00	16959.97	6190389.05
19	NR_EAS	2.00	16959.97	6190389.05
20	NR_FOK	2.00	16959.97	6190389.05

2.00

Result 25

-- 7. Create a temporary table (view) based on the query results in question 6.

SELECT *
FROM sepn_charges_2022_23_tb, sepn_charges_2023_24_tb, sepn_charges_2024_25_tb;

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch rows:

ID	Name	Import_Super_Red_charge	Import_fixed_charge	Export_Super_Red_charge	Export_fixed_charge	ID	Name	Residual_Charging_Band	Import_Super_Red_charge	Import_fixed_charge	Export_Super_Red_charg
60	HLLMBY	0.00	357.14	0.00	766.76	38	BEDERF	0.00	0.03	382.75	-0.35
61	HORAMS	0.00	360.94	0.00	1730.34	38	BEDERF	0.00	0.03	382.75	-0.35
62	KENTI2	0.00	356.00	0.00	308.79	38	BEDERF	0.00	0.03	382.75	-0.35
63	KENTIS	0.00	354.53	0.00	0.00	38	BEDERF	0.00	0.03	382.75	-0.35
64	KM3CHP	0.01	7636.59	-0.01	2493.69	38	BEDERF	0.00	0.03	382.75	-0.35
65	KNWLTN	0.00	361.32	0.00	1293.92	38	BEDERF	0.00	0.03	382.75	-0.35
66	LBOURN	0.28	355.58	0.00	745.00	38	BEDERF	0.00	0.03	382.75	-0.35
67	LCHEYI	0.04	353.57	0.00	770.33	38	BEDERF	0.00	0.03	382.75	-0.35
68	LENHAM	6.74	360.58	0.00	1294.66	38	BEDERF	0.00	0.03	382.75	-0.35
69	LGHTON	1.13	358.73	0.00	777.11	38	BEDERF	0.00	0.03	382.75	-0.35
70	MARSHB	0.00	367.87	0.00	825.68	38	BEDERF	0.00	0.03	382.75	-0.35
71	MLEHLL	0.00	350.15	0.00	314.64	38	BEDERF	0.00	0.03	382.75	-0.35
72	MLMAYN	0.00	349.02	0.00	664.99	38	BEDERF	0.00	0.03	382.75	-0.35
73	MVVRID	0.00	1363.15	0.00	5341.61	38	BEDERF	0.00	0.03	382.75	-0.35
74	NEWHVN	0.61	387.28	-0.61	277.51	38	BEDERF	0.00	0.03	382.75	-0.35
75	NEWRID	0.07	351.18	0.00	1419.48	38	BEDERF	0.00	0.03	382.75	-0.35
76	OAKLND	6.92	353.41	0.00	634.95	38	BEDERF	0.00	0.03	382.75	-0.35
77	OLDRSF	0.01	351.81	0.00	835.33	38	BEDERF	0.00	0.03	382.75	-0.35
78	ORCHRD	0.03	352.87	0.00	943.28	38	BEDERF	0.00	0.03	382.75	-0.35

Result 26 | Read Only