

1BILL Aggregator Representative Handover Pack

Zynotch PVT Limited and 1LINK | Prepared 5 September 2026 | Integration: 1Bill Invoice Services

Agreed scope at a glance

Item	Agreed value
Business role	Zynotch PVT Limited as Aggregator
Service	1Bill invoice-based collection
Assigned prefix	105172
Settlement bank	United Bank Limited
Settlement cycle	T+1
Environments	Separate UAT and Production connectivity
Transfer channel	New 1LINK SFTP folder for settlement reports and related documents
Zynotch services	Payment and Balance/Bill Inquiry REST APIs

This pack is a preparation checklist, not a completed submission. Values marked TO PROVIDE or TO CONFIRM must be completed by the named owner. Do not send passwords, API keys, private keys, or unredacted consumer data in normal email.

Package to send to the 1BILL representatives

Send as the formal email attachment set

- ☐ Signed and completed PRFQ form for scope locking.
- ☐ Completed Aggregator Details Sheet.
- ☐ This completed handover pack with all TO PROVIDE fields resolved.

- ☐ CA-authorized server certificate and intermediate chain in .crt or .cert format; never include the private key.
- ☐ API contract/OpenAPI file or the agreed field-level request/response document for Inquiry and Payment.
- ☐ UAT test-data sheet containing the 20 requested consumer cases, sent through the approved secure channel.
- ☐ Network diagram showing Zynotch primary/DR endpoints, NAT, firewall, load balancer, and application path.
- ☐ Support and escalation matrix for business, application, database, network, security, and settlement owners.
- ☐ Planned UAT dates, production cutover window, rollback criteria, and three-day monitoring roster.

Exchange only through an approved secure channel

- ☐ UAT web-service username and password.
- ☐ Production web-service username and password, issued separately from UAT.
- ☐ SFTP credentials or SSH public keys.
- ☐ Any client certificate material required by the final connectivity design; private keys remain under Zynotch control.
- ☐ Consumer test identifiers and evidence containing personal or financial data.

Zynotch information sheet

Network and base service details

Field	UAT	Production	Owner/status
Public/NAT source IP	TO PROVIDE	TO PROVIDE	Zynotch Network
Private host/server IP	TO PROVIDE	TO PROVIDE	Zynotch Network
API hostname	TO PROVIDE	app.fintap.com - verify API routing before sharing	Zynotch Application
Port	443	443	Required
Inquiry URL	https://UAT-HOST/api/1.0/Payments/BillInquiry	https://app.fintap.com/api/1.0/Payments/BillInquiry - externally verify	Zynotch Application

Service endpoints and credentials

Field	UAT	Production	Owner/status
Payment URL	https://UAT-HOST/api/1.0/Payments/BillPayment	https://app.fintap.com/api/1.0/Payments/BillPayment - externally verify	Zynotch Application
FetchBundle URL	https://UAT-HOST/v1/Transaction/Fetchbundle	https://app.fintap.com/v1/Transaction/Fetchbundle - only if confirmed in scope	Joint confirmation
TLS	TLS 1.2 or stronger	TLS 1.2 or stronger	Zynotch Security
Required cipher	TO CONFIRM from 1LINK highlighted screenshot	TO CONFIRM	1LINK/Zynotch Security
CA certificate file	TO ATTACH	TO ATTACH	Zynotch Security
Web-service username	SECURE EXCHANGE	SECURE EXCHANGE	Zynotch Application
Web-service password	SECURE EXCHANGE	SECURE EXCHANGE	Zynotch Application
Technical support contact	TO PROVIDE	TO PROVIDE	Zynotch PM
Settlement contact	TO PROVIDE	TO PROVIDE	Zynotch Finance

The paths above reflect the reviewed repository. Confirm DNS, reverse-proxy routing, certificate name, and an external request from the 1LINK network before treating them as final endpoints.

1LINK network information to record

Requirement	Current information	Action
1LINK source/peer 1	10.95.8.92 on port 443	Confirm whether this is observed source, destination, or tunnel-private address.
1LINK source/peer 2	10.95.8.94 on port 443	Confirm primary/DR purpose and NAT behavior.
Connectivity	New connectivity required	Choose P2P fibre L2, MPLS L2, or approved Internet/IPsec design.
Resilience	Primary and DR via different providers with automatic switchover	Provide design and witnessed failover evidence.
Routing	Static routes toward 1LINK only	Supply route and ACL record.
Wireless	WiMAX/microwave and other wireless connectivity prohibited by supplied guideline	Confirm providers comply.
IPsec if Internet	IKEv2; AES-256; SHA-256; DH group 19; PFS, subject to final 1LINK profile	Exchange approved tunnel sheet.
Device posture	Current secure software, patches, ACLs, malware controls, Cisco compatibility where required	Supply compliance confirmation.

Important clarification: the supplied network guideline says server connectivity must use private segments only, while the kickoff minutes ask Zynotch for both public and private IPs. Ask 1LINK to document the final topology, NAT points, and the addresses that the application must allowlist.

API contract summary for confirmation

Bill Inquiry

POST /api/1.0/Payments/BillInquiry

Field	Direction	Reviewed constraint
username/password	Headers	Required; maximum 60 characters per supplied specification. Exchange securely.
consumer_number	Request	Numeric, 1 to 24 characters in this implementation. 1LINK note should confirm whether normal production maximum is 20.
bank_mnemonic	Request	Alphanumeric, maximum 8 characters.
reserved	Request	Optional, maximum 400 characters.

Inquiry response fields

Field	Direction	Reviewed constraint
response_Code	Response	Two-character business response.
consumer_detail	Response	Fixed 30-character, space-padded display value.
bill_status	Response	U unpaid, P paid, B blocked, T late/after due date.
due_date	Response	YYYYMMDD.
amount_within_duedate	Response	Numeric amount field, maximum 14 characters.
amount_after_duedate	Response	Numeric amount field, maximum 14 characters.

Bill Payment

POST /api/1.0/Payments/BillPayment

Field	Direction	Reviewed constraint
consumer_number	Request	Numeric, 1 to 24 characters.
tran_auth_id	Request	Exactly 6 alphanumeric characters.
transaction_amount	Request	Numeric amount field, maximum 12 characters; must exactly match the amount due.
tran_date	Request	Exactly 8 digits, YYYYMMDD.
tran_time	Request	Exactly 6 digits, HHMMSS.
bank_mnemonic	Request	Alphanumeric, maximum 8 characters.
reserved	Request	Implementation accepts up to 515 characters because the detailed supplied layout totals 515; summary table says 400. 1LINK must confirm.
response_Code	Response	Two-character business response.
Identification_parameter	Response	Transaction/reference identifier.

FetchBundle — POST /v1/Transaction/Fetchbundle

Field	Direction	Reviewed constraint
PCID	Request	Alphanumeric, 1 to 8 characters.
companyId	Response	Normalized PCID.
responseCode	Response	00 success, 01 no data/not found, 04 invalid request, 05 service error.
billerName	Response	Maximum 30 characters.
bundleDetails	Response	Active bundles linked to the PCID/biller.

The kickoff minutes mention Payment and Balance Inquiry; confirm whether FetchBundle is required for this invoice-only aggregator scope before exposing or testing it.

Business response codes to confirm in UAT

Code	Intended meaning in supplied REST material	Required evidence
00	Success	Inquiry and Payment success examples.
01	Consumer/data not found	Unknown consumer and unknown PCID.
02	Blocked/inactive consumer	Two blocked consumers.
03	Already paid/duplicate as applicable	Paid consumer and repeated payment.
04	Invalid request/data	Invalid lengths, formats, amount, or PCID.
05	System/service error	Controlled service-failure test agreed with 1LINK.
06	Additional summary code shown in supplied material	Ask 1LINK for endpoint-specific meaning and usage.

Confirm whether business failures are always returned with HTTP 200 or with corresponding HTTP 4xx/5xx statuses. The application and 1LINK monitoring must agree on both layers.

Required UAT consumer-number pack

1LINK requested 20 cases. Do not invent the amount slabs; obtain the seven slab boundaries first.

Case group	Count	Preparation rule	Identifier/status
Unpaid - slab 1	2	One invoice per confirmed slab amount	TO PROVIDE
Unpaid - slab 2	2	One invoice per confirmed slab amount	TO PROVIDE
Unpaid - slab 3	2	One invoice per confirmed slab amount	TO PROVIDE
Unpaid - slab 4	2	One invoice per confirmed slab amount	TO PROVIDE
Unpaid - slab 5	2	One invoice per confirmed slab amount	TO PROVIDE
Unpaid - slab 6	2	One invoice per confirmed slab amount	TO PROVIDE
Unpaid - slab 7	2	One invoice per confirmed slab amount	TO PROVIDE
Paid	2	Invoice already settled; repeat inquiry/payment behavior recorded	TO PROVIDE
After due date	1	Due date elapsed; after-due amount/late fee verified	TO PROVIDE
Blocked	2	Consumer inactive/blocked; payment rejected	TO PROVIDE
24-digit consumer	1	Controlled custom numeric identifier, unique and prefix-approved	TO PROVIDE
Total	20	Matches kickoff request	PENDING

For each row record consumer number, tenant/biller, slab, base amount, late fee, due date, expected bill status, expected response code, and reset/reuse rule. Send the completed sheet securely and use synthetic identities.

UAT execution and evidence checklist

- ☐ Connectivity from both 1LINK addresses to both Zynotch UAT nodes on 443.
- ☐ TLS 1.2 handshake, certificate chain, hostname, expiry, revocation posture, and exact cipher proof.
- ☐ Correct rejection of traffic from an unapproved source IP.
- ☐ Valid Inquiry for every unpaid slab, paid, late, blocked, unknown, and 24-digit case.
- ☐ Valid Payment for each agreed positive case with exact amount.
- ☐ Amount mismatch, malformed field, invalid credential, blocked consumer, paid consumer, and unknown consumer tests.
- ☐ Duplicate Payment using the same consumer number, authorization ID, date, and time; confirm no second ledger/transaction posting.
- ☐ Timeout and safe retry test; confirm idempotent financial state.
- ☐ Database evidence that invoice, payment, transaction, ledger, and organization state agree after each posting.
- ☐ Redacted request/response logs with timestamp, correlation/reference, HTTP status, business code, and latency.
- ☐ Primary-to-DR failover test and recovery result.
- ☐ Signed defect closure and 1LINK QA/certification approval.

Never include passwords, full API keys, private certificate keys, or unnecessary personal data in screenshots or logs.

Settlement and SFTP readiness

Access and transfer details

Item	Required value/status
SFTP hostname and port	TO PROVIDE BY 1LINK
UAT and Production folders	TO PROVIDE BY 1LINK
Authentication	SSH public key preferred; TO AGREE
Source IP allowlists	TO EXCHANGE

File and operational controls

Item	Required value/status
File naming and schema	TO PROVIDE BY 1LINK
Encryption/signature	TO AGREE
Availability time and time zone	TO AGREE
Duplicate/correction-file handling	TO AGREE
Retention and archive	TO AGREE
T+1 settlement calendar/cut-off	TO CONFIRM
UBL account/title/IBAN	TO PROVIDE SECURELY BY ZYNOTCH FINANCE
Reconciliation owner and SLA	TO PROVIDE
Break/dispute escalation	TO PROVIDE

The reviewed application does not itself implement SFTP settlement ingestion/reconciliation. Assign this to a controlled operational process or build a monitored job with checksum validation, idempotent import, exception queue, and retained evidence before go-live.

Questions requiring written 1LINK confirmation

1. What are the seven unpaid amount-slab boundaries and amount format/units?
2. Is the maximum production consumer number 20 digits while one UAT case must be 24 digits?
3. Is Payment reserved 400 characters or the 515 characters implied by the detailed layout?
4. What exact TLS cipher suite was highlighted in the missing/attached image?
5. Are 10.95.8.92 and 10.95.8.94 the addresses observed by the application, tunnel peers, or destination hosts? What NAT occurs?
6. How should the private-segment-only network rule be reconciled with the request for public and private Zynotch IPs?
7. Is FetchBundle in scope for Zynotch's invoice service?
8. What HTTP statuses accompany each business response code?
9. What are the timeout, retry, duplicate window, throughput, and availability/SLA requirements?
10. What time zone controls tran_date, tran_time, due date, settlement cut-off, and SFTP file availability?
11. What are the SFTP filename, schema, control totals, correction rules, encryption, and retention requirements?
12. Are reversal, refund, chargeback, or payment-status inquiry services required now or later?

Go-live sign-off record

Approval	Name	Date	Status/evidence
Zynotch Business Owner	TO PROVIDE	TO PROVIDE	PENDING
Zynotch Application Owner	TO PROVIDE	TO PROVIDE	PENDING
Zynotch Network/Security	TO PROVIDE	TO PROVIDE	PENDING
Zynotch Finance/Settlement	TO PROVIDE	TO PROVIDE	PENDING
1LINK PMO	Darain Jamal / delegate	TO PROVIDE	PENDING
1LINK Business Development	Aimen Habib Niazi / delegate	TO PROVIDE	PENDING
1LINK QA/Certification	TO PROVIDE	TO PROVIDE	PENDING

Suggested cover email

Subject: Zynotch - 1BILL Aggregator UAT Prerequisites and Handover Pack - Prefix 105172

Dear 1LINK Team,

Further to the kickoff meeting of 4 September 2026, please find Zynotch PVT Limited's 1BILL Aggregator UAT handover package for invoice-based collections under prefix 105172. The package contains the completed scope forms, network details, CA certificate chain, API contract, test-consumer matrix, support contacts, and proposed UAT schedule. Credentials and consumer identifiers will be exchanged separately through the agreed secure channel.

Please confirm the open contract and network questions recorded in the handover pack, particularly the amount slabs, Payment reserved-field length, exact TLS cipher, observed source/NAT addresses, FetchBundle scope, and SFTP specification. Once confirmed, we will freeze the UAT configuration and schedule joint connectivity and functional testing.

Regards,

Khizar Khan

Zynotch PVT Limited