
Network warning opportunity funnel (same fixed test schedules)
Processed warning packets
SOFT-ALL
VALUE-GATE
0
500
1000
1500
2000
2500
2440
2440
2284
2284
1554
1554
33
33
21
21
20
20
Genuine block reports
Within TTL
Not superseded by own sensing
On proposed route
Alternative exists
Still blocked now


One-step influence of all peer history versus local-only probe
Decisions with changed next edge (%)
0.5
0.4
0.3
0.2
0.1
0.0
SOFT-ALL
VALUE-GATE
0/1438
0/1438
0/24837
0/24837
0/17868
0/17868
original-19
synthetic-39
synthetic-51


Admission reasons: rejection counts alone do not establish benefit
SOFT-ALL
accepted
stale
local_newer
0
20000
40000
60000
80000
100000
Processed packets
VALUE-GATE
relevance
stale
local_newer
uncorroborated_clearance
low_estimated_value
accepted
0
20000
40000
60000
80000
Processed packets


Complete-episode removal of whole inbox batches (diagnostic subset)
SOFT-ALL
VALUE-GATE
Inbox interventions
1.0
0.8
0.6
0.4
0.2
0.0
Changed receiver path
Helpful delivery
Harmful delivery
original-19
synthetic-39
synthetic-51


Controlled accurate warnings; loss=0.0
Actual delivery (%)
0
20
40
60
80
100
Delay 1
Delay 4
SOFT-NC
SOFT-ALL
VALUE-GATE
Controlled accurate warnings; loss=0.2
Actual delivery (%)
0
20
40
60
80
100
Delay 1
Delay 4


Risk response in active-hazard cases
Equal incremental cost
Warning increment in edge penalty (12 × innovation)
Extra reference cost of avoiding warned edge
0.0
2.5
5.0
7.5
10.0
12.5
15.0


One warning-driven detour, then resume policy
21
16
10
1
Interventions
Changed path
Helped delivery
Harmed delivery
0
5
10
15
20
25