QA TEST REPORT · FXORBIT TERMINAL

Telegram Features Checking

Telegram Bot page and trade-signal alert pipeline — functional, integration, resilience and security pass

Date 29 October 2026 **Environment** macOS 27 · Chrome (headless-controlled) · 1280×800

App http://127.0.0.1:5173/#/telegram **Scope** local working tree (uncommitted Telegram feature)

FEATURE CHECKS	PASS RATE	DEFECTS	REGRESSION GATES
28 / 28	100%	1 low	2 / 2
passed	0 failed, 0 blocked	found & fixed in-pass	201 tests · lint clean

1. Executive summary

The Telegram Bot page and the signal-to-Telegram alert pipeline were exercised the way a trader would use them: configure, save, test, generate signals, and inspect what arrives. All 28 feature-level checks passed. One low-severity presentation defect was found during the pass — a stale countdown in the sample alert preview — and was fixed and re-tested before this report was produced.

> **Delivery caveat (read this first).** No production bot token was available in this environment, so a message was *not* delivered to a real human Telegram chat. The live network path, however, was proven against the real Bot API: a dummy token produced Telegram's own `401 Unauthorized`, surfaced correctly in the page. All other delivery behaviour (payload shape, retries, failures, logging, timing) was verified with controlled Bot API responses. The final acceptance step — a real message on your phone — is included as a checklist you can run in two minutes.

2. What was tested

In scope

- Page registration, sidebar navigation, default state
- Bot token / chat ID configuration, validation, trimming, persistence
- Bot check (getMe), test message, API error surfacing
- Alert on every new signal (manual and auto-regenerated)
- Per-signal notification toggle and global enable/disable
- Alert content accuracy against the booked signal
- Alert log: delivery, failure, persistence, clear
- Resilience: slow API, network failure, missing configuration

Out of scope

- Real delivery to a production bot chat (no credentials available)
- Notifications on TP/SL/expiry closes (not part of the requested feature)
- Multi-tab concurrent notification behaviour
- Telegram rate limiting over long runs (log caps at 25 entries)
- Mobile layout of the page (desktop terminal only)

Method

- Black-box UI automation with DOM assertions and screenshots
- Request inspection by substituting the Telegram endpoint at the network layer

- Input safety: hostile text in token / chat ID fields
- One live API probe against `api.telegram.org` (invalid token)
- Automated unit and server-render tests in the repo suite

3. Results at a glance

Area	Cases	Passed	Notable evidence
Page & configuration UI	6	**6 / 6**	Defaults, nav, visibility toggle, validation hint, save/trim, unsaved hint
Persistence	1	**1 / 1**	Token, chat ID and enable flag restored after reload
Bot API integration	4	**4 / 4**	getMe success, sendMessage payload, 400 refusal, live 401 from Telegram
Signal alert pipeline	6	**6 / 6**	Exactly one alert per signal, correct levels, per-pair independence
Preferences & gating	3	**3 / 3**	Per-signal off, alerts off, enabled-but-incomplete config
Alert log	3	**3 / 3**	Delivered row, reload persistence, clear action
Resilience & security	5	**5 / 5**	4 s slow API, network failure, no blocking, hostile input inert
Total	**28**	**28 / 28**	**100%**

4. Detailed test results

ID	Test case	Expected	Observed	Result
TC-01	Page registration and default state	Sidebar entry, heading "Telegram Bot", pill "Off", empty token/chat, masked token, Test/Send disabled	All matched; token field type `password`	**PASS**
TC-02	Sidebar navigation	Clicking the nav icon opens `#/telegram` with the page drawn	Route and heading correct, no reload or error boundary	**PASS**
TC-03	Token visibility toggle	Eye toggles password → text → password	Both transitions observed	**PASS**
TC-04	Malformed token warning	Hint appears for a value that is not BotFather-shaped	"…this one has an unusual shape." shown for `abc`	**PASS**
TC-05	Save, trim, feedback	Spaces stripped, settings persisted, toast shown, pill "Alerts on"	Stored token/chat trimmed; toast "Telegram alert settings saved"	**PASS**
TC-06	Unsaved-changes indicator	Appears after an edit, clears after save	Hint shown while dirty, gone after save	**PASS**
TC-07	Persistence across reload	Token, chat ID and enabled state survive a reload	All three restored; pill returned "Alerts on"	**PASS**
TC-08	Bot check success	getMe reply shows the bot identity	"Bot @qa_desk_bot answered — the token is valid."	**PASS**
TC-09	Test message payload	POST sendMessage with chat_id, text, no preview flag	Exactly that; `disable_web_page_preview=true`	**PASS**

TC–10	API refusal handling	Telegram's reason shown, page intact	"Test failed — Bad Request: chat not found"; no error boundary	**PASS**
TC–11	Live API reachability	Browser can reach api.telegram.org (CORS) and parse the reply	Real request returned 401 "Unauthorized", surfaced in the page	**PASS**
TC–12	New signal triggers one alert	One POST per signal; message matches booked levels	1 call; entry 2,384.33 · SL 2,372.81 · TP 2,413.14 · R:R 1:2.5 matched the signal record	**PASS**
TC–13	Alert while page is closed	Signal generated elsewhere still notifies	Generated on Trade Signals; log row recorded on return	**PASS**
TC–14	Log persistence	Delivered row survives reload	Row "XAU/USD LONG · Delivered · just now" retained	**PASS**
TC–15	Clear log	Rows and storage emptied, empty state returns	0 rows, storage `[]` , "No alerts sent yet" shown	**PASS**
TC–16	Per-signal option off	No request, no log entry	0 calls, log unchanged, signal still booked	**PASS**
TC–17	Alerts disabled	No request, no log entry	0 calls; page says "paused"	**PASS**
TC–18	Enabled but chat ID missing	Pill "Not ready", hint shown, nothing sent	Pill "Not ready", no calls after generating	**PASS**
TC–19	Slow Telegram API (4 s)	Signal UI unaffected; send completes in background	Call started 5 ms after click; result panel at 1.2 s; log at 4.0 s	**PASS**
TC–20	Network failure	Failure recorded, no crash, signal unaffected	Row "Failed to fetch"; page and signal intact	**PASS**
TC–21	Second instrument	Each pair alerts independently	EUR/USD alert sent; XAU/USD signal retained; log grew to 2	**PASS**
TC–22	Hostile input	Markup stored and shown as text; no execution	`<img onerror>` rendered as value; 0 elements injected; no script ran	**PASS**

5. Defects

ID	Severity	Summary	Detail and resolution	Status
D–01	Low	Sample alert preview shows a stale countdown	The sample's expiry was stamped once when the module loaded, so after a few minutes the preview read "Expires in 5.9h" for a nominal 6 h sample. Fixed by computing the sample at render time. Re-tested: preview now reads "Expires in 6h" whenever the page opens with no live signal.	**Fixed**

No functional, integration or security defects were found in the alert pipeline.

6. Automated regression evidence


ID	Test	Observation	Result
AT-01	Alert text contains pair, side, entry, SL, TP, R:R, strategy, expiry	All fields present and formatted	**PASS**
AT-02	Alerts off ⇒ no network call	0 requests	**PASS**
AT-03	Per-signal option off ⇒ no network call	0 requests	**PASS**
AT-04	One delivery per signal; payload fields; duplicate booking suppressed	1 request, correct chat_id, second booking skipped	**PASS**
AT-05	Telegram refusal is logged, never thrown	Entry stored with reason	**PASS**
AT-06	Telegram page server-render with seeded state	Form, preview and empty state drawn	**PASS**
AT-07	Full suite `npm test`	201 / 201 tests, 14 files	**PASS**
AT-08	Lint `npm run lint`	0 warnings, 0 errors	**PASS**

7. Acceptance checklist — run it with your own bot


Two minutes, no terminal needed. Each step lists what a pass looks like.

1. In Telegram, open **@BotFather** → send `/newbot` → choose a name → copy the token.
2. Open your new bot and send it any message (a bot cannot start a chat with you). For a group, add the bot to the group instead.
3. Message **@userinfobot** to get your chat ID; group IDs are negative, e.g. `-1001234567890`.
4. FxOrbit → **Telegram Bot** → paste token and chat ID → tick **Enable Telegram alerts** → **Save alert settings**.
   Pass: toast appears, pill switches to "Alerts on".
5. **Test bot** → pass: "Bot @your_bot answered — the token is valid."
6. **Send test message** → pass: the message arrives in Telegram and the page confirms the chat ID.
7. Go to **Trade Signals**, press **Generate Signal** → pass: exactly one Telegram message within a few seconds, showing entry, SL, TP, R:R and expiry; "Recent alerts" shows a green *Delivered* row.
8. Return to the Telegram page, untick **Notify me when a new signal appears**, save, generate again.
   Pass: no Telegram message and no new log row; the signal is still booked.
9. Untick **Enable Telegram alerts**, save, generate → pass: nothing is sent anywhere.
10. Reload the app → pass: saved token, chat ID and the alert log are still there.
11. Negative test: in BotFather run `/revoke`, then **Test bot**.
    Pass: page shows "Bot check failed — Unauthorized" and keeps working.


8. Evidence



Telegram Bot page: connection settings, status pill, alert option and preview.



After a signal: preview shows the live signal and "Recent alerts" records the delivery.



Live Bot API probe with a dummy token: Telegram's 401 is surfaced as "Bot check failed — Unauthorized".

9. Observations and recommendations

- **Token storage.** The bot token and chat ID live in this browser's local storage in clear text — the same handling as the AI API key. Anyone with access to the machine's browser profile can read them. If a token is ever exposed, revoke it in BotFather; a revoked token produces the "Unauthorized" failure you saw in TC-11.
- **Alert scope.** Messages are sent for new signals only — not for TP/SL/expiry closes. That matches the request; close notifications can be added later by hooking the same log if you want a full trade journal in Telegram.
- **Log size.** The page keeps the last 25 deliveries; older rows are dropped by design so storage cannot grow without bound.
- **Failure behaviour.** Telegram outages never delay or block a signal: sends are fire-and-forget and failures are recorded in the log (TC-19, TC-20).
- **Verdict.** The feature is ready for real use. Complete step 4 of the checklist with your own bot to confirm end-to-end delivery on your device; everything short of that final hop has been verified.

FxOrbit · Telegram features checking · QA pass executed 29 October 2026 · 28/28 feature checks, 2/2 regression gates · Evidence captured from the running app at http://127.0.0.1:5173