

HTML/XHTML in one page

Contents:

Templates: Standarte template (simple HTML/XHTML document), Simple frame document, All doctypes;

Main elements: Usual text, Comments, Links and Anchors, Images;

Grouping elements: Block-level grouping, Inline grouping;

Structured text: Usual text, Emphasis, Strong Emphasis, Citation, Abbreviation, Asonym, Code, Sample, Variable, Defining instance, User's text, Quotations, Subscript, Superscript, Document changes;

Font style: monospaced text, Italic text style, bold text style, "large" font, "small" font, underlined text, striked text;

Structured document: Usual text, Preformatted Text, Breaks, Paragraph, Headings, Unordered list, Ordered list, Definition list, Table;

Form's elements: Form's templates, Input, Text field, Password field, Checkbox, Radio, Submit button, Reset button, Hidden field, Image, File field, Select element, Text Area, Label;

Other: Appendix "HTML/XHTML Character Entities", Appendix "URL Encoded Characters", Related References (Review, Documentation, etc.), Tools (Validators, etc.)

Standarte template (simple HTML/XHTML document)		Simple frame document	
<pre>&lt;html lang="en"&gt;  &lt;head&gt;  &lt;meta charset="utf-8" /&gt;  &lt;title&gt;... replace with your document's title ...&lt;/title&gt;  &lt;meta name="description" content="... replace with your document's description ..." /&gt; &lt;meta name="keywords" content="... replace with your document's keywords ..." /&gt;  &lt;link rel="stylesheet" type="text/css" href="..." replace with your document's stylesheet location ... " /&gt;  &lt;style&gt; ... CSS ... &lt;/style&gt;  &lt;script&gt; ... JavaScript ... &lt;/script&gt;  &lt;/head&gt;  &lt;body&gt; ... replace with your document's content ... &lt;/body&gt;  &lt;/html&gt;</pre>		<pre>&lt;html&gt;  &lt;head&gt; &lt;title&gt;A simple frameset document&lt;/title&gt; &lt;/head&gt;  &lt;frameset cols="20%, 80%"&gt; &lt;frameset rows="100, 200"&gt; &lt;frame src="contents_of_frame1.html" /&gt; &lt;frame src="contents_of_frame2.gif" /&gt; &lt;/frameset&gt; &lt;frame src="contents_of_frame3.html" /&gt; &lt;/frameset&gt; &lt;p&gt;This frameset document contains:&lt;/p&gt; &lt;ul&gt; &lt;li&gt;&lt;a href="contents_of_frame1.html"&gt;Some neat contents&lt;/a&gt;&lt;/li&gt; &lt;li&gt;&lt;img src="contents_of_frame2.gif" alt="A neat image" /&gt;&lt;/li&gt; &lt;li&gt;&lt;a href="contents_of_frame3.html"&gt;Some other neat contents&lt;/a&gt;&lt;/li&gt; &lt;/ul&gt; &lt;/noframes&gt; &lt;/frameset&gt;  &lt;/html&gt;</pre>	
Text	Preformatted Text: <code>&lt;pre&gt;</code> <code>&lt;/pre&gt;</code>	Form's templates	
This is a text.	This is a text.	<code>&lt;form action="... url of cgi script ..." method="get" name="" id="" &gt; ...form contents... &lt;/form&gt;</code>	
Comments: <code>&lt;!-- --&gt;</code>	<pre>&lt;pre&gt; vclass Node::Remove() {   if (prev)     prev-&gt;next = next;   else if (parent)     parent-&gt;SetContent(null);   if (next)     next-&gt;prev = prev;   parent = null; } &lt;/pre&gt;</pre>	<code>&lt;form action="... url of cgi script ..." method="put" enctype="multipart/form-data" name="" id=""&gt; ...form contents... &lt;/form&gt;</code>	
Links and anchors: <code>&lt;a href=" " "&gt;</code> <code>&lt;/a&gt;</code>	This a link to <code>&lt;a href="http://www.cheat-sheets.org/" title="Cheat-sheets.org"&gt;Cheat-sheets.org&lt;/a&gt;</code> . And this a link to <code>&lt;a href="http://www.cheat-sheets.org/" title="Cheat-sheets.org" target="_blank"&gt;Cheat-sheets.org&lt;/a&gt;</code> (opened in new page).	<code>&lt;a href="#my-link"&gt;To my link&lt;/a&gt;</code> <code>&lt;a name="my-link"&gt;My link&lt;/a&gt;</code>	
<code>&lt;a href="mailto:info@itlbitum.ru"&gt;Mail me&lt;/a&gt;</code>	<code>&lt;a href="mailto:info@itlbitum.ru"&gt;Mail me&lt;/a&gt;</code>	Input: <code>&lt;input /&gt;</code>	
Images: <code>&lt;img src=" " alt=" " /&gt;</code>	<code>&lt;img src="logo.gif" width="" height="" alt="description" longdesc="long description" /&gt;</code>	<code>&lt;input type="password" name="" id=""&gt;</code>	
Block-level grouping elements: <code>&lt;div&gt;</code> <code>&lt;/div&gt;</code>	<code>&lt;div class="" id=""&gt;&lt;br /&gt; element 1&lt;br /&gt; element 2&lt;br /&gt; element 2&lt;br /&gt; &lt;/div&gt;</code>	<code>&lt;input type="checkbox" name="" value="" /&gt;First&lt;br /&gt; &lt;input type="checkbox" checked="" checked="" name="" value="" /&gt;Second</code>	
Inline grouping elements: <code>&lt;span&gt;</code> <code>&lt;/span&gt;</code>	<code>&lt;span class="" id=""&gt;e1&lt;/span&gt;&lt;br /&gt; &lt;span class="" id=""&gt;e2&lt;/span&gt;&lt;br /&gt; &lt;span class="" id=""&gt;e3&lt;/span&gt;</code>	<code>&lt;input type="radio" name="" value="" /&gt;First&lt;br /&gt; &lt;input type="radio" checked="" checked="" name="" value="" /&gt;Second</code>	
Emphasis: <code>&lt;em&gt;</code> <code>&lt;/em&gt;</code> ; <code>&lt;strong&gt;</code> <code>&lt;/strong&gt;</code>	<code>&lt;em&gt;Emphasis.&lt;/em&gt;</code> <code>&lt;strong&gt;Stronger emphasis.&lt;/strong&gt;</code>	<code>&lt;input type="submit" value="... submit ..." name="" id=""&gt;</code>	
Citation: <code>&lt;cite&gt;</code> <code>&lt;/cite&gt;</code> <code>&lt;q&gt;</code> <code>&lt;/q&gt;</code>	As <code>&lt;cite&gt;Harry S. Truman&lt;/cite&gt;</code> said: <code>&lt;q lang="en-us"&gt;The buck stops here&lt;/q&gt;</code> .	<code>&lt;input type="reset" value="... reset ..." name="" id=""&gt;</code>	
Abbreviation: <code>&lt;abbr&gt;</code> <code>&lt;/abbr&gt;</code>	<code>&lt;abbr lang="en" title="World Wide Web"&gt;WWW&lt;/abbr&gt;</code>	<code>&lt;input type="button" value="... button ..." name="" id=""&gt;</code>	
Acronym: <code>&lt;acronym&gt;</code> <code>&lt;/acronym&gt;</code>	<code>&lt;acronym lang="en" title="North Atlantic Treaty Organization"&gt;NATO&lt;/acronym&gt;</code>	<code>&lt;input type="hidden" value="... value ..." name="... name ..." id="" /&gt;</code>	
Code: <code>&lt;code&gt;</code> <code>&lt;/code&gt;</code>	<code>&lt;code&gt;code&lt;/code&gt;</code>	<code>&lt;input type="image" src="logo.gif" value="... value ..." name="" id="" /&gt;</code>	
Sample: <code>&lt;samp&gt;</code> <code>&lt;/samp&gt;</code>	<code>&lt;samp&gt;sample&lt;/samp&gt;</code>	<code>&lt;input type="file" value="... file name ..." name="" id="" /&gt;</code>	
Variable: <code>&lt;var&gt;</code> <code>&lt;/var&gt;</code>	<code>&lt;var&gt;variable&lt;/var&gt;</code>	<code>&lt;select&gt;&lt;option&gt;&lt;/option&gt;&lt;/select&gt;</code>	
Defining instance: <code>&lt;dfn&gt;</code> <code>&lt;/dfn&gt;</code>	<code>&lt;dfn&gt;defining instance&lt;/dfn&gt;</code>	<code>&lt;select multiple="multiple" size="3" name="" id=""&gt; &lt;option selected="" selected="" element_1&lt;/option&gt; &lt;option selected="" selected="" element_2&lt;/option&gt; &lt;option&gt;element_3&lt;/option&gt; &lt;option&gt;element_4&lt;/option&gt; &lt;option&gt;element_5&lt;/option&gt; &lt;/select&gt;</code>	
Text entered the user: <code>&lt;kbd&gt;</code> <code>&lt;/kbd&gt;</code>	<code>&lt;kbd&gt;user's text&lt;/kbd&gt;</code>	<code>&lt;table border="1" cellpadding="10" cellspacing="5" width="80%"&gt; &lt;caption align="top"&gt;Example table&lt;caption&gt; &lt;tr align="center"&gt; &lt;th align="center"&gt;Year &lt;th align="center"&gt;Sales &lt;/tr&gt; &lt;tr align="center"&gt; &lt;td align="center"&gt;2004 &lt;td align="center"&gt;\$10M &lt;td align="center"&gt;\$8M &lt;td align="center"&gt;\$18M &lt;/tr&gt; &lt;tr align="center"&gt; &lt;td align="center"&gt;2005 &lt;td align="center"&gt;\$14M &lt;td align="center"&gt;\$11M &lt;td align="center"&gt;\$25M &lt;/tr&gt; &lt;tr align="center"&gt; &lt;td align="center"&gt;2006 &lt;td align="center"&gt; &lt;td align="center"&gt; &lt;td align="center"&gt; &lt;/tr&gt; &lt;/table&gt;</code>	
Quotations: <code>&lt;blockquote&gt;</code> <code>&lt;/blockquote&gt;</code>	<code>&lt;blockquote&gt; They went in single file, running like hounds on a &lt;/blockquote&gt;</code>	<code>&lt;table border="1" cellpadding="10" cellspacing="5" width="80%"&gt; &lt;caption align="top"&gt;Example table&lt;caption&gt; &lt;tr align="center"&gt; &lt;th align="center"&gt;Year &lt;th align="center"&gt;Sales &lt;/tr&gt; &lt;tr align="center"&gt; &lt;td align="center"&gt;2004 &lt;td align="center"&gt;\$10M &lt;td align="center"&gt;\$8M &lt;td align="center"&gt;\$18M &lt;/tr&gt; &lt;tr align="center"&gt; &lt;td align="center"&gt;2005 &lt;td align="center"&gt;\$14M &lt;td align="center"&gt;\$11M &lt;td align="center"&gt;\$25M &lt;/tr&gt; &lt;tr align="center"&gt; &lt;td align="center"&gt;2006 &lt;td align="center"&gt; &lt;td align="center"&gt; &lt;td align="center"&gt; &lt;/tr&gt; &lt;/table&gt;</code>	

2/2