

# **Developing web applications with ease by using LostMVC on NaviServer**

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME
	2015		CA

# Contents

<b>1</b>	<b>Starting it up</b>	<b>1</b>
1.1	NaviServer setup . . . . .	1
1.2	LostMVC setup . . . . .	1
<b>2</b>	<b>How's your HTML ?</b>	<b>2</b>
<b>3</b>	<b>Do I really need a MVC?</b>	<b>3</b>

Copyright © 2015 Clinciu Andrei George - United Brain Power

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License". For more information see (<http://www.gnu.org/licenses/fdl.html>)

# The world with software

# Chapter 1

## Starting it up

Before we dive into the beautiful world of programming there are some prequistories. You need to work on Linux, as at this time `LostMVS` wasn't tested on Windows at all. If you manage to compile and install `NaviServer` on windows yourself, you're good to go! So fire up a `Virtual Box` and install your favourite `Linux` distribution, for development I'd suggest `Linux Mint` and for production `Debian`. But it's up to you.

### 1.1 NaviServer setup

### 1.2 LostMVC setup

Download LostMVC After you've downloaded and extracted the `lostmvc` sources.

## **Chapter 2**

# **How's your HTML ?**

## **Chapter 3**

# **Do I really need a MVC?**