

# Dlib FaceLandmark Detector 1.3.1

WebGL support  
iOS & Android support  
Windows10 UWP support  
Lumin ( MagicLeap ) support  
Win & Mac & Linux Standalone support  
Support for preview in the **Editor**  
Works with **Unity Cloud Build**

## System Requirements

**Build Win Standalone & Preview Editor : Windows8 or later**  
**Build Mac Standalone & Preview Editor : OSX 10.9 or later**  
**Build Linux Standalone & Preview Editor : Ubuntu16.04 or later**

**DlibFaceLandmarkDetector** can **Object Detection** and **Shape Prediction** using [Dlib19.7 C++ Library](#).

## Features:

- You can detect **frontal human faces and face landmark (68 points, 17points, 6points)** in **Texture2D**, **WebCamTexture** and **Image byte array**. In addition, you can detect a different objects by changing trained data file.
- **Object Detector** is made using the now classic Histogram of Oriented Gradients (HOG) feature combined with a linear classifier, an image pyramid, and sliding window detection scheme. You can train your own detector in addition to human faces detector. If you want to train your own detector, please refer to [this page](#).
- **Shape Predictor** is created by using dlib's implementation of the paper (One Millisecond Face Alignment with an Ensemble of Regression Trees by Vahid Kazemi and Josephine Sullivan, CVPR 2014). You can train your own models in addition to human face landmark model using dlib's machine learning tools. If you want to train your own models, please refer to [this page](#).
- Advanced examples using “**OpenCV for Unity**” are Included. (The execution of this examples are required “[OpenCV for Unity](#)”.)
- [PlayMakerActions for DlibFaceLandmarkDetector](#) is available.

## Basic Examples:

- Texture2D Example
- WebCamTexture Example
- Cat Detection Example

## Advanced Examples (require OpenCV for Unity):

- Texture2DToMat Example
- WebCamTextureToMatHelper Example
- AR Head WebCamTexture Example
- AR Head VideoCapture Example
- Frame Optimization Example

- NoiseFilter WebCamTexture Example
- NoiseFilter VideoCapture Example

[Official Site](#) | [ExampleCode](#) | [Android Demo](#) [WebGL Demo](#) | [Setup Tutorial](#) & [Demo](#) Video | [Forum](#) | [API Reference](#)

**DlibFaceLandmarkDetector uses [Dlib](#) under Boost Software License ; see Third-Party Notices.txt file in package for details.**

**The Shape Predictor model files included with this asset are available for commercial use.**

### Version changes

**1.3.1** [Common]Fixed a small issue.

**1.3.0** [UWP]Added ARM64 Architecture.

**1.2.9** [Common]Added optimization code using NativeArray class. ( require PlayerSettings.allowUnsafeCode flag, "DLIB\_USE\_UNSAFE\_CODE" ScriptingDefineSymbol and Unity2018.2 or later. ) [Common]Added support for Unicode file path ( objectDetectorFilePath and shapePredictorFilePath ). [Common]Added ImageOptimizationHelper to ARHeadWebCamTextureExample. [Common]Added some converter methods to OpenCVForUnityUtils.cs.

**1.2.8** [Lumin]Added the code for MagicLeap.

**1.2.7** [WebGL]Added Unity2019.1 or later support.

**1.2.6** [Common]Added "sp\_human\_face\_17.dat", "sp\_human\_face\_17\_mobile.dat" and "sp\_human\_face\_6.dat". [Common]Changed the training dataset of Shape Predictor model. Since the training dataset consists of flickr CC0 licensed images, the Shape Predictor model files are available for commercial use. [Common]Added BenchmarkExample.

**1.2.5** [Common]Re-assined namespace. [Common]Support for OpenCVforUnity2.3.3 or later.

**1.2.4** [macOS]Removed 32bit architecture (i386) from dlibfacelandmarkdetector.bundle.

**1.2.3** [Android,UWP]Fixed Utils.setDebugMode() method on the IL2CPP backend.

**1.2.2** [iOS]Added a function to automatically remove the simulator architecture (i386,x86\_64) at build time. [Common] Improved DlibFaceLandmarkDetectorMenuItem.setPluginImportSettings() method. [Common]Updated to WebCamTextureToMatHelper.cs v1.0.9. [Common]Added support for Utils.setDebugMode() method on all platforms.

**1.2.1** [Common]Updated to WebCamTextureToMatHelper.cs v1.0.8. [Common]Updated to LowPassPointsFilter v1.0.1. Updated to KFPointsFilter v1.0.2. Updated to OFPointsFilter v1.0.2. [Common] Added updateMipmaps and makeNoLongerReadable flag to DrawDetectResult () and DrawDetectLandmarkResult() method. [Common]Fixed Utils.getFilePathAsync() method.(Changed #if UNITY\_2017 && UNITY\_2017\_1\_OR\_NEWER to #if UNITY\_2017\_1\_OR\_NEWER.)

**1.2.0** [Common]Updated to WebCamTextureToMatHelper.cs v1.0.7. [Common]Fixed WebCamTextureExample and OpenCVForUnityUtils. [Common]Added NoiseFilterVideoCaptureExample and NoiseFilterWebCamTextureExample. [Common]Added useLowPassFilter option to ARHeadVideoCaptureExample and ARHeadWebCamTextureExample. [Common]Added throwException flag to Utils.setDebugMode() method. [Common]Added drawIndexNumbers flag to DrawFaceLandmark() method.

**1.1.9** [Android]Added arm64-v8a Architecture.

**1.1.8** [Common]Updated WebCamTextureExample. (support Portrait ScreenOrientation)  
[Common]Updated to WebCamTextureToMatHelper.cs v1.0.4.

**1.1.7** [Common]Updated "human\_face\_68\_sp.dat" and  
"human\_face\_68\_sp\_for\_mobile.dat".

**1.1.6** [Common]Updated to dlib19.7. [Common]Updated to  
WebCamTextureToMatHelper.cs v1.0.3. [Common]Updated "human\_face\_68\_sp.dat" and  
"human\_face\_68\_sp\_for\_mobile.dat".

**1.1.5** [Common]Switched to the shape predictor file trained using new datasets.

**1.1.4** [Common]Updated WebCamTextureToMatHelper.cs v1.0.2 [Common]Improved  
Utils.getFilePathAsync().

**1.1.3** [Common]Fixed to improve the pose estimation performance. [Common] Changed  
DetectLandmarkArray (int left, int top, int width, int height) to DetectLandmarkArray  
(double left, double top, double width, double height). [WebGL]Fixed  
Utils.getFilePathAsync() method.

**1.1.2** [Common]Updated WebCamTextureToMatHelper.cs and  
OptimizationWebCamTextureToMatHelper.cs(Changed several method names.).  
[Common]Changed the Example name.

**1.1.1** [Common]Improved Utils.getFilePath() and Utils.getFilePathAsync().

**1.1.0** [Win][Mac][Linux][UWP]Added the native plugin file enabled SSE4 or AVX compiler  
option.

**1.0.9** [WebGL]Added WebGL Plugin for Unity5.6.

**1.0.8** [Common]Changed the name of asset project. ("Sample" to "Example")  
[Common]Fixed VideoCaptureARExample and WebCamTextureARExample.

**1.0.7** [Common]Fixed WebCamTextureToMatHelper.cs. (flipVertical and flipHorizontal  
flag)

**1.0.6** [Common]Fixed OpenCVForUnityMenuItem.cs.(No valid name for platform: 11 Error)  
[Common]Added OptimizationWebCamTextureToMatHelper.cs

**1.0.5** [Common]Fixed WebCamTextureToMatHelper class. [Common]Added  
Utils.getVersion(). [Common]Fixed Utils.getFilePathAsync().

**1.0.4** [Common]Updated shape\_predictor\_68\_face\_landmarks\_for\_mobile.dat.

**1.0.3** [WebGL]Added WebGL (beta) support. (Unity5.3 or later) [Common]Fixed missing  
script error.(WebCamTextureToMatHelper.cs) [Common]Added  
shape\_predictor\_68\_face\_landmarks\_for\_mobile.dat.


**1.0.2** [Common]Improved WebCamTextureHelper class.

**1.0.1** [Common]Added OptimizationSample. [Common]Added DetectRectDetection()  
method.


**1.0.0** Initial version

Quick setup procedure to run the example scenes ([Setup Tutorial Video](#))

1. Import the DlibFaceLandmarkDetector.package. **You do not need to import plug-in files for platforms not supported by your project.**




2. Select MenuItem[Tools/Dlib FaceLandmark Detector/Set Plugin Import Settings].



3. Move the “DlibFaceLandmarkDetector/StreamingAssets/” folder to the “Assets/” folder.
4. Add all of the “\*.unity” in the “DlibFaceLandmarkDetector” folder to [Build Settings] – [Scene In Build].
5. [iOS] Set [PlayerSettings]-[Other Settings]-[Configuration]-[Camera Usage Description].




6. [WindowsStoreApps8.1 & WindowsPhone8.1 & Windows10 UWP] If use webCamTexture class, Please choose “WebCam” in [PlayerSettings]-[PublishingSettings]-[Capabilities].




7. [Linux] Additional Setting is required to run on the editor.  
<http://forum.unity3d.com/threads/native-plugin-in-editor-steam-specifically.384970/>

#### Screenshot after the setup




**Quick setup procedure to run the Advanced examples using “OpenCV for Unity” scene**

1. Import and Setup the “[OpenCV for Unity](#)”.
2. Import the DlibFaceLandmarkDetectorWithOpenCVExample.unitypackage.




3. Add all of the “\*.unity” in the “DlibFaceLandmarkDetectorWithOpenCVExample” folder to [Build Settings] – [Scene In Build].


**Screenshot after the setup**



**If you want to use optimization code using NativeArray class, select MenuItem[Tools/Dlib FaceLandmark Detector/Use Unsafe Code]. ( require Unity2018.1 or later )**



If you want to use the native plugin file enabled SSE4 or AVX compiler option, please replace the native plugin file in the “DlibFaceLandmarkDetector/Plugin/” folder with the “DlibFaceLandmarkDetector/Extra/” folder. And, select MenuItem[Tools/Dlib FaceLandmark Detector/Set Plugin Import Settings].



## Q & A

Q1.

“DllNotFoundException: dlibfacelandmarkdetector” is displayed on the console when run the example scene.

A1.

Plugin does not seem to be loaded correctly. Please check the setup procedure.

Q2.

“Level 'Texture2DExample' (-1) could not be loaded because it has not been added to the build settings.” is displayed on the console when run the example scene.

A2.

Please Add all of the “\*\*\*.unity” in the “DlibFaceLandmarkDetector” folder to [Build Settings] – [Scene In Build].

Q3.

In Texture2DExample, red rectangle is not displayed around a face.

A3.


Please move the “DlibFaceLandmarkDetector/StreamingAssets/” folder to the “Assets/” folder.

Q4.

How can I train object detector?

A4.

Please refer to [this page](#).




Q4.

How can I train shape predictor?

A4.

Please refer to [this page](#).





Q5.

The size of the “human\_face\_68\_sp.dat” is too large.

A5.


Please use the “human\_face\_68\_sp\_for\_mobile.dat”.  
the “human\_face\_68\_sp\_for\_mobile.dat” is less accurate than the “human\_face\_68\_sp.dat”,  
but it is smaller size.

Q6.


The index of face landmark points that can be obtained using the “human\_face\_68\_sp.dat”.


A6.

DlibFaceLandmarkDetector  
[sp\_human\_face\_68.dat]




DlibFaceLandmarkDetector  
[sp\_human\_face\_17.dat]





Q7.

[iOS]Submit to App Store issues: Unsupported Architecture x86, i386“Unsupported Architecture. Your executable contains unsupported architecture '[x86\_64, i386]'.”



A7.

"The problem is that the Buy framework contains a build for both the simulator (x86\_64) and the actual devices (ARM).

Of course, you aren't allowed to submit to the App Store a binary for an unsupported architecture, so the solution is to "manually" remove the unneeded architectures from the final binary, before submitting it."

<http://ioscake.com/submit-to-app-store-issues-unsupported-architecture-x86.html>

<http://ikennd.ac/blog/2015/02/stripping-unwanted-architectures-from-dynamic-libraries-in-xcode/>

Q8.

Can Shape Predictor model files be used commercially?

A8.

Since the training dataset consists of flickr CC0 licensed images, the Shape Predictor model files are available for commercial use. For details of the training data set, please refer to "DlibFaceLandmarkDetector / DlibFaceLandmarkDetectorTrainingDataset.txt".


Q9.

Using Unicode file path on Windows fails to read shapePredictorFile file.

A9.

Please enable the "Use Unicode UTF-8 for worldwide language support" setting

.All Settings -> Time & Language -> Language -> "Administrative Language Settings"

 Region Settings ✕

Select which language (system locale) to use when displaying text in programs that do not support Unicode. This setting affects all user accounts on the computer.

Current system locale:

English (United States) ▾

☒ Beta: Use Unicode UTF-8 for worldwide language support

OK

Cancel