| | \ | NBCT | Con | trollo | | | | |
|---|--------|-------------|--------|--------|------------------|------|--------------|--------|
| Study | Events | Total | Events | Total | Odds Ratio | OR | 95% CI | Peso % |
| Huber-Wagner 2013 2013 | 1412 | 3364 | 1875 | 3835 | + | 0.76 | [0.69; 0.83] | 21.3 |
| Wada 2013 2013 | 9 | 50 | 80 | 102 | | 0.06 | [0.03; 0.14] | 18.2 |
| Tsutsumi 2017 2017 | 245 | 1190 | 24 | 102 | - | 0.84 | [0.52; 1.36] | 20.2 |
| Ordoñez 2020 2020 | 15 | 81 | 28 | 91 | | 0.51 | [0.25; 1.05] | 19.1 |
| Hanzalova 2024 2024 | 396 | 1932 | 368 | 1913 | + | 1.08 | [0.92; 1.27] | 21.2 |
| Common effect model | | 6617 | | 6043 | į b | | [0.75; 0.87] | |
| Random effects model | | | | | | 0.49 | [0.12; 2.00] | 100.0 |
| Heterogeneity: $I^2 = 92.2\%$, $\tau^2 = 1.1418$, $p < 0.0001$ | | | | | 1 1 1 1 | | | |
| Test for overall effect (random effects): $t_4 = -1.41$ ($p = 0.2310$) 0.1 0.5 1 2 10 | | | | | | | | |