

Informing the DAG

2025-04-08

id_I	short_description	text
1	go_out	Heatwave in the winter season Very different, depends on what is booked. Sometimes ice fishing is booked and then we have to cancel all bookings, sometimes open water fishing is possible. Lose ice fishing customers and gain spin fishing ones; 1 ice fishing (spin fishing customers can't be booked in advance in winter, you can't count on a heatwave in winter)
2	go_out	Heatwave in the winter season Extremely warm winter we ice fish so little, therefore it is a bit difficult to answer. (2)
3	go_out	Heatwave in the winter season Depends on ice. Boats are usually hauled up in winter. If forecast shows winter is over, we might launch. Unlikely to put in and haul up again. Might use the small boat if open water, but ice may return. Large boats remain on land. =1 regardless.
4	go_out	Heatwave in the winter season Quite likely, if the water is open we'll go out, 4
5	go_out	Heatwave in the winter season If it's otherwise a good winter, then it's just nice weather. But if it's a mild winter, then you can't go out. Is ice fishing the dominant form? Few go out in boats? On the big lakes. and at Simrishamn there is some trolling from boats. If we think about ice fishing? Absolutely, =1 if the ice isn't there or is dangerous to walk on.
6	go_out	Heatwave in the winter season 5
7	go_out	Heatwave in the winter season I probably go fishing anyway, it's the wind that matters, I probably try anyway (=5? or =4?)
1	catch_assessment	Heatwave in the winter season : 5 sea trout on open water, instead of perch and pike under the ice
2	catch_assessment	Heatwave in the winter season 1
3	catch_assessment	Heatwave in the winter season Not relevant.
4	catch_assessment	Heatwave in the winter season Can't answer.
5	catch_assessment	Heatwave in the winter season No, very similar
6	catch_assessment	Heatwave in the winter season 1
7	catch_assessment	Heatwave in the winter season difficult to answer
1	change_practice	Heatwave in the winter season NA

2	change_practice	Heatwave in the winter season	(1) We might choose areas where travel on ice is easier.
3	change_practice	Heatwave in the winter season	NA
4	change_practice	Heatwave in the winter season	0
5	change_practice	Heatwave in the winter season	2 – if the ice is unsafe, you don't go out.
6	change_practice	Heatwave in the winter season	2, stays upwind or goes ashore when the wind picks up to storm force, and waits 1-2 days until it calms down; when the waves are too high, the trawl does not fish as well.
7	change_practice	Heatwave in the winter season	Yes, if there is no ice, I cannot fish, so I have to fish from a boat, but that is usually not very productive; 2
1	avoidance	Heatwave in the winter season	NA
2	avoidance	Heatwave in the winter season	Not so easy, rather difficult (2).
3	avoidance	Heatwave in the winter season	NA
4	avoidance	Heatwave in the winter season	no need
5	avoidance	Heatwave in the winter season	Hard, scale is large.
6	avoidance	Heatwave in the winter season	We avoid it, we can go down into the Baltic Sea on the other side of Åland; we can move, we go closer to Finland, 3-4.
7	avoidance	Heatwave in the winter season	1 (if the ice is not strong enough, it's pretty much the same, then you have to go very far),
id_I	short_description	description	text
1	go_out	Heatwave in the summer season	4. Some fishing is closed if it gets too hot, e.g., river fishing. It's difficult to fish if it gets extremely hot, but I try to adapt; so far I haven't canceled coastal fishing, I move it to mornings & evenings. But, for example, Nyköpingsån was closed because the water was too warm. Also depends on how hot it is. It happened in 2018, depends on what happens with our fish
2	go_out	Heatwave in the summer season	(3) Depends a little on what we are fishing
3	go_out	Heatwave in the summer season	Then we fish, just go further out where it's cooler. =5.
4	go_out	Heatwave in the summer season	2. Depends on how it affects winds and algal blooms; this year we had huge problems with algal blooms (1 month).

5	go_out	Heatwave in the summer season	Yes, but in another way. When it's hot, fishing in running waters (salmon, trout, grayling) is closed. Perch and zander fishing only gets better in warm weather. Few target pike in a heatwave. But if you booked a salmon-fishing week, it simply gets canceled. Zander & perch = 5; salmon & trout = 1; pike = 2 (or 1, discussed with another angler present). But "vacation fishers" will probably go out regardless. Pike fishing is usually in spring & autumn; high temps affect survival.
6	go_out	Heatwave in the summer season	1; wait a minute, spring when the weather changes; in July when it's hottest, the fish are scattered, so there's no point in going out; say 2.
7	go_out	Heatwave in the summer season	I don't go because the fish won't keep as well, I don't fish for herring at all, in that case I fish for perch, 2
1	catch_assess	Heatwave in the summer season	: 5 redirect the fishing down below the thermocline
2	catch_assess	Heatwave in the summer season	Somewhat different species if we fish in the same place e.g., a lot of bream; somewhat different (4).
3	catch_assess	Heatwave in the summer season	very similar (1)
4	catch_assess	Heatwave in the summer season	Can't answer.
5	catch_assess	Heatwave in the summer season	No, you fish where you fish, so you get the species present there. But in mountain areas, if you target trout or grayling but the system also has pike and perch, you might get more of those instead. From a boat it's usually small differences
6	catch_assess	Heatwave in the summer season	NA
7	catch_assess	Heatwave in the summer season	herring are fished a little further out, and perch closer in; always fish in different places, so the composition is not affected in each place
1	change_practice	Heatwave in the summer season	NA
2	change_practice	Heatwave in the summer season	(1) Might change areas a little bit
3	change_practice	Heatwave in the summer season	Yes, set in other places, change a lot. =2. Salmon gear is fixed at paid spots all summer, so they stay.
4	change_practice	Heatwave in the summer season	0 Only with algal bloom. If we want whitefish in summer during heatwave, they move deeper (15 m), =1. Move a few hundred meters
5	change_practice	Heatwave in the summer season	Mixed
6	change_practice	Heatwave in the summer season	0
7	change_practice	Heatwave in the summer season	1 changes how much perch I fish compared to herring
1	avoidance	Heatwave in the summer season	NA
2	avoidance	Heatwave in the summer season	(2) Quite difficult.
3	avoidance	Heatwave in the summer season	Works – go further out (usually warmest inshore). =5.

4	avoidance	Heatwave in the summer season	Drive grandchildren to another bay; no, we don't change fishing spot, we stop fishing
5	avoidance	Heatwave in the summer season	Hard
6	avoidance	Heatwave in the summer season	It has no effect
7	avoidance	Heatwave in the summer season	I don't know, but you can still fish for perch; the roach moves further out, and I can go a little further out, but I don't have a very big boat, so I can't go that far out, 2

id_I	short_description	text
1	go_out	Severe icing (in the winter season)
2	go_out	Severe icing (in the winter season)
3	go_out	Severe icing (in the winter season)
4	go_out	Severe icing (in the winter season)
5	go_out	Severe icing (in the winter season)
6	go_out	Severe icing (in the winter season)
7	go_out	Severe icing (in the winter season)
1	catch_assessment	Severe icing (in the winter season)
2	catch_assessment	Severe icing (in the winter season)
3	catch_assessment	Severe icing (in the winter season)
4	catch_assessment	Severe icing (in the winter season)
5	catch_assessment	Severe icing (in the winter season)
6	catch_assessment	Severe icing (in the winter season)
7	catch_assessment	Severe icing (in the winter season)
1	change_practices	Severe icing (in the winter season)
2	change_practices	Severe icing (in the winter season)
3	change_practices	Severe icing (in the winter season)

4	change_practice	Severe icing (in the winter season)	NA
5	change_practice	Severe icing (in the winter season)	NA
6	change_practice	Severe icing (in the winter season)	2, does not go out
7	change_practice	Severe icing (in the winter season)	I don't know, I haven't experienced it (maybe I'll skip it then),
1	avoidance	Severe icing (in the winter season)	NA
2	avoidance	Severe icing (in the winter season)	can't answer
3	avoidance	Severe icing (in the winter season)	NA
4	avoidance	Severe icing (in the winter season)	NA
5	avoidance	Severe icing (in the winter season)	NA
6	avoidance	Severe icing (in the winter season)	Yes, we can change course if we know in advance, but if the wind is too strong, it doesn't help to move closer to land; we can't go closer than 40 km
7	avoidance	Severe icing (in the winter season)	I think so , it depends on how it accumulates in certain places

id_I	short_description	text
1	go_out	Algal bloom (in the summer season)
1	go_out	Algal bloom (in the summer season)
2	go_out	Algal bloom (in the summer season)
3	go_out	Algal bloom (in the summer season)
4	go_out	Algal bloom (in the summer season)
5	go_out	Algal bloom (in the summer season)
6	go_out	Algal bloom (in the summer season)
7	go_out	Algal bloom (in the summer season)
1	catch_assessment	Algal bloom (in the summer season)
2	catch_assessment	Algal bloom (in the summer season)

3	catch_assess	Algal bloom (in the summer season)	not directly (1)
4	catch_assess	Algal bloom (in the summer season)	We don't really fish much then; would guess the fish flee from the algal bloom, 5
5	catch_assess	Algal bloom (in the summer season)	No
6	catch_assess	Algal bloom (in the summer season)	1
7	catch_assess	Algal bloom (in the summer season)	Haven't experienced it, but heard that it affects fishing
1	change_practice	Algal bloom (in the summer season)	NA
2	change_practice	Algal bloom (in the summer season)	0
3	change_practice	Algal bloom (in the summer season)	In bays, same as in heatwaves
4	change_practice	Algal bloom (in the summer season)	2 then we do not go fish
5	change_practice	Algal bloom (in the summer season)	Maybe 1 – switch to another bay; if bloom is everywhere, then skip.
6	change_practice	Algal bloom (in the summer season)	0
7	change_practice	Algal bloom (in the summer season)	NA
1	avoidance	Algal bloom (in the summer season)	NA
2	avoidance	Algal bloom (in the summer season)	Quite easy (4).
3	avoidance	Algal bloom (in the summer season)	If heat lasts long, algal bloom spreads and worsens fishing. =2.
4	avoidance	Algal bloom (in the summer season)	Stop fishing
5	avoidance	Algal bloom (in the summer season)	Easier – could switch to a lake if planning coastal fishing
6	avoidance	Algal bloom (in the summer season)	No effect

7	avoidance	Algal bloom (in the summer season)	NA
---	-----------	------------------------------------	----

id	I	short_description	text
1	go_out	Extreme cloudburst (in the summer season)	1, dangerous
2	go_out	Extreme cloudburst (in the summer season)	3
3	go_out	Extreme cloudburst (in the summer season)	If gear is already out, we go anyway. If not, we wait. =3.
4	go_out	Extreme cloudburst (in the summer season)	We can get to the boathouse, but from there out onto the lake it's more difficult; 1, if we don't have gear in the water. But we check the weather forecast very carefully before putting in the gear.
5	go_out	Extreme cloudburst (in the summer season)	People hold back; it's a comfort factor. Most stay indoors
6	go_out	Extreme cloudburst (in the summer season)	5
7	go_out	Extreme cloudburst (in the summer season)	then I fish anyway
1	catch_assessment	Extreme cloudburst (in the summer season)	No other species, more that we don't fish
2	catch_assessment	Extreme cloudburst (in the summer season)	1
3	catch_assessment	Extreme cloudburst (in the summer season)	no (1)
4	catch_assessment	Extreme cloudburst (in the summer season)	Can't answer
5	catch_assessment	Extreme cloudburst (in the summer season)	No
6	catch_assessment	Extreme cloudburst (in the summer season)	1
7	catch_assessment	Extreme cloudburst (in the summer season)	1
1	change_practices	Extreme cloudburst (in the summer season)	NA

2	change_practice	Extreme cloudburst (in the summer season)	(0) We wait until the downpour is over and then go out; usually it only lasts a few hours.
3	change_practice	Extreme cloudburst (in the summer season)	0
4	change_practice	Extreme cloudburst (in the summer season)	Don't go out to set nets, but we do collect them if already out
5	change_practice	Extreme cloudburst (in the summer season)	2 – you stay indoors
6	change_practice	Extreme cloudburst (in the summer season)	0
7	change_practice	Extreme cloudburst (in the summer season)	0
1	avoidance	Extreme cloudburst (in the summer season)	NA
2	avoidance	Extreme cloudburst (in the summer season)	Doesn't affect much, so (not scored).
3	avoidance	Extreme cloudburst (in the summer season)	Yes, possible.
4	avoidance	Extreme cloudburst (in the summer season)	1, no, we stop completely
5	avoidance	Extreme cloudburst (in the summer season)	Hard
6	avoidance	Extreme cloudburst (in the summer season)	No effect
7	avoidance	Extreme cloudburst (in the summer season)	1 (but it doesn't matter)

id_I	short_description	text
1	go_out Gale	5Gale is normal (sometimes we cancel), from strong gale and upwards we stay home (18 19 m/s average and 25 m/s in gusts is not possible)
2	go_out Gale	1, not me at least with my small boat
3	go_out Gale	No, we stay home. =1.
4	go_out Gale	1
5	go_out Gale	Yes, people hold back; most stay home, except the really keen ones who may go out in sheltered spots

6	go_out	Gale	4 in the Baltic Sea at least; if we are going to consume the fish in the North Sea, then we wait because the fish can spoil , but in the Baltic Sea we don't fish for human consumption
7	go_out	Gale	depends on the wind direction, if it's N then it's from the outside so then it's difficult, if it's S or SW, in gale force winds I don't fish anyway because there's a strong current in the lake so you get crap in your nets, but I do go out in gale force winds sometimes , depends on the wind direction
1	catch_assessment	Gale	: 2 sometimes; if it blows too hard and we are supposed to fish trout, then sometimes we have to go in and fish perch & pike instead
2	catch_assessment	Gale	1
3	catch_assessment	Gale	1
4	catch_assessment	Gale	Hard to say, we don't fish much then
5	catch_assessment	Gale	Not directly, but on the coast with prolonged winds you can get upwelling; perch may move closer inshore, and trout & whitefish may appear shallower than normal. Seen within a season
6	catch_assessment	Gale	1
7	catch_assessment	Gale	Yes, I think it affects the composition; seaweed gets caught in the nets and creates currents; can't say if other species are affected
1	change_practices	Gale	NA
2	change_practices	Gale	(2) Then we may not go out at all.
3	change_practices	Gale	2. Move to less windy spots. For herring it's harder, so maybe stay home.
4	change_practices	Gale	We sometimes set in more sheltered bays less exposed, =2.
5	change_practices	Gale	If sheltered, you can fish a little, =1, unless fully blown in.
6	change_practices	Gale	0
7	change_practices	Gale	Changes the fishing spot
1	avoidance	Gale	NA
2	avoidance	Gale	When it's windy, it's windy everywhere, so quite difficult (1) although you can always find some spot.
3	avoidance	Gale	Yes, but usually means staying home
4	avoidance	Gale	4, switch bays
5	avoidance	Gale	to some extent – find a sheltered spot
6	avoidance	Gale	No effect
7	avoidance	Gale	4, depends on the wind direction, and sometimes the fishing spots don't match where it's sheltered.
id_I	short_description	description	text
1	go_out	Storm	1
2	go_out	Storm	1

3	go_out	Storm	No, we stay home. =1.
4	go_out	Storm	1
5	go_out	Storm	No, impossible to fish.
6	go_out	Storm	1, we have the quota so we don't need to risk the crew.
7	go_out	Storm	1
1	catch_asse	Sublance	Cancel
2	catch_asse	Sublance	NA
3	catch_asse	Sublance	1
4	catch_asse	Sublance	Hard to say, we don't fish much then
5	catch_asse	Sublance	Not directly, but on the coast with prolonged winds you can get upwelling; perch may move closer inshore, and trout & whitefish may appear shallower than normal. Seen within a season
6	catch_asse	Sublance	1
7	catch_asse	Sublance	Yes, I think it affects the composition; seaweed gets caught in the nets and creates currents; can't say if other species are affected
1	change_pr	Stices	NA
2	change_pr	Stices	(2) Then it's quite certain we won't go out.
3	change_pr	Stices	Don't go out at all, follow forecasts. Our boat is 12 m, so never in storms
4	change_pr	Stices	We sometimes set in more sheltered bays less exposed, =2.
5	change_pr	Stices	Same
6	change_pr	Stices	2, does not go out
7	change_pr	Stices	2; Do you go out in a storm? It has happened that you make a mistake and go out, but you have to put the nets in a sheltered spot, you have your spots
1	avoidance	Storm	NA
2	avoidance	Storm	Impossible to fish at all (1).
3	avoidance	Storm	Storms are hard to avoid.
4	avoidance	Storm	Don't go fishing
5	avoidance	Storm	no
6	avoidance	Storm	as we mentioned earlier
7	avoidance	Storm	same there, but you rarely fish in a storm if you know about it, but sometimes you have to go out as I said

id_I	short_desc	description	text
1	go_out	Are there any of these in combination that affect how likely it is that you go out and fish?	A lot is about safety, combinations become dangerous, e.g., strong icing and strong winds, I avoid this as much as possible; would also get fewer requests, since fishing should be enjoyable

2	go_out	Are there any of these in combination that affect how likely it is that you go out and fish?	Not really; it's the wind that is decisive for us
3	go_out	Are there any of these in combination that affect how likely it is that you go out and fish?	Wind has the greatest impact here. Wind direction matters too (this August mostly W & NW winds, cooling the water – no point fishing perch then, they just stop moving).
4	go_out	Are there any of these in combination that affect how likely it is that you go out and fish?	Strong winds and high water levels.
5	go_out	Are there any of these in combination that affect how likely it is that you go out and fish?	Combination of gale/storm and heavy rain – Even more unpleasant, a negative synergy effect
6	go_out	Are there any of these in combination that affect how likely it is that you go out and fish?	Icing & high winds, then it's 1
7	go_out	Are there any of these in combination that affect how likely it is that you go out and fish?	storms and weather like that
id_I	short_description	description	text
1	change_practices	NA	Change all the time according to the conditions; place, species and gear
1	avoidance	NA	Easy for me to switch but ask what the customers want (e.g., Americans who are booked for ice fishing). Large differences from the normal are a problem, with bookings we do not know what we shall book (e.g., closed Nyköpingsån fishing due to heatwave). The customers also have to be flexible. 2 for those that are not dangerous; 1 for what is dangerous (cannot conduct activities)