# MOD500 Decision Analysis with Artificial Intelligence Support


#### Enrico Riccardi<sup>1</sup>

Department of Energy Resources, University of Stavanger (UiS).<sup>1</sup>

Oct 18, 2024



# A bias recap from last classes



Metrics and distributions

2 Information Theory


Comparing information

# Probability distribution

#### A metric is needed

Amount of uncertainty

Number of Modes: unimodal, bimodal, polymodal




## Metrics

## Triangle inequality

Considering a vectors in an N-dimensional space, to be a distance it must satisfy the triangle inequality:

$$d_{ij} + d_{im} \geq d_{jm}$$

If also  $d_{jj} = 0$ , if  $d_{ij} - d_{ji} = 0$ , then we call it a *metric*.



## Metris example

#### Common metrics:

- Counting
- Euclidean

$$d_{ij}^{(E)} = \left[\sum_{k=1}^{N} (x_{ik} - x_{jk})^2\right]^{\frac{1}{2}}$$

Categorical variables do not necessarily satisfy these relations.

## Metris example

#### Common metrics:

- Counting
- Euclidean

$$d_{ij}^{(E)} = \left[\sum_{k=1}^{N} (x_{ik} - x_{jk})^{2}\right]^{\frac{1}{2}}$$

Categorical variables do not necessarily satisfy these relations.

# Task assignment

Code a discrete probability distribution in Python
Calculate the Mean and Standard Deviation
How to get an experiment out of this distribution?

Metrics and distributions

2 Information Theory

Comparing information

- Daddy: Claude Shannon (1940)
- His initial work has been done on signal transmission.
- It uses Entropy as key measurement of information uncertainty.

- Daddy: Claude Shannon (1940)
- His initial work has been done on signal transmission.
- It uses Entropy as key measurement of information uncertainty.

- Daddy: Claude Shannon (1940)
- His initial work has been done on signal transmission.
- It uses Entropy as key measurement of information uncertainty.

- Daddy: Claude Shannon (1940)
- His initial work has been done on signal transmission.
- It uses Entropy as key measurement of information uncertainty.

It is an interface between data and decisions.

A question to sum up the idea

Does more data bring value?

It has permitted the advances of several fields:

cryptography, neurobiology, signal processing, linguistics, bioinformatics, statistical physics, black holes, quantum computing, information retrieval, intelligence gathering, plagiarism detection, pattern recognition, anomaly detection, etc

It is an interface between data and decisions.

A question to sum up the idea

Does more data bring value?

It has permitted the advances of several fields:

cryptography, neurobiology, signal processing, linguistics, bioinformatics, statistical physics, black holes, quantum computing, information retrieval, intelligence gathering, plagiarism detection, pattern recognition, anomaly detection, etc

It is an interface between data and decisions.

#### A question to sum up the idea

Does more data bring value?

It has permitted the advances of several fields:

cryptography, neurobiology, signal processing, linguistics, bioinformatics, statistical physics, black holes, quantum computing, information retrieval, intelligence gathering, plagiarism detection, pattern recognition, anomaly detection, etc

It is an interface between data and decisions.

#### A question to sum up the idea

Does more data bring value?

It has permitted the advances of several fields:

cryptography, neurobiology, signal processing, linguistics, bioinformatics, statistical physics, black holes, quantum computing, information retrieval, intelligence gathering, plagiarism detection, pattern recognition, anomaly detection, etc

## Entropy of an information source

$$H_X = -\sum_i (p_i) log(p_i)$$

 $H_X$  of a discrete random variable X is a measure of the amount of uncertainty associated with the value of X when only its distribution is known

#### What is $p_i$ ?

It is a numerical descriptions of how likely an event is to occur

Assigned probability and computed probability are different

# Entropy of an information source

$$H_X = -\sum_i (p_i) log(p_i)$$

 $H_X$  of a discrete random variable X is a measure of the amount of uncertainty associated with the value of X when only its distribution is known

#### What is $p_i$ ?

It is a numerical descriptions of how likely an event is to occur

Assigned probability and computed probability are different

## Entropy of an information source

$$H_X = -\sum_i (p_i) log(p_i)$$

 $H_X$  of a discrete random variable X is a measure of the amount of uncertainty associated with the value of X when only its distribution is known

#### What is $p_i$ ?


It is a numerical descriptions of how likely an event is to occur

#### Do not mix the concepts!

Assigned probability and computed probability are different

## Shannon's entropy shape

$$H_X = -\sum_i (p_i) log(p_i)$$



# Task assignment [2]

Code a discrete probability distribution in Python

Calculate the Mean and Standard Deviation

How to get an experiment out of this distribution?

Calculate Shannon's Entropy as a function of the number of experiments


Metrics and distributions

2 Information Theory

Comparing information

# Comparing information

A distribution can be the sum of multiple distributions



# Kullback-Leibler divergence (information gain)

How to compare multiple information sources?

$$D_{KL} = \sum_{i} (p_i) log(\frac{p_i}{q_i})$$

- It is a divergence, as it is asymmetric
- It is NOT a metric

# Kullback-Leibler divergence (information gain)

How to compare multiple information sources?

$$D_{KL} = \sum_{i} (p_i) log(\frac{p_i}{q_i})$$

- It is a divergence, as it is asymmetric
- It is NOT a metric

# Task assignment [3]

Compare the initial discrete probability distribution with the appriximate ones computed as function of the number of experiments.

Calculate Kullback-Leibler divergence

Find the distribution that minimise K-L divergence