


Diagrama de flujo Spooler peticion de datos

raul | May 24, 2024



SOL1

```
select rep.id_rep, rep.ID_CRON, rep.NAME,
       rep.CONFIRMACION, rep.FRECUENCIA,
       rep.cliente, cli.clistatus, cli.cliclef || ' - ' || InitCap(cli.clinom)
       cli_nom ,case when (1=1 and rep.FRECUENCIA is not null)
       then logis.display_fecha_confirmacion4(rep.FRECUENCIA,
       sysdate, sysdate,1) end fecha
       , to_char(LAST_CONF_DATE_1, 'mm/dd/yyyy') as fecha_1,
       to_char(LAST_CONF_DATE_2, 'mm/dd/yyyy') as fecha_2 from
       rep_detalle_reporte rep inner join eclient cli on cli.cliclef=
       rep.CLIENTE Where rep.ID_CRON=rep_id
```

SOL2

```
select 1 from rep_dias_libres where dia_libre =
to_date('02/08/2016', 'mm/dd/yyyy') and cliente in (cliente, 0)
update rep_chron set in_progress=0 where id_rapport= rep_id
```

SOL3

```
select check_fecha_confirmacion2(",conf_date, conf_date_2) as
ok , to_char(conf.conf_date, 'mm/dd/yyyy') as fecha_1 ,
to_char(conf.conf_date_2, 'mm/dd/yyyy') as fecha_2, conf.param
from rep_confirmacion conf
where conf.ID_CONF = rep_id and
check_fecha_confirmacion2(",conf_date, conf_date_2) = 'ok'
and trunc(conf_date) +decode(, 1, 1, 0) <= trunc(sysdate)
```

SOL4

```
select check_fecha_confirmacion2(",conf_date, conf_date_2) as
ok , to_char(conf.conf_date, 'mm/dd/yyyy') as fecha_1 ,
to_char(conf.conf_date_2, 'mm/dd/yyyy') as fecha_2, conf.param
from rep_confirmacion conf where conf.ID_CONF = rep_id and
check_fecha_confirmacion2(",conf_date, conf_date_2) = 'ok'
and trunc(conf_date) +decode(, 1, 1, 0) <= trunc(sysdate)
```

SOL5

```
SELECT REP.NAME, DEST.NOMBRE, DEST.MAIL FROM
REP_DETALLE_REPORTES REP inner join REP_DEST_MAIL
DEST_M on REP.MAIL_ERROR = DEST_M.ID_DEST_MAIL
inner join REP_MAIL DEST on DEST_M.ID_DEST =
DEST.ID_MAIL WHERE status = 1 AND REP.ID_CRON =
rep_id
```

SOL6

```
SELECT REP.NAME, REP.CLIENTE , REP.FILE_NAME,
REP.CARPETA , CLI.CLINOM , mail.NOMBRE, mail.MAIL ,
REPORT.COMMAND , REP.DAYS_DELETED ,
REPORT.NUM_OF_PARAM , REP.DEST_MAIL,
to_char(REP.LAST_CONF_DATE_1, 'mm/dd/yyyy')
LAST_CONF_DATE_1, to_char(REP.LAST_CONF_DATE_2,
'mm/dd/yyyy') LAST_CONF_DATE_2
, REP.PARAM_1, REP.PARAM_2, REP.PARAM_3, REP.PARAM_4
, mail.client_num , REPORT.ID_REP, REPORT.SUBCARPETA
, REP.CREATED_BY , TERCERO FROM
REP_DETALLE_REPORTES REP , ECLIENT CLI ,
REP_DEST_MAIL DEST , REP_MAIL MAIL , REP_REPORTES
REPORT WHERE REP.CLIENTE = CLI.CLICLEF(+) AND
REP.ID_CRON =rep_id AND mail.ID_MAIL(+) =
DEST.ID_DEST AND DEST.ID_DEST_MAIL(+) =
REP.MAIL_OK AND REPORT.ID_REP = REP.ID_REP AND
NVL(mail.status, 1) = 1 Union All
SELECT REP.NAME, REP.CLIENTE , REP.FILE_NAME,
REP.CARPETA , CLI.CLINOM , mail.NOMBRE, mail.MAIL ,
REPORT.COMMAND , REP.DAYS_DELETED ,
REPORT.NUM_OF_PARAM , REP.DEST_MAIL,
to_char(REP.LAST_CONF_DATE_1, 'mm/dd/yyyy')
LAST_CONF_DATE_1, to_char(REP.LAST_CONF_DATE_2,
'mm/dd/yyyy') LAST_CONF_DATE_2
, REP.PARAM_1, REP.PARAM_2, REP.PARAM_3, REP.PARAM_4
, mail.client_num , REPORT.ID_REP, REPORT.SUBCARPETA ,
REP.CREATED_BY , TERCERO FROM
REP_DETALLE_REPORTES REP , ECLIENT CLI ,
REP_DEST_MAIL DEST , REP_MAIL MAIL , REP_REPORTES
REPORT WHERE REP.CLIENTE = CLI.CLICLEF(+) AND
REP.ID_CRON =rep_id AND DEST.id_dest_mail=2888 AND
mail.ID_MAIL(+) = DEST.ID_DEST AND REPORT.ID_REP =
REP.ID_REP AND NVL(mail.status, 1) = 1 and REP.MAIL_OK
is not null and not exists( SELECT null FROM
REP_DEST_MAIL DESTD, REP_MAIL MAILD Where
DESTD.id_dest_mail = REP.MAIL_OK AND maild.ID_MAIL =
DESTD.ID_DEST AND maild.status = 1 ) order by
CLIENT_NUM, TERCERO desc , NOMBRE
```