#### | 소스 질문 | >

# [메신저봇] setinterval사용후 컴파일 안됨



bass9030 챗봇 마스터 🍑 1:1 채팅


2020.06.27. 08:53 조회 82


댓글 3 URL 복사 :

메봇 r사용중인 유저입니다.

setinterval사용중에 뭔갈 잘못만졌는지 로그에 컴파일 시작만 남아있습니다 다른 오류 메시지는 없습니다.

도와주세요





① 컴파일 하였습니다: 369 2020/06/27 08:42:04

컴파일 시작: 3692020/06/27 08:42:46

컴파일 시작: 3692020/06/27 08:43:10

컴파일 시작: 3692020/06/27 08:44:14

컴파일 시작: 3692020/06/27 08:44:22

컴파일 시작: 3692020/06/27 08:45:02

컴파일 시작: 3692020/06/27 08:47:14

컴파일 시작: 3692020/06/27 08:47:16

## [소스코드] const scriptName = "369";


<sup>\* (</sup>string) room

<sup>\* (</sup>ctring) conder

```
(Sulliy) Selluel
* (boolean) isGroupChat
* (void) replier.reply(message)
* (boolean) replier.reply(room, message, hideErrorToast = false) // 전송 성공시 true, 실패시 false 반환
* (string) imageDB.getProfileBase64()
* (string) packageName
*/
var rooms = {};
var viewplayers = {};
var num = {};
var nowturn = {};
var nownum = {};
var isgameing = {};
var answer = {};
var lastesay = {};
var inv = null;
function checkafk(room) {
for (var i = 0; i \le rooms[room].length - 1; i++) {
if (new Date().getTime() - lastesay[room][rooms[room][i]] <= 30000) {
Api.replyRoom(room,new Date().getTime() - lastesay[room][rooms[room][i]])
var delplayer = i;
var nextplayer = i + 1;
if (rooms[room][nextplayer] == undefined || viewplayers[room][nextplayer] == undefined)
nextplayer = 0;
Api.replyRoom(room,viewplayers[room][delplayer] + "님 타임오버로 탈락!\mr\다음 플레이어인 " + viewplayers[room]
[nextplayer] + "님은 계속해서 게임을 이어 해주세요!");
nowturn[room] = num[room][rooms[room][nextplayer]];
if (rooms[room][nowturn] == undefined)
nowturn[room] = 0;
nownum[room]++;
rooms[room].splice(delplayer, 1);
viewplayers[room].splice(delplayer, 1);
delete num[room][rooms[i]];
Api.replyRoom(room,rooms[room].length);
if (rooms[room].length <= 1) {
clearInterval(inv);
Api.replyRoom(room,viewplayers[room][0] + "님 우승!\n축하드립니다!");
}
}
}
}
function init(room) {
for (var i in rooms[room]) {
Api.replyRoom(room, i)
lastesay[room][rooms[room][i]] = new Date().getTime();
}
}
function response(room, msg, sender, isGroupChat, replier, imageDB, packageName) {
var img = java.lang.String(imageDB.getProfileImage()).hashCode();
if (!Array.isArray(rooms[room])) {
rooms[room] = [];
viewplayers[room] = [];
```

```
num[room] = {};
lastesay[room] = {};
}
if (msg == "!참가" && !isgameing[room]) {
if (rooms[room].indexOf(sender + img) != -1) {
replier.reply("이미 방에 참가되있습니다.");
return;
}
rooms[room].push(sender + img);
viewplayers[room].push(sender);
num[room][sender + img] = rooms.length - 1;
replier.reply(sender + "님이 참가했습니다.\nd 인원 :\n" + viewplayers[room].join("\n"));
} else if (msg == "!참가" && !isgameing[room]) {
replier.reply("이미 게임이 시작되었습니다.");
}
if (msg == "!퇴장" && !isgameing[room]) {
if (rooms[room].indexOf(sender + img) == -1) {
replier.reply("이미 방에 참가되있지 않습니다.");
return;
} else if (msg == "!퇴장" && !isgameing[room]) {
replier.reply("이미 게임이 시작되었습니다.");
return;
}
rooms[room].splice(num[room][sender + img], 1);
viewplayers[room].splice(num[room][sender + imq], 1);
delete num[room][sender + img];
if (rooms[room].length != 0) {
replier.reply(sender + "님이 퇴장했습니다.₩n" h viewplayers[room].join("₩n"));
} else {
replier.reply(sender + "님이 퇴장했습니다.\n현재 인원 :\n없음");
}
}
if (msg == "!시작" && !isgameing[room]) {
if (rooms[room].indexOf(sender + img) = = -1)
return:
if (rooms[room].length < 1) {
replier.reply("최소인원이 2명 이상이여야 합니다.");
} else {
replier.reply("게임을 시작합니다.₩n" + viewplayers[room][0] + "님 부터 시작해 주세요.₩n게임 순서 : " +
viewplayers[room].join(" -> "));
isgameing[room] = true;
nowturn[room] = 0;
nownum[room] = 1;
init(room);
inv = setInterval(function () { checkafk(room); }, 1000);
return;
}
} else if (msg == "!시작" && isgameing[room]) {
replier.reply("이미 게임이 시작되었습니다.");
return:
}
if (rooms[room].indexOf(sender + img) != -1 && isgameing[room]) {
lastesay[room][sender + img] = new Date().getTime();
if (sender + img == rooms[room][nowturn[room]]) {
anguar[room] - nownum[room] toString() rankace(/[360]/g "짜").
```

```
a_{11}אפינוסטווון – ווטאוועווון ווטטווון.נטטנווואַ(ן).וepiace(\gamma(נטטן), \gamma, ,
if (answer[room].replace(/[짝]/g, "") != "" && answer[room].indexOf("짝") != -1)
answer[room] = "짝";
if (msg == answer[room]) {
nowturn[room]++;
nownum[room]++;
replier.reply(nowturn[room]);
if (rooms[room][nowturn[room]] == undefined)
nowturn[room] = 0;
replier.reply(viewplayers[room][nowturn[room]] + "님의 차례입니다.");
} else {
var delplayer = nowturn[room];
var nextplayer = nowturn[room] + 1;
if (rooms[room][nextplayer] == undefined || viewplayers[room][nextplayer] == undefined)
nextplayer = 0;
replier.reply(viewplayers[room][delplayer] + "님 탈락!₩n다음 플레이어인 " + viewplayers[room][nextplayer] + "님은
계속해서 게임을 이어 해주세요!");
nowturn[room] = num[room][rooms[room][nextplayer]];
if (rooms[room][nowturn] == undefined)
nowturn[room] = 0;
nownum[room]++;
rooms[room].splice(delplayer, 1);
viewplayers[room].splice(delplayer, 1);
delete num[room][sender + img];
replier.reply(rooms[room].length);
if (rooms[room].length <= 1) {</pre>
clearInterval(inv);
replier.reply(viewplayers[room][0] + "님 우승!\n축하드립니다!");
}
}
}
}
}
function onStartCompile() {
if(inv != null) clearInterval(inv);
}catch(e){
}
}
      bass9030님의 게시글 더보기 >
♡ 좋아요 0 ♡ 댓글 3
                                                                                               [♠ 공유 │ 신고
댓글 등록순 최신순 C
                                                                                               댓글알림
      오류내용에 NenkaLab 어쩌고 뜨는 것은 내부오류입니다. 컴파일 두 번 해주면 정상작동합니다
      2020.06.27. 09:16 답글쓰기
            산하
            어라, 다른 이유군요
            2020.06.27. 09:17 답글쓰기
```



<b>≥</b> 글쓰기	답글	목록	▲ TOP

### '| 소스 질문 |' 게시판 글

전체 [메신저봇] 말머리 글		이 게시판 새글 구독	이 게시판 새글 구독하기	
랭킹 만들기 <mark>[8]</mark>		이온	2020.06.27.	
[메신저봇] 이거 왜안되는거죠? [11]		흑까마귀	2020.06.27.	
[메신저봇] setinterval사용후 컴파일 안됨 ❷ [3]		bass9030	2020.06.27.	
스탯 [2]		imroy09	2020.06.27.	
[메신저봇] For문과 쿨타임 [4]		Ametrine	2020.06.26.	
	1 2 3		전체 보기	

### 이 카페 인기글

