



# Migration Portal

Version 3.10

1	What's New	3
2	Supported Versions	6
3	Using Migration Portal	7
3.1	Overview of the Migration Portal Home Page	8
3.2	Overview of the Migration Portal Projects Page	9
3.3	Overview of the Migration Portal Wiki Page	12
4	Migrating a Database	12
4.1	Performing a Schema Extraction	13
4.2	Performing a Schema Assessment	17
4.3	Schema Migration	24
4.4	Data Migration	54
5	Advanced Data Migration	55

# 1 What's New

The following enhancements are added to the Migration Portal for this release:

- Assessment for EDB Postgres Advanced Server version 13, which has additional Oracle compatibility improvements and new Postgres features.
- In addition to IBM Cloud, you can now migrate your Oracle schemas to EDB Postgres Advanced Server installed on the following cloud platforms:
  - Amazon AWS
  - Google cloud
  - Microsoft Azure
- We added a contact form so you can reach out to us about migration services if you need an offline assessment of your schemas.
- With this release, the DDL extractor script requires fewer privileges. It now only requires **CONNECT** and **SELECT\_CATALOG\_ROLE** role and **CREATE TABLE** privilege.

## Repair Handler

The following repair handlers convert Oracle syntax to Postgres-compatible syntax so that you don't have to do it manually.

- ERH 1013 - PACKAGE\_BODY\_PROC/FUNC\_DECLARATION

Removes PROCEDURE/FUNCTION declaration from the PACKAGE BODY definition.

For example,

```
CREATE OR REPLACE PACKAGE BODY package_name
IS
    PROCEDURE sample_proc;

    var1 number:=0;

    FUNCTION Func_name RETURN number;

    PROCEDURE proc_name
    IS
    BEGIN
        NULL;
    END;
```

```

PROCEDURE sample_proc
IS
BEGIN
    NULL;
END;

FUNCTION Func_name RETURN number
IS
BEGIN
    return 1;
END;
END;

```

would become;

```

CREATE OR REPLACE PACKAGE BODY package_name
IS

var1 number:=0;

PROCEDURE proc_name
IS
BEGIN
    NULL;
END;

PROCEDURE sample_proc
IS
BEGIN
    NULL;
END;

FUNCTION Func_name RETURN number
IS
BEGIN
    return 1;
END;
END``
```

- ERH 2091- CREATE\_TABLE\_CREATE\_INDEX

Removes schema-name from the name of the INDEX in CREATE INDEX definition.

For example,

```

CREATE TABLE "HR"."DEPARTMENTS"
( "DEPARTMENT_ID" NUMBER(4,0),
  "DEPARTMENT_NAME" VARCHAR2(30) CONSTRAINT "DEPT_NAME_NN" NOT
NULL ENABLE,
  "MANAGER_ID" NUMBER(6,0),
  "LOCATION_ID" NUMBER(4,0)
);
CREATE UNIQUE INDEX "HR"."DEPT_ID_PK" ON "HR"."DEPARTMENTS"
("DEPARTMENT_ID");

```

would become;

```

CREATE TABLE "HR"."DEPARTMENTS"
( "DEPARTMENT_ID" NUMBER(4,0),
  "DEPARTMENT_NAME" VARCHAR2(30) CONSTRAINT "DEPT_NAME_NN" NOT
NULL ENABLE,
  "MANAGER_ID" NUMBER(6,0),
  "LOCATION_ID" NUMBER(4,0)
);
CREATE UNIQUE INDEX "DEPT_ID_PK" ON "HR"."DEPARTMENTS"
("DEPARTMENT_ID");

```

- ERH 2092- ALTER\_TABLE\_ADD\_PRIMARY\_KEY

Transforms Oracle's ALTER TABLE ADD CONSTRAINT for PRIMARY KEY syntax to Advanced Server compatible syntax.

For example,

```

CREATE TABLE "HR"."DEPARTMENTS"
( "DEPARTMENT_ID" NUMBER(4,0),
  "DEPARTMENT_NAME" VARCHAR2(30) CONSTRAINT "DEPT_NAME_NN" NOT
NULL ENABLE,
  "MANAGER_ID" NUMBER(6,0),
  "LOCATION_ID" NUMBER(4,0)
);
CREATE UNIQUE INDEX "HR"."DEPT_ID_PK" ON "HR"."DEPARTMENTS"
("DEPARTMENT_ID");
ALTER TABLE "HR"."DEPARTMENTS" ADD CONSTRAINT "DEPT_ID_PK" PRIMARY
KEY ("DEPARTMENT_ID")
  USING INDEX "HR"."DEPT_ID_PK" ENABLE;

```

would become;

```

CREATE TABLE "HR"."DEPARTMENTS"

```

```

( "DEPARTMENT_ID" NUMBER(4,0),
  "DEPARTMENT_NAME" VARCHAR2(30) CONSTRAINT "DEPT_NAME_NN" NOT
NULL ENABLE,
  "MANAGER_ID" NUMBER(6,0),
  "LOCATION_ID" NUMBER(4,0)
);
CREATE UNIQUE INDEX "DEPT_ID_PK" ON "HR"."DEPARTMENTS"
("DEPARTMENT_ID");
ALTER TABLE "HR"."DEPARTMENTS" ADD PRIMARY KEY
USING INDEX "DEPT_ID_PK";

```

## 2 Supported Versions

The Migration Portal supports assessment and migration from Oracle 11g, 12c, 18c, and 19c to EDB Postgres Advanced Server 10, 11, 12, Or 13. Migration Portal is supported on the following browsers and operating systems:

### Supported Browsers

For the best user experience, we recommend using the Google Chrome browser. Migration Portal is also supported on the following browsers:


Browser	Supported Version
Apple Safari on Macintosh OS	11 and above
Google Chrome	68 and above
Microsoft Edge	42 and above
Mozilla Firefox	60 and above

### Supported Operating Systems

Operating Systems	Supported Version
Macintosh	OS X Sierra
Windows	10
Linux	CentOS 7

### 3 Using Migration Portal

Migration Portal allows you to easily migrate your database schema from Oracle to EDB Postgres Advanced Server. You can upload schemas for assessment and get immediate feedback and suggestions. The portal allows you to download assessed DDLs for all objects and create your EDB Postgres database on-premises or in the cloud.




#### Note

Migration Portal currently does not have team collaboration features. We recommend collaborative meetings, screen sharing, and using the downloadable assessment report to share results.

To access the Migration Portal:

1. Open a browser and navigate to <https://www.edbpostgres.com/>
2. On the EnterpriseDB home page, click **Products > Migration Portal**.



1. Click [Open Migration Portal](#).
2. Log in using your credentials.

### 3.1 Overview of the Migration Portal Home Page

The Migration Portal home page provides quick access to migration tools.


The screenshot shows the Migration Portal interface. On the left, the **Projects** panel lists five projects: ProjectManagement, HumanResources, Finance, Marketing, and Administration, each with a status icon, name, date, and progress bar. In the center, the **Overview** panel for the ProjectManagement project displays its name, description, interface (JDBC), source DB (Oracle 11g), target DB (EDB Postgres Advanced Server 12), compatibility (71%), and actions (Migrate to ..., Report, Delete). Below it, the **Schemas** panel shows three schemas: HR (7 objects, 100% compatible), HRM (13 objects, 53% compatible), and schema\_6595 (1 object, 100% compatible), each with a progress bar indicating failed, repaired, and passed objects. On the right, the **Quick help** panel contains links to Getting Started, Quick Start guide, Migration Portal guide, EDB DDL Extractor, and a Try our offline assessment section.

The Migration Portal home page allows access to the following Migration Portal features:

1. **Projects:** The [Projects](#) panel displays a list of assessed projects.
2. **Create project:** Click [+ New](#) (the button located to the right of the [Projects](#) label) to create a new project.
3. **Search Projects:** Use the [Search](#) box to search for projects.
4. **Overview:** The [Overview](#) panel provides details about the selected project and displays the compatibility percentage after schema assessment.
5. **Migrate:** Use the [Migrate](#) button to either download an EDB Postgres Advanced Server compatible [.sql](#) file or to migrate a schema to an EDB Postgres Advanced Server on-premise or on cloud. For more information, see [Schema Migration <mp\\_schema\\_migration>](#).
6. **Report:** Use the [Report](#) button to view and download the schema assessment report.
7. **Delete:** Use the [Delete](#) button to delete a selected project.
8. **Warning sign:** A warning message is displayed if a project or a schema is less than 70% compatible or any DDL doesn't succeed after multiple attempts.
9. **Upload DDL file:** Use the [Upload new schema](#) button to upload a new or additional DDL file.
10. **Schemas:** The [Schemas](#) panel displays the assessment result from an uploaded DDL file.
11. **Quick help:** The [Quick help](#) panel contains all the help guides.
12. **Portal Wiki:** The [Portal Wiki](#) has links to product information and different help guides.

## 3.2 Overview of the Migration Portal Projects Page

The Migration Portal Projects page provides detailed information about your migration.



Use the following resources to gather information about your migration projects:

1. **Compatible:** The **Compatible** gauge displays the color on the basis of the compatibility percentage of the assessed schema.
2. **Schema Count:** Displays the number of schemas in a project.
3. **Migrate to:** Use the **Migrate to** to migrate the schema to an *EDB Postgres Advanced Server* on-premise or on cloud.
4. **Search objects:** Use the **Search** box to search for objects.
5. **Filters:** You can filter the system repaired and manual repaired objects from the left panel of the Projects page. In addition, you can select one or more filter combinations to refine the information.
6. **Objects:** Displays the objects for the selected schemas.
7. **Common Failures:** Displays the reason for the failed objects for the selected schemas.

Count	Reason for failure	Occurrences
2	only superuser can change options of a file_fdw foreign table	Tables 2
1	column "empno" does not exist	Views 1
1	syntax error at or near "FROM"	Views 1
1	relation "hr.emp" does not exist	Materialized View 1

## Note

You can download a [CSV](#) file for the common failures for the project.

8. **Schema:** The [Schema](#) panel displays the result of the assessment.
9. **Tooltip:** Hover over a result set to display a tooltip with the number of passed, failed, and repaired objects.
10. **Quick help:** The [Quick help](#) panel displays links to Knowledge base articles and repair handler documentation.
11. **Search:** Use the [Search](#) box to search the [Knowledge base](#) entries or repair handler documentation for specific information.

```

Source
1 CREATE INDEX HR.DEPT_LOCATION_IX ON HR.DEPARTMENTS (LOCATION_ID)
2 ;

Target
1 CREATE INDEX DEPT_LOCATION_IX ON HR.DEPARTMENTS (LOCATION_ID)
2 ;

```

## 3.3 Overview of the Migration Portal Wiki Page

The Portal Wiki page provides quick access to information:

- What's New information
- Quick Start guide
- Migrating Schema
- Migrating Data
- DDL Extractor guide
- Knowledge Base
- Repair handlers
- Migration Portal User's Guide
- FAQs

**EDB migration portal**

Projects **Portal Wiki** Nancy Drew

**Portal Wiki**

[What's new](#)

Quick Start guide  
Migrating Schema  
Migrating Data  
DDL Extractor guide  
Knowledge Base  
Repair Handler  
Migration Portal guide  
FAQ

**What's New**

Following are the new enhancements for Migration Portal:

**Version 3.0.0 (09-Dec-2020)**

**Migration Portal now supports**

- Assessment for EDB Postgres Advanced Server version 13, which has additional Oracle compatibility improvements and new Postgres features.
- Assessment of Oracle 18c and 19c schemas, in addition to existing Oracle 11g and 12c.

**Added New Cloud Platforms**

In addition to IBM Cloud, you can now migrate your Oracle schemas to EDB Postgres Advanced Server installed on the following cloud platforms:

- Amazon AWS EC2 instance
- Google cloud
- Microsoft Azure

**Offline Assessment of your schemas**

We added a contact form so you can reach out to us about migration services if you need an offline assessment of your schemas.

**Jump to version**

Version 3.0.0 (09-Dec-2020)  
Version 2.10.0 (16-Sep-2020)  
Version 2.9.0 (19-Aug-2020)  
Version 2.8.0 (11-Jun-2020)  
Version 2.7.0 (14-May-2020)  
Version 2.6.0 (19-March-2020)  
Version 2.5.0 (06-February-2020)  
Version 2.4.1 (28-January-2020)  
Version 2.4.0 (11-December-2019)  
Version 2.3.0 (03-October-2019)  
Version 2.2.0 (04-September-2019)  
Version 2.1.0 (16-July-2019)  
Version 2.0.0 (21-May-2019)  
Version 1.1.1 (16-April-2019)  
Version 1.1.0 (28-March-2019)  
Version 1.0.0 (19-February-2019)  
Beta 5 (07-Jan-2019)  
Beta 4 (11-Dec-2018)  
Beta 3 (11-Oct-2018)

## 4 Migrating a Database

To migrate a database, you must complete the following steps:

1. Perform a [Schema Extraction <mp\\_schema\\_extraction>](#).
2. Perform a [Schema Assessment <mp\\_schema\\_assessment>](#).

3. Perform a Schema Migration <mp schema migration>.
4. Perform a Data Migration <mp\_data\_migration>.

The following sections provide detailed information about each step in the migration process.

---

## 4.1 Performing a Schema Extraction

### Prerequisites

Before extracting a schema, you must download the latest EDB DDL Extractor script from the Migration Portal [Projects](#) page or from the link provided in the DDL Extractor guide in the Portal Wiki. The script can be run in SQL Developer or SQL\*Plus. It uses Oracle's [DBMS\\_METADATA](#) built-in package to extract DDLs for different objects under schemas (specified while running the script). The EDB DDL extractor creates the DDL file that will be uploaded to the portal and analyzed for EDB Postgres compatibility.

#### Note

- With this release, the DDL extractor script requires fewer privileges. It now only requires CONNECT and SELECT\_CATALOG\_ROLE role and CREATE TABLE privilege.

### For SQL\*Plus

1. Connect to SQL\*Plus and run the command:

```
SQL>@edb_ddl_extractor.sql
```

2. Provide the schema name and the path or directory in which the extractor will store the extracted DDL. When extracting multiple schemas, use a comma (',') as a delimiter.

#### Note

If you want to extract all the user schemas from the current database, do not mention any schema names while extracting. However, it is recommended to mention the schema names that you would like to extract.

1. If you want to extract dependent objects from other schemas, enter [yes](#) or [no](#).

### For example, on Linux:

```
Enter a comma separated list of schemas to be extracted (Default all schemas): HR,  
SCOTT, FINANCE Location for output file (Default current location) :  
/home/oracle/extracted_ddls/
```

**WARNING:**

Given schema(s) list may contain objects which are dependent on objects from other schema(s), not mentioned in the list. Assessment may fail for such objects. It is suggested to extract all dependent objects together.

Extract dependent object from other schemas?(yes/no) (Default no / Ignored for all schemas option): yes

**On Windows:**

Enter comma separated list of schemas to be extracted (Default all schemas): HR, SCOTT, FINANCE Location for output file (Default current location) : c:\Users\Example\Desktop\


**WARNING:**

Given schema(s) list may contain objects which are dependent on objects from other schema(s), not mentioned in the list. Assessment may fail for such objects. It is suggested to extract all dependent objects together.


Extract dependent object from other schemas?(yes/no) (Default no / Ignored for all schemas option): yes

**For SQL Developer**


1. Connect to the SQL server and run the following command:




1. Enter a comma-separated list of schemas:



1. Enter the file path for the output file:



1. Enter (yes/no) to extract dependant objects:



**Note:** You can also enter single schema name in both SQL\*Plus and SQL Developer.

The script then iterates through the object types in the source database and once the task is completed, the .SQL output is stored at the entered location, i.e., <c:\Users\Example\Desktop\>.

## Additional Notes

- The EDB DDL Extractor script does not extract objects that were restored using Flashback and still have names like `BIN$b54+4XIEYwPgUAB/AQBWwA==$0`. If you want to extract these objects, you must change the name of the objects and re-run the extraction process.
- DDL Extractor extracts `nologging` tables as normal tables. Once these tables are migrated to EDB Postgres Advanced Server, WAL log files will be created.
- DDL Extractor creates Global Temporary tables to store the schema names and their dependency information. These tables are dropped at the end of successful extraction.
- DDL Extractor script does not extract schemas whose name starts with `PG_` because PostgreSQL does not support it. If you want to extract these schemas, you must change name of schema before extraction.

## Supported Object Types

The Migration Portal supports the migration of the following object types:

- Synonyms
- DB Links
- Types and Type Body
- Sequences
- Tables
- Constraints
- Indexes (Except LOB indexes and indexes on materialized views)
- Views
- Materialized Views
- Triggers
- Functions
- Procedures
- Packages

### Note

COMMENTS on Columns, Tables, and Materialized Views are also supported.

## Unsupported Object Types

- Editions
- Operators
- Schedulers
- LOB indexes and Indexes on Materialized Views
- XML Schemas
- Profiles
- Role and Object Grants

- Tablespaces
- Directories
- Users
- RLS Policy
- Queues

## Oracle System Schemas

EDB DDL Extractor script will ignore the following system schemas while extracting from Oracle:

ANONYMOUS	APEX_PUBLIC_USER	APEX_030200
APEX_040000	APEX_040000	APPQOSSYS
AUDSYS	BI	CTXSYS
DMSYS	DBSNMP	DIP
DVF	DVSYS	EXFSYS
FLOWS_FILES	FLOWS_020100	GSMADMIN_INTERNAL
GSMCATUSER	GSMUSER	IX
LBACSYS	MDDATA	MDSYS
MGMT_VIEW	OE	OJVMSYS
OLAPSYS	ORDPLUGINS	ORDSYS
ORDDATA	OUTLN	ORACLE_OCM
OWBSYS	OWBYSS_AUDIT	PM
RMAN	SH	SI_INFORMTN_SCHEMA
SPATIAL_CSW_ADMIN_USR	SPATIAL_WFS_ADMIN_USR	SYS
SYSBACKUP	SYSDG	SYSKM
SYSTEM SYSMAN	TSMSYS WKPROXY	WKSYS
WK_TEST XS\$NULL	WMSYS	XDB

## 4.2 Performing a Schema Assessment

To assess an Oracle database schema for compatibility with EDB Postgres Advanced Server, you must:

1. Navigate to the [Migration Portal](#).
2. Enter your EDB credentials.

3. Click the **CREATE PROJECT** icon to create a new project.

### New project

**Project name**  
e.g. First project

**Application interface**  
 JDBC     ODBC     .NET     OCI     ProC     Other

**Source DB**  
Oracle

**Version**  
11g

**Target DB**  
EDB Postgres Advanced Server

**Version**  
13

**DDL file** [\(How to get a DDL file?\)](#)  
No file chosen    [Choose file](#)

**Add Index Prefix**  
Index objects will be prefixed with “idx” as unique names are required for tables and indexes.

**Description(Optional)**  
Say something about the project...  
200 characters left

[Cancel](#)    [Create & assess](#)

1. On the **New project** dialog, enter the project name in the **Project name** field.
2. Specify project details:
  - Select the radio button next to the **Application interface**.
  - Select a **Source DB** and **Version** for the source.
  - Select the **Target DB** and **Version** for the target.
3. Click **Choose file** to upload the .SQL file generated by the latest EDB DDL Extractor for Oracle Database.

**Note:**

- You should not modify the .SQL file.
- Only the .SQL file generated by the latest EDB DDL Extractor can be uploaded.

For more information, refer to the [Schema Extraction <mp\\_schema\\_extraction>](#) section.

4. Check the box next to **Add Index Prefix** to specify an index prefix (**idx**) when creating a project to ensure better assessment results, as EDB Postgres Advanced Server does not support the same name for tables and indexes.
5. Click **Create & assess** to create a new project and to assess the schemas.

Object	Count	Status
HR	12 Objects	58% (5 failed, 2 repaired, 5 passed)
MIGRATIONTEST	9 Objects	77% (2 failed, 1 repaired, 6 passed)
schema_1900	1 Objects	100% (0 failed, 0 repaired, 1 passed)

The analysis tool will review every construct and execute repair actions to improve compatibility with EDB Postgres Advanced Server, and flag any remaining errors that require manual intervention.

1. Verify the DDL objects (e.g., TABLES) that do not show a 100% success ratio.

1. Click the objects that are not compatible with EDB Postgres Advanced Server and view the details. At the bottom of the middle panel, you can view repair action details.

The screenshot displays the EDB migration portal interface. On the left, there's a sidebar titled 'OBJECTS' and 'COMMON FAILURES' containing various icons and a search bar. The main area has tabs for 'Projects' and 'Portal Wiki'. Below these are sections for 'case\_no... 3 schemas' and 'Migrate to ...'. A large central panel compares 'Source' and 'Target' database objects. The 'Source' section shows a CREATE TABLE statement for HR.DEPARTMENTS\_EXT. The 'Target' section shows a CREATE FOREIGN TABLE statement for the same table, specifying a server (file\_fdw\_server) and options (filename '/tmp/data.csv', format 'csv'). A note at the bottom states 'only superuser can change options of a file\_fdw foreign table'. At the bottom right of the central panel is a 'Reassess' button. To the right of the central panel is a 'Quick help' sidebar with links to various Oracle concepts like MERGE statement, Autonomous transaction, etc.

EDB migration portal

Projects Portal Wiki

case\_no... 3 schemas Migrate to ...

Search 22 objects

Source

```
1 CREATE TABLE HR.DEPARTMENTS_EXT
2   (
3     DEPTNO VARCHAR2(4),
4     DNAME VARCHAR2(20),
5     LOCATION VARCHAR2(20)
6   )
7 ORGANIZATION EXTERNAL
```

Target

```
1 ◇ CREATE FOREIGN TABLE HR.DEPARTMENTS_EXT
2   (
3     DEPTNO VARCHAR2(4),
4     DNAME VARCHAR2(20),
5     LOCATION VARCHAR2(20)
6   )
7 server file_fdw_server
8 options (filename '/tmp/data.csv', format 'csv');
```

OUTPUT REPAIRED

only superuser can change options of a file\_fdw foreign table [line 1, char 0]

Reassess

Quick help

Knowledge base Search

MERGE statement

Autonomous transaction

PIPELINED functions

MULTISET function

DEFAULT ON NULL keyword

UNIQUE keyword in SELECT statement

NVL function with different datatypes

LISTAGG function in SELECT statement

Global temporary table in Advanced Server does not match with Oracle global temporary table

An error occurs due to PARTITION and virtual column names in Advanced Server

An error occurs in virtual column in table

BITAND

External tables

SHARED DATABASE LINK

value "99999999999999999999999999999999" is out of range for type bigint

BYTE keyword

1. Refer to the Knowledge Base information in the right panel to locate the possible workarounds for the objects that are not immediately compatible with EDB Postgres Advanced Server. You can also view the Knowledge Base information on the Portal Wiki page.

The screenshot shows the EDB migration portal's schema analysis for the 'case\_no\_v2 / HR' schema. The left sidebar lists common failures and provides navigation to the 'Knowledge base'. The main panel displays a summary of 12 objects across various database components. A detailed breakdown for each component is provided, showing the count of failed, repaired, and passed objects. A tooltip on the right side of the 'Tables' section indicates 2 Failed, 2 Repaired, and 0 Passed objects.

Object Type	Count	Status
Total	12	PASSED 58%
Sequences	1	100%
Types	2	100%
Tables	4	100%
Indexes	1	100%
Constraints	1	100%
Views	2	0%
Materialized View	1	0%

1. On the **Knowledge Base** tab, you can enter the error message for the incompatible objects with EDB Postgres Advanced Server and click **Search**.

The object detail panel displays the workaround or the resolution for the failed object. You can manually make the changes on the **Assessment** tab for that object, and click **Reassess**.

**Note:** If any failed object passes while reassessing, the dependent objects for that object are also reassessed.

The screenshot shows the EDB migration portal interface. On the left, there's a sidebar with 'COMMON FAILURES' and a search bar. The main area displays a comparison between 'Source' and 'Target' environments for the 'EMPLOYEES' table. The 'Source' DDL is as follows:

```

1 CREATE TABLE HR.EMPLOYEES
2 (
3     EMPLOYEE_ID NUMBER(6,0),
4     FIRST_NAME VARCHAR2(20),
5     LAST_NAME VARCHAR2(25) CONSTRAINT EMP_LAST_NAME_NN NOT NULL ENABLE,
6     EMAIL VARCHAR2(26) CONSTRAINT EMP_EMAIL_NN NOT NULL DISABLE,
7     PHONE_NUMBER VARCHAR2(20),
8 );

```

The 'Target' DDL is more detailed, including constraints:

```

1 CREATE TABLE HR.EMPLOYEES
2 (
3     EMPLOYEE_ID NUMBER(6,0),
4     FIRST_NAME VARCHAR2(20),
5     LAST_NAME VARCHAR2(25) CONSTRAINT EMP_LAST_NAME_NN NOT NULL ,
6     EMAIL VARCHAR2(26) CONSTRAINT EMP_EMAIL_NN NOT NULL ,
7     PHONE_NUMBER VARCHAR2(20),
8     HIRE_DATE DATE CONSTRAINT EMP_HIRE_DATE_NN NOT NULL ,
9     JOB_ID VARCHAR2(10) CONSTRAINT EMP_JOB_NN NOT NULL ,
10    SALARY NUMBER(8,2),
11    COMMISSION_PCT NUMBER(2,2),
12    MANAGER_ID NUMBER(6,0),
13    DEPARTMENT_ID NUMBER(4,0),
14    CONSTRAINT EMP_SALARY_MIN CHECK (salary >= 0) ,
15    CONSTRAINT EMP_EMAIL_UK UNIQUE (EMAIL) ,
16    CONSTRAINT EMP_EMP_ID_PK PRIMARY KEY (EMPLOYEE_ID) ;

```

Below the tables, there are sections for 'Indexes', 'Constraints', 'Views', 'Materialized View', and 'MIGRATIONTEST'. At the bottom, there are tabs for 'OUTPUT' (selected), 'REPAIRED', and 'Success'.

**Quick help** is available on the right, listing various Oracle-related topics like MERGE statement, Autonomous transaction, etc.

Similarly, you can make all the incompatible objects compatible.

## Note

If the information or workaround for incompatible objects is not available in the Knowledge Base, please contact the support team for assistance.

When you have finished working with the DDL, you can either download the modified EDB compatible DDL as a .sql file or migrate the schemas see, [Schema Migration](#).

## Generating an Assessment Report

Migration Portal's report functionality provides a high-level assessment summary of the schemas assessed for your project. In addition, the report provides details about the failed objects and the cause of failure.

## Report

Select schemas

All

schema\_1900

HR

MIGRATIONTEST

 Generate

To generate a report:

1. Click the **Report** button to access the schema selection dialog.
2. Select the schemas that you wish to include in the report.
3. Click **Generate** to generate the onscreen report.

Schema Assessment Report

 Generated by: Migration Portal v2.9.0  
14th September 2020, 2:50:49 pm

Project: case\_no\_v2      Source database: Oracle 11g      Target database: EDB Postgres Advanced Server 10

Description: ttt

**Summary**

This report provides a high-level assessment summary for selected schemas you assessed under "case\_no\_v2" project. In addition, the report provides details of the failed objects and the cause of failure.

1 Schemas	12 Total objects	5 Passed	2 Repaired	5 Failed	58% Compatibility
HR 12 objects					
		<span style="background-color: red;">5 failed</span>	<span style="background-color: lightgreen;">2 repaired</span>	<span style="background-color: green;">5 passed</span>	

HR Object type	12 Total	5 Passed	2 Repaired	5 Failed
Constraints	1	1	0	0
Indexes	1	1	0	0
Materialized View	1	0	0	1
Sequences	1	0	1	0
Tables	4	1	1	2
Types	2	2	0	0
Views	2	0	0	2

**Failed Objects**

Schema	Total	Failed
HR	12	5

Common Failures

You can optionally select [Generate PDF](#) to save the report in [.pdf](#) format. You can also view the count of distinct repair handlers applied to the DDLs under the selected schemas.

14/09/2020 EDB Assessment Report-case\_no\_v2

## Schema Assessment Report

 **Project:** case\_no\_v2 **Source database:** Oracle 11g **Target database:** EDB Postgres Advanced Server 10

**Generated by:** Migration Portal v2.9.0  
14th September 2020, 2:51:34 pm **Description:**

### Summary

This report provides a high-level assessment summary for selected schemas you assessed under "case\_no\_v2" project. In addition, the report provides details of the failed objects and the cause of failure.

1 Schemas	12 Total objects	5 Passed	2 Repaired	5 Failed	58% Compatibility
HR	12 objects	 <ul style="list-style-type: none"> <li>● 5 failed</li> <li>● 2 repaired</li> <li>● 5 passed</li> </ul>			

HR Object type	12 Total	5 Passed	2 Repaired	5 Failed
Constraints	1	1	0	0
Indexes	1	1	0	0
Materialized View	1	0	0	1
Sequences	1	0	1	0
Tables	4	1	1	2
Types	2	2	0	0
Views	2	0	0	2

## 4.3 Schema Migration


After resolving errors in your schemas, you can use the schemas with a client application such as pgAdmin, ToadEdge, or the PSQL client, or migrate the schema to an EDB Postgres Advanced Server.

Note: For more information about using Toad Edge with EDB Postgres Advanced Server,

see Toad Edge for Postgres.

You can choose one of the following options for migrating schemas; migrate to an:

- Existing on-premise EDB Postgres Advanced Server
- New on-premise EDB Postgres Advanced Server
- EDB Postgres Advanced Server on Cloud



## Migrating to an Existing On-Premise EDB Postgres Advanced Server Host

You can migrate schemas to an existing on-premise EDB Postgres Advanced Server on Windows or Linux platforms.

### Migrating Schemas on Windows

1. Select the **Existing on-premise EDB Postgres Advanced Server** option:

## Migrate schemas to



### Existing on-premise EDB Postgres Advanced Server

Choose this option to migrate your schemas to an existing on-premise EDB Postgres Advanced Server.



### New on-premise EDB Postgres Advanced Server Installation

Choose this option to install a new EDB Postgres Advanced Server and migrate your schemas.



### EDB Postgres Advanced Server on Cloud

Choose this option to migrate your schemas on EDB Postgres Advanced Server on Cloud.

[Cancel](#)[→ Next](#)

1. Select one or more schemas to migrate to EDB Postgres Advanced Server:

## Migrate schemas to existing on-premise EDB Postgres Advanced Server

1 Select Schemas — 2 Download Schema — 3 Import — 4 Finish

⚠ This project has migration challenges. Contact us for help.

Contact Us X

Project Name case_no_v2	Interface ODBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 10	Compatibility 68% <span style="color: orange;">⚠</span>
----------------------------	-------------------	-------------------------	--	--

Select one or more schemas

All  
 schema\_1900  
 HR  
 MIGRATIONTEST

[Cancel](#) [← Previous](#) [→ Next](#)

### Note

If your schemas are not 100% compatible, a banner will be displayed as shown; complete the [Contact Us](#) form for any assistance required.

**Contact Us**

Your message...

Required project details will be sent along with your message.

By submitting this form, I agree to EDB's [Terms & Conditions](#) and [Privacy Policy](#).

Send

**1. Download the assessed schemas:**

## Migrate schemas to existing on-premise EDB Postgres Advanced Server

?

1 Select Schemas — 2 Download Schema — 3 Import — 4 Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Download the assessed schemas

[!\[\]\(7c0ee04d832f7f1cb2fc6fea71af4b32\_img.jpg\) Download SQL file](#)

Note: Ensure the version number for the EDB Postgres Advanced Server database that you are migrating is 12 (your assessed version).

[Cancel](#) [← Previous](#) [→ Next](#)

1. Click on **Windows**:

## Migrate schemas to existing on-premise EDB Postgres Advanced Server



✓ Select Schemas — ✓ Download Schema — 3 Import — 4 Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Import the selected schemas

Run the following command:

[Windows](#) [Linux](#)

On CLI

```
edb=# \i c:\users\...\<project_name>.sql
```



On cmd/shell

```
edb-psql -f <project_name>.sql
```



[PSQL Documentation](#) | [Advanced Server Documentation](#)

Use pgAdmin instead.

[Cancel](#)

[← Previous](#)

[→ Next](#)

### 1. To import the schemas, run the following command:

- On CLI

```
\i c:\users\...\<project_name>.sql
```

- On cmd/shell

```
edb-psql -f <project_name>.sql
```

#### Note

You can also use pgAdmin instead.

The converted schemas are migrated to the target server.

## Migrate schemas to existing on-premise EDB Postgres Advanced Server



Select Schemas Download Schema Import Finish

Project Name  
ID2019\_1

Interface  
JDBC

Source DB  
Oracle 11g

Target DB  
EDB Postgres Advanced Server 12

Compatibility  
100%

Migration Successful



You can view your converted schemas on the target server.

If you cannot see your schemas on the target server or need help to migrate the schemas, contact us.

Contact us

[Cancel](#)

[← Previous](#)

Done

## Migrating Schemas on Linux

To migrate schemas to an existing on-premise EDB Postgres Advanced Server on Linux, complete the following steps:

1. Click the **Existing on-premise EDB Postgres Advanced Server** option:

## Migrate schemas to



### Existing on-premise EDB Postgres Advanced Server

Choose this option to migrate your schemas to an existing on-premise EDB Postgres Advanced Server.



### New on-premise EDB Postgres Advanced Server Installation

Choose this option to install a new EDB Postgres Advanced Server and migrate your schemas.



### EDB Postgres Advanced Server on Cloud

Choose this option to migrate your schemas on EDB Postgres Advanced Server on Cloud.

[Cancel](#)[→ Next](#)

1. Select one or more schemas to migrate to EDB Postgres Advanced Server:

## Migrate schemas to existing on-premise EDB Postgres Advanced Server

1 Select Schemas — 2 Download Schema — 3 Import — 4 Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Select one or more schemas

All  
 HR

[Cancel](#) [← Previous](#) [→ Next](#)

### 1. Download the assessed schemas:

## Migrate schemas to existing on-premise EDB Postgres Advanced Server

1 Select Schemas — 2 Download Schema — 3 Import — 4 Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Download the assessed schemas

[Download SQL file](#)

Note: Ensure the version number for the EDB Postgres Advanced Server database that you are migrating is 12 (your assessed version).

[Cancel](#) [← Previous](#) [→ Next](#)

### 1. Click on **Linux**:

## Migrate schemas to existing on-premise EDB Postgres Advanced Server



Select Schemas — Download Schema — **3 Import** — **4 Finish**

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Import the selected schemas

Run the following command:

[Windows](#) [Linux](#)

Run the following command on Terminal

```
shell=$ sudo su - enterpriseedb
shell=$ edb-psql edb
edb=# create database <database_name>;
edb=# \connect <database_name>
database_name=# \i <project_name>.sql
```



[PSQL Documentation](#) | [Advanced Server Documentation](#)

Use pgAdmin instead.

[Cancel](#)

[← Previous](#)

[→ Next](#)

- To import the schemas, invoke the following `edb-psql` client commands:

```
sudo su - enterpriseedb
edb-psql edb
create database <database_name>;
\connect <database_name>
\i <project_name>.sql
```

### Note

You can optionally use the `pgAdmin` client for the import.

The converted schemas are migrated to the target server.

## Migrate schemas to existing on-premise EDB Postgres Advanced Server



✓ Select Schemas — ✓ Download Schema — ✓ Import — 4 Finish

Project Name  
ID2019\_1

Interface  
JDBC

Source DB  
Oracle 11g

Target DB  
EDB Postgres Advanced Server 12

Compatibility  
100%

Migration Successful



You can view your converted schemas on the target server.

If you cannot see your schemas on the target server or need help to migrate the schemas, contact us.

Contact us

Cancel

← Previous

✓ Done

## Migrating to a New On-Premise EDB Postgres Advanced Server Installation

You can install new EDB Postgres Advanced Server on-premise on Windows or Linux platforms and migrate the schemas.

### Migrating Schemas on Windows

To migrate schemas to a new on-premise EDB Postgres Advanced Server on Windows, complete the following steps:

1. Click New on-premise EDB Postgres Advanced Server option.

Migrate schemas to

?



**Existing on-premise EDB Postgres Advanced Server**

Choose this option to migrate your schemas to an existing on-premise EDB Postgres Advanced Server.



**New on-premise EDB Postgres Advanced Server Installation**

Choose this option to install a new EDB Postgres Advanced Server and migrate your schemas.



**EDB Postgres Advanced Server on Cloud**

Choose this option to migrate your schemas on EDB Postgres Advanced Server on Cloud.

**Cancel**

→ **Next**

1. Select one or more schemas to migrate on EDB Postgres Advanced Server.

## Migrate schemas to new on-premise EDB Postgres Advanced Server Installation



1 Select Schemas — 2 Select Platform — 3 Get EDB Postgres Advanced Server — 4 Install EDB Postgres Advanced Server >

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Select one or more schemas

All

HR

[Cancel](#)

[← Previous](#)

[→ Next](#)

1. Select the **Windows** operating system.

## Migrate schemas to new on-premise EDB Postgres Advanced Server Installation



1 Select Schemas — 2 Select Platform — 3 Get EDB Postgres Advanced Server — 4 Install EDB Postgres Advanced Server >

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Select the Operating System/Platform

Windows 64-bit



Linux 64-bit



[Cancel](#)

[← Previous](#)

[→ Next](#)

## 1. Download Windows Installer.

**Migrate schemas to new on-premise EDB Postgres Advanced Server Installation**

1 Select Schemas — 2 Select Platform — 3 Get EDB Postgres Advanced Server — 4 Install EDB Postgres Advanced Server

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Install EDB Postgres Advanced Server for Windows

Download Windows installer [View](#)

[Cancel](#) [← Previous](#) [→ Next](#)

1. For installation steps, click EDB Postgres Advanced Server Installation Guide for Windows.

**Migrate schemas to new on-premise EDB Postgres Advanced Server Installation**

1 Get EDB Postgres Advanced Server — 2 Install EDB Postgres Advanced Server — 3 Download Schema — 4 Import

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Install EDB Postgres Advanced Server on Windows

EDB Postgres™ Advanced Server Installation Guide for Windows [View](#)

[Cancel](#) [← Previous](#) [→ Next](#)

## 1. Download the assessed schemas.

**Migrate schemas to new on-premise EDB Postgres Advanced Server Installation**

Postgres Advanced Server — ✓ Install EDB Postgres Advanced Server — 5 Download Schema — 6 Import — 7 Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Download the assessed schemas

Download SQL file

Note: Ensure the version number for the EDB Postgres Advanced Server database that you are migrating is 12 (your assessed version).

Cancel ← Previous Next →

## 1. You can import schemas by running the following command:

- On CLI

```
\i c:\users\...\<project_name>.sql
```

- On cmd/shell

```
edb-psql -f <project_name>.sql
```

## Migrate schemas to new on-premise EDB Postgres Advanced Server Installation

?

Postgres Advanced Server    ✓ Install EDB Postgres Advanced Server    ✓ Download Schema    6 Import    7 Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Import schemas into EDB Postgres Advanced Server

On CLI

```
edb=# \i c:\users\...\<project_name>.sql
```

On cmd/shell

```
edb-psql -f <project_name>.sql
```

[PSQL Documentation](#) | [Advanced Server Documentation](#)

Use  pgAdmin instead.

[Cancel](#) [← Previous](#) [→ Next](#)

### Note

You can also use  pgAdmin instead.

The schemas are migrated to the target server.

**Migrate schemas to new on-premise EDB Postgres Advanced Server Installation**

Postgres Advanced Server    Install EDB Postgres Advanced Server    Download Schema    Import    Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

**Migration Successful**

You can view your converted schemas on the target server.  
If you cannot see your schemas on the target server or need help to migrate the schemas, contact us.

[Contact us](#)

[Cancel](#)     [Previous](#)     [Done](#)

## Migrating Schemas on Linux

To migrate schemas to an on-premise EDB Postgres Advanced Server on Linux, complete the following steps:

1. Click **New On-premise EDB Postgres Advanced Server** option.

Migrate schemas to

?



**Existing on-premise EDB Postgres Advanced Server**

Choose this option to migrate your schemas to an existing on-premise EDB Postgres Advanced Server.



**New on-premise EDB Postgres Advanced Server Installation**

Choose this option to install a new EDB Postgres Advanced Server and migrate your schemas.



**EDB Postgres Advanced Server on Cloud**

Choose this option to migrate your schemas on EDB Postgres Advanced Server on Cloud.

**Cancel**

→ **Next**

1. Select one or more schemas to migrate on EDB Postgres Advanced Server.

## Migrate schemas to new on-premise EDB Postgres Advanced Server Installation

1 Select Schemas — 2 Select Platform — 3 Get EDB Postgres Advanced Server — 4 Install EDB Postgres Advanced Server

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Select one or more schemas

All  
 HR

[Cancel](#) [← Previous](#) [Next →](#)

1. Select the **Linux** operating system.

## Migrate schemas to new on-premise EDB Postgres Advanced Server Installation

1 Select Schemas — 2 **Select Platform** — 3 Get EDB Postgres Advanced Server — 4 Install EDB Postgres Advanced Server

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Select the Operating System/Platform

Windows 64-bit 

Linux 64-bit 

[Cancel](#) [← Previous](#) [Next →](#)

1. You can select one of the following options to install the EDB Postgres Advanced

## Server:

- Repository
- More options

**Migrate schemas to new on-premise EDB Postgres Advanced Server Installation** ?

1 Select Schemas    2 Select Platform    3 Get EDB Postgres Advanced Server    4 Install EDB Postgres Advanced Ser >


Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Install EDB Postgres Advanced Server for Linux

Repository

More options

[Cancel](#) [← Previous](#) [→ Next](#)



2. For information on the installation procedure, click [EDB Postgres Advanced Server Installation Guide](#) for Linux:

## Migrate schemas to new on-premise EDB Postgres Advanced Server Installation

Get EDB Postgres Advanced Server → 4 Install EDB Postgres Advanced Server → 5 Download Schema → 6 Import →

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Install EDB Postgres Advanced Server on Linux

EDB Postgres™ Advanced Server Installation Guide for Linux

[Cancel](#) [← Previous](#) [→ Next](#)

### 1. Download the assessed schemas:

## Migrate schemas to new on-premise EDB Postgres Advanced Server Installation

Get EDB Postgres Advanced Server → 4 Install EDB Postgres Advanced Server → 5 Download Schema → 6 Import → 7 Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Download the assessed schemas

[Download SQL file](#)

Note: Ensure the version number for the EDB Postgres Advanced Server database that you are migrating is 12 (your assessed version).

[Cancel](#) [← Previous](#) [→ Next](#)

### 1. To import the schemas, run the following command:

```
sudo su - enterprisedb
edb-psql edb
create database <database_name>;
\connect <database_name>
\i <project_name>.sql
```

## Migrate schemas to new on-premise EDB Postgres Advanced Server Installation

Postgres Advanced Server   Install EDB Postgres Advanced Server   Download Schema   Import   Finish   ?

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

**Import schemas into EDB Postgres Advanced Server**

Run the following command on Terminal

```
shell=$ sudo su - enterprisedb
shell=$ edb-psql edb
edb=# create database <database_name>;
edb=# \connect <database_name>
database_name=# \i <project_name>.sql
```

[PSQL Documentation](#) | [Advanced Server Documentation](#)

Use pgAdmin instead.

[Cancel](#)   [← Previous](#)   [→ Next](#)

### Note

You can also use pgAdmin instead.

The converted schemas are migrated to the target server.

**Migrate schemas to new on-premise EDB Postgres Advanced Server Installation**

Project Name: ID2019\_1 | Interface: JDBC | Source DB: Oracle 11g | Target DB: EDB Postgres Advanced Server 12 | Compatibility: 100%

Migration Successful

 You can view your converted schemas on the target server.

If you cannot see your schemas on the target server or need help to migrate the schemas, contact us.

[!\[\]\(859a9b0fd7d89aa7bb03b757504681cf\_img.jpg\) Contact us](#)

[Cancel](#) [Previous](#) [Done](#)

## Migrating to the Cloud

To migrate schemas on EDB Postgres Advanced Server to Cloud, complete the following steps:

1. Click **EDB Postgres Advanced Server on Cloud** option:

## Migrate schemas to



### Existing on-premise EDB Postgres Advanced Server

Choose this option to migrate your schemas to an existing on-premise EDB Postgres Advanced Server.



### New on-premise EDB Postgres Advanced Server Installation

Choose this option to install a new EDB Postgres Advanced Server and migrate your schemas.



### EDB Postgres Advanced Server on Cloud

Choose this option to migrate your schemas on EDB Postgres Advanced Server on Cloud.

[Cancel](#)[→ Next](#)

1. Select one or more schemas to migrate to EDB Postgres Advanced Server:

## Migrate schemas to EDB Postgres Advanced Server on Cloud



1 Select Schemas —— 2 Select Platform —— 3 Launch Cluster —— 4 Connect —— 5 Deploy —— 6 Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Select one or more schemas

All

HR

[Cancel](#)

[← Previous](#)

[→ Next](#)

1. Select the cloud platform. For example, [IBM Cloud](#):

## Migrate your schemas to the cloud

?

1 Select Schemas 2 Select Platform 3 Launch Cluster 4 Connect 5 Deploy 6 Finish

Project Name HumanResources	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------------	-------------------	-------------------------	--	-----------------------

Select the Cloud Platform

 IBM Cloud

AWS

Google Cloud

Microsoft Azure

[Cancel](#) [← Previous](#) [→ Next](#)

1. To launch a new cluster, click **Go to Cloud**:

## Migrate schemas to EDB Postgres Advanced Server on Cloud

?

1 Select Schemas    2 Select Platform    3 Launch Cluster    4 Connect    5 Deploy    6 Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

Launch new IBM™ Cloud cluster

Navigate to IBM™ Cloud to launch a new cluster.

→ Go to IBM™ Cloud

Note: If you have an existing cluster running, click Next.

Cancel    ← Previous    → Next

Or, if you have an existing cluster running, click **Next**.

1. Enter the required connection details on the **Connect** page:

## Migrate schemas to EDB Postgres Advanced Server on Cloud

?

1 Select Schemas — 2 Select Platform — 3 Launch Cluster — 4 Connect — 5 Deploy — 6 Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

**Connect to IBM™ Cloud cluster**

**Target Database**  
ID2019\_1

**Host Name/Address**  
Host Name/Address

**Port**  
9999

Note: Ensure that your database server is accessible from Migration Portal.

**Maintenance Database**  
edb

**Username**  
enterprisedb

**Password**  
Password

[Cancel](#) [← Previous](#) [→ Next](#)

**Note**

You can click **Edit Connection** to make changes to the connection details and retest the connection details.

1. Click **Test Connection** to verify the connection details:

## Migrate schemas to EDB Postgres Advanced Server on Cloud



✓ Select Schemas — ✓ Select Platform — ✓ Launch Cluster — 4 Connect — 5 Deploy — 6 Finish

Project Name ID2019_1	Interface JDBC	Source DB Oracle 11g	Target DB EDB Postgres Advanced Server 12	Compatibility 100%
--------------------------	-------------------	-------------------------	--	-----------------------

### Target Database

ID2019\_1

### Host Name/Address Port

52.5.148.59 9999

### Maintenance Database

dmp\_exec

Note: Deployment will create a new database **ID2019\_1** on target server, if the database does not exist.

Ensure that all schemas have a 100% success ratio before deployment.

Existing schemas with similar names will be dropped during deployment.

Edit Connection

[Cancel](#)

[← Previous](#)

[→ Next](#)

- Once the connection is successful, click **Next**:

**Migrate schemas to EDB Postgres Advanced Server on Cloud**

Project Name: ID2019\_1 | Interface: JDBC | Source DB: Oracle 11g | Target DB: EDB Postgres Advanced Server 12 | Compatibility: 100%

**Migration Successful**

You can view your converted schemas on the target server.

[Download Summary](#)

If you cannot see your schemas on the target server or need help to migrate the schemas, contact us.

[Contact us](#)

[Cancel](#) [← Previous](#) [✓ Done](#)

The converted schemas are migrated to the target server.

## 4.4 Data Migration

After performing the schema migration, complete the following steps to migrate data:

1. Use Migration Toolkit to migrate the data. For detailed information about using Migration Toolkit, see the [Migration Toolkit Guide](#).
2. Configure the Migration Toolkit `toolkit.properties` file, ensuring that connection information for the source and target databases is available in the property file:

```
SRC_DB_URL = jdbc: oracle:thin:@localhost:1521:ORCL
SRC_DB_USER = user_name
SRC_DB_PASSWORD = password
```

```
TARGET_DB_URL= jdbc:edb://localhost:5444/migration
TARGET_DB_USER = enterprisedb
TARGET_DB-PASSWORD = password
```

For more information, see [Building the toolkit.properties File](#).

1. Invoke Migration Toolkit in `–dataOnly` mode; include the `–truncLoad` keyword to resolve foreign key dependencies across tables.

For example, the following command migrates data to a schema named `hr`:

```
runMTK.sh –dataOnly –targetSchema hr –truncLoad HR
```

The command migrates the specified source\_schema to the `target_schema`. The data is loaded into the locally installed EDB Postgres instance with a database superuser named `enterprisedb` and the password of `password`.

**Note:** The tables are truncated before attempting the data load.

## 5 Advanced Data Migration

For larger databases that require a parallel data load, you can use one of the following methods:

- Use the EDB Postgres Advanced Server database link feature (for compatibility with Oracle databases).

Or

- Use a Dblink or a database link style migration (if your data contains `CLOB` data).

For more information, see the [Migration Toolkit Guide](#).