

Introduction to Machine Learning


Computational Linguistics: Jordan Boyd-Graber University of Maryland

Slides adapted from Tom Mitchell, Eric Xing, and Lauren Hannah


Content Questions

Administrative Questions

Find the maximum margin hyperplane



Find the maximum margin hyperplane



Which are the support vectors?

Working geometrically:

Working geometrically:

• If you got 0 = .5x + y - 2.75, close!

Working geometrically:

- If you got 0 = .5x + y 2.75, close!
- Set up system of equations

$$w_1 + w_2 + b = -1$$
 (1)

$$\frac{3}{2}w_1 + 2w_2 + b = 0 \tag{2}$$

$$2w_1 + 3w_2 + b = +1 \tag{3}$$


Working geometrically:

- If you got 0 = .5x + y 2.75, close!
- Set up system of equations

$$w_1 + w_2 + b = -1$$
 (1)

$$\frac{3}{2}w_1 + 2w_2 + b = 0 \tag{2}$$


$$2w_1 + 3w_2 + b = +1 \tag{3}$$



The SVM decision boundary is:


$$0 = \frac{2}{5}x + \frac{4}{5}y - \frac{11}{5}$$

Cannonical Form




$$w_1 x_1 + w_2 x_2 + b$$

Cannonical Form



 $.4x_1 + .8x_2 - 2.2$

Cannonical Form



$$.4x_1 + .8x_2 - 2.2$$

- $-.4 \cdot 1 + .8 \cdot 1 2.2 = -1$
- $.4 \cdot \frac{3}{2} + .8 \cdot 2 = 0$
- $-.4 \cdot 2 + .8 \cdot 3 2.2 = +1$

Distance to closest point

Distance to closest point

$$\sqrt{\left(\frac{3}{2}-1\right)^2+(2-1)^2}=\frac{\sqrt{5}}{2}\tag{4}$$

Distance to closest point

$$\sqrt{\left(\frac{3}{2}-1\right)^2+(2-1)^2}=\frac{\sqrt{5}}{2}\tag{4}$$

Weight vector

Distance to closest point

$$\sqrt{\left(\frac{3}{2}-1\right)^2+(2-1)^2}=\frac{\sqrt{5}}{2} \tag{4}$$

Weight vector

$$\frac{1}{||w||} = \frac{1}{\sqrt{\left(\frac{2}{5}\right)^2 + \left(\frac{4}{5}\right)^2}} = \frac{1}{\sqrt{\frac{20}{25}}} = \frac{5}{\sqrt{5}\sqrt{4}} = \frac{\sqrt{5}}{2}$$
 (5)