



Topic Models

Machine Learning: Jordan Boyd-Graber
University of Maryland

EXAMPLE

Content Questions

Sampling Token A

Assignments

$\text{Doc}_1 : z_A = 1, z_B = 2, z_C = 3, z_D = 1$

$\text{Doc}_2 : z_E = 2, z_F = 3, z_G = 1$

$\text{Doc}_3 : z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger dog iron
pig

Topic 2 :pig hamburger iron
cat

Topic 3 :dog iron cat

Sampling Token A

Assignments

Doc₁ : $z_A = 1, z_B = 2, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger dog iron
pig

Topic 2 :pig hamburger iron
cat

Topic 3 :dog iron cat

$$\blacksquare p(z_A = 1) = \left(\frac{1+1.000}{3+3.000} \right) \times \left(\frac{0+1.000}{3+5.000} \right) = 0.333 \times 0.125 = 0.042 = 0.042$$

Sampling Token A

Assignments

Doc₁ : $z_A = 1, z_B = 2, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger dog iron pig

Topic 2 :pig hamburger iron cat

Topic 3 :dog iron cat

- $p(z_A = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_A = 2) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{4+5.000}\right) = 0.333 \times 0.111 = 0.037 = 0.037$

Sampling Token A

Assignments

Doc₁ : $z_A = 1, z_B = 2, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger dog iron
pig

Topic 2 :pig hamburger iron
cat

Topic 3 :dog iron cat

- $p(z_A = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_A = 2) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{4+5.000}\right) = 0.333 \times 0.111 = 0.037 = 0.037$
- $p(z_A = 3) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.333 \times 0.250 = 0.083 = 0.083$

Sampling Token A

Assignments

Doc₁ : $z_A = 1, z_B = 2, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger dog iron
pig

Topic 2 :pig hamburger iron
cat

Topic 3 :dog iron cat

- $p(z_A = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_A = 2) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{4+5.000}\right) = 0.333 \times 0.111 = 0.037 = 0.037$
- $p(z_A = 3) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.333 \times 0.250 = 0.083 = 0.083$

Sampling Token A

Assignments

Doc₁ : $z_A = 1, z_B = 2, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger dog iron pig

Topic 2 :pig hamburger iron cat

Topic 3 :dog iron cat

- $p(z_A = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_A = 2) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{4+5.000}\right) = 0.333 \times 0.111 = 0.037 = 0.037$
- $p(z_A = 3) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.333 \times 0.250 = 0.083 = 0.083$

New assignment for (0, 0): 3

Sampling Token B

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 2, z_C = 3, z_D = 1$

$\text{Doc}_2 : z_E = 2, z_F = 3, z_G = 1$

$\text{Doc}_3 : z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron
cat

Topic 3 :dog dog iron cat

Sampling Token B

Assignments

Doc₁ : $z_A = 3, z_B = 2, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron
cat

Topic 3 :dog dog iron cat

$$\blacksquare p(z_B = 1) = \left(\frac{1+1.000}{3+3.000} \right) \times \left(\frac{0+1.000}{3+5.000} \right) = 0.333 \times 0.125 = 0.042 = 0.042$$

Sampling Token B

Assignments

Doc₁ : $z_A = 3, z_B = 2, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron
cat

Topic 3 :dog dog iron cat

- $p(z_B = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_B = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$

Sampling Token B

Assignments

Doc₁ : $z_A = 3, z_B = 2, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron
cat

Topic 3 :dog dog iron cat

- $p(z_B = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_B = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_B = 3) = \left(\frac{2+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{4+5.000}\right) = 0.500 \times 0.222 = 0.111 = 0.111$

Sampling Token B

Assignments

Doc₁ : $z_A = 3, z_B = 2, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron
cat

Topic 3 :dog dog iron cat

- $p(z_B = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_B = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_B = 3) = \left(\frac{2+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{4+5.000}\right) = 0.500 \times 0.222 = 0.111 = 0.111$

Sampling Token B

Assignments

Doc₁ : $z_A = 3, z_B = 2, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron
cat

Topic 3 :dog dog iron cat

- $p(z_B = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_B = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_B = 3) = \left(\frac{2+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{4+5.000}\right) = 0.500 \times 0.222 = 0.111 = 0.111$

New assignment for (0, 1): 3

Sampling Token C

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 1$

$\text{Doc}_2 : z_E = 2, z_F = 3, z_G = 1$

$\text{Doc}_3 : z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

Sampling Token C

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

$$\blacksquare p(z_C = 1) = \left(\frac{1+1.000}{3+3.000} \right) \times \left(\frac{0+1.000}{3+5.000} \right) = 0.333 \times 0.125 = 0.042 = 0.042$$

Sampling Token C

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

- $p(z_C = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_C = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$

Sampling Token C

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

- $p(z_C = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_C = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_C = 3) = \left(\frac{2+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{4+5.000}\right) = 0.500 \times 0.222 = 0.111 = 0.111$

Sampling Token C

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

- $p(z_C = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_C = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_C = 3) = \left(\frac{2+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{4+5.000}\right) = 0.500 \times 0.222 = 0.111 = 0.111$

Sampling Token C

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

- $p(z_C = 1) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.333 \times 0.125 = 0.042 = 0.042$
- $p(z_C = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_C = 3) = \left(\frac{2+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{4+5.000}\right) = 0.500 \times 0.222 = 0.111 = 0.111$

New assignment for (0, 2): 3

Sampling Token D

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 1$

$\text{Doc}_2 : z_E = 2, z_F = 3, z_G = 1$

$\text{Doc}_3 : z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

Sampling Token D

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

$$\blacksquare p(z_D = 1) = \left(\frac{0+1.000}{3+3.000} \right) \times \left(\frac{0+1.000}{2+5.000} \right) = 0.167 \times 0.143 = 0.024 = 0.024$$

Sampling Token D

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

- $p(z_D = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.167 \times 0.143 = 0.024 = 0.024$
- $p(z_D = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.167 \times 0.250 = 0.042 = 0.042$

Sampling Token D

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

- $p(z_D = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.167 \times 0.143 = 0.024 = 0.024$
- $p(z_D = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.167 \times 0.250 = 0.042 = 0.042$
- $p(z_D = 3) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{5+5.000}\right) = 0.667 \times 0.100 = 0.067 = 0.067$

Sampling Token D

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

- $p(z_D = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.167 \times 0.143 = 0.024 = 0.024$
- $p(z_D = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.167 \times 0.250 = 0.042 = 0.042$
- $p(z_D = 3) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{5+5.000}\right) = 0.667 \times 0.100 = 0.067 = 0.067$

Sampling Token D

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 1$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron pig

Topic 2 :pig hamburger iron

Topic 3 :dog dog iron cat cat

- $p(z_D = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.167 \times 0.143 = 0.024 = 0.024$
- $p(z_D = 2) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.167 \times 0.250 = 0.042 = 0.042$
- $p(z_D = 3) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{5+5.000}\right) = 0.667 \times 0.100 = 0.067 = 0.067$

New assignment for (0, 3): 3

Sampling Token E

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 3$

$\text{Doc}_2 : z_E = 2, z_F = 3, z_G = 1$

$\text{Doc}_3 : z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron

Topic 2 :pig hamburger iron

Topic 3 :pig dog dog iron cat
cat

Sampling Token E

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron

Topic 2 :pig hamburger iron

Topic 3 :pig dog dog iron cat
cat

$$\blacksquare p(z_E = 1) = \left(\frac{1+1.000}{2+3.000} \right) \times \left(\frac{1+1.000}{2+5.000} \right) = 0.400 \times 0.286 = 0.114 = 0.114$$

Sampling Token E

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron

Topic 2 :pig hamburger iron

Topic 3 :pig dog dog iron cat
cat

- $p(z_E = 1) = \left(\frac{1+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{2+5.000}\right) = 0.400 \times 0.286 = 0.114 = 0.114$
- $p(z_E = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$

Sampling Token E

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron

Topic 2 :pig hamburger iron

Topic 3 :pig dog dog iron cat
cat

- $p(z_E = 1) = \left(\frac{1+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{2+5.000}\right) = 0.400 \times 0.286 = 0.114 = 0.114$
- $p(z_E = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$
- $p(z_E = 3) = \left(\frac{1+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{6+5.000}\right) = 0.400 \times 0.091 = 0.036 = 0.036$

Sampling Token E

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron

Topic 2 :pig hamburger iron

Topic 3 :pig dog dog iron cat
cat

- $p(z_E = 1) = \left(\frac{1+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{2+5.000}\right) = 0.400 \times 0.286 = 0.114 = 0.114$
- $p(z_E = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$
- $p(z_E = 3) = \left(\frac{1+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{6+5.000}\right) = 0.400 \times 0.091 = 0.036 = 0.036$

Sampling Token E

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 2, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger iron

Topic 2 :pig hamburger iron

Topic 3 :pig dog dog iron cat
cat

$$\blacksquare p(z_E = 1) = \left(\frac{1+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{2+5.000}\right) = 0.400 \times 0.286 = 0.114 = 0.114$$

$$\blacksquare p(z_E = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$$

$$\blacksquare p(z_E = 3) = \left(\frac{1+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{6+5.000}\right) = 0.400 \times 0.091 = 0.036 = 0.036$$

New assignment for (1, 0): 1

Sampling Token F

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 3$

$\text{Doc}_2 : z_E = 1, z_F = 3, z_G = 1$

$\text{Doc}_3 : z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger iron

Topic 2 :pig iron

Topic 3 :pig dog dog iron cat
cat

Sampling Token F

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger iron

Topic 2 :pig iron

Topic 3 :pig dog dog iron cat
cat

$$\blacksquare p(z_F = 1) = \left(\frac{2+1.000}{2+3.000} \right) \times \left(\frac{0+1.000}{3+5.000} \right) = 0.600 \times 0.125 = 0.075 = 0.075$$

Sampling Token F

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 3$

$\text{Doc}_2 : z_E = 1, z_F = 3, z_G = 1$

$\text{Doc}_3 : z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger iron

Topic 2 :pig iron

Topic 3 :pig dog dog iron cat
cat

- $p(z_F = 1) = \left(\frac{2+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.600 \times 0.125 = 0.075 = 0.075$
- $p(z_F = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$

Sampling Token F

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 3$

$\text{Doc}_2 : z_E = 1, z_F = 3, z_G = 1$

$\text{Doc}_3 : z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger iron

Topic 2 :pig iron

Topic 3 :pig dog dog iron cat
cat

- $p(z_F = 1) = \left(\frac{2+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.600 \times 0.125 = 0.075 = 0.075$
- $p(z_F = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$
- $p(z_F = 3) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{5+5.000}\right) = 0.200 \times 0.200 = 0.040 = 0.040$

Sampling Token F

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 3$

$\text{Doc}_2 : z_E = 1, z_F = 3, z_G = 1$

$\text{Doc}_3 : z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger iron

Topic 2 :pig iron

Topic 3 :pig dog dog iron cat
cat

- $p(z_F = 1) = \left(\frac{2+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.600 \times 0.125 = 0.075 = 0.075$
- $p(z_F = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$
- $p(z_F = 3) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{5+5.000}\right) = 0.200 \times 0.200 = 0.040 = 0.040$

Sampling Token F

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 3, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger iron

Topic 2 :pig iron

Topic 3 :pig dog dog iron cat
cat

- $p(z_F = 1) = \left(\frac{2+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.600 \times 0.125 = 0.075 = 0.075$
- $p(z_F = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$
- $p(z_F = 3) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{5+5.000}\right) = 0.200 \times 0.200 = 0.040 = 0.040$

New assignment for (1, 1): 1

Sampling Token G

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 3$

$\text{Doc}_2 : z_E = 1, z_F = 1, z_G = 1$

$\text{Doc}_3 : z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

Sampling Token G

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

$$\blacksquare p(z_G = 1) = \left(\frac{2+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.600 \times 0.250 = 0.150 = 0.150$$

Sampling Token G

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

- $p(z_G = 1) = \left(\frac{2+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.600 \times 0.250 = 0.150 = 0.150$
- $p(z_G = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$

Sampling Token G

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

- $p(z_G = 1) = \left(\frac{2+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.600 \times 0.250 = 0.150 = 0.150$
- $p(z_G = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$
- $p(z_G = 3) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{5+5.000}\right) = 0.200 \times 0.100 = 0.020 = 0.020$

Sampling Token G

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

- $p(z_G = 1) = \left(\frac{2+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.600 \times 0.250 = 0.150 = 0.150$
- $p(z_G = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$
- $p(z_G = 3) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{5+5.000}\right) = 0.200 \times 0.100 = 0.020 = 0.020$

Sampling Token G

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

$$\blacksquare p(z_G = 1) = \left(\frac{2+1.000}{2+3.000}\right) \times \left(\frac{1+1.000}{3+5.000}\right) = 0.600 \times 0.250 = 0.150 = 0.150$$

$$\blacksquare p(z_G = 2) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{2+5.000}\right) = 0.200 \times 0.143 = 0.029 = 0.029$$

$$\blacksquare p(z_G = 3) = \left(\frac{0+1.000}{2+3.000}\right) \times \left(\frac{0+1.000}{5+5.000}\right) = 0.200 \times 0.100 = 0.020 = 0.020$$

New assignment for (1, 2): 1

Sampling Token H

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 3$

$\text{Doc}_2 : z_E = 1, z_F = 1, z_G = 1$

$\text{Doc}_3 : z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

Sampling Token H

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

$$\blacksquare p(z_H = 1) = \left(\frac{0+1.000}{3+3.000} \right) \times \left(\frac{0+1.000}{3+5.000} \right) = 0.167 \times 0.125 = 0.021 = 0.021$$

Sampling Token H

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

- $p(z_H = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_H = 2) = \left(\frac{2+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{2+5.000}\right) = 0.500 \times 0.286 = 0.143 = 0.143$

Sampling Token H

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

- $p(z_H = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_H = 2) = \left(\frac{2+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{2+5.000}\right) = 0.500 \times 0.286 = 0.143 = 0.143$
- $p(z_H = 3) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{5+5.000}\right) = 0.333 \times 0.200 = 0.067 = 0.067$

Sampling Token H

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

- $p(z_H = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_H = 2) = \left(\frac{2+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{2+5.000}\right) = 0.500 \times 0.286 = 0.143 = 0.143$
- $p(z_H = 3) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{5+5.000}\right) = 0.333 \times 0.200 = 0.067 = 0.067$

Sampling Token H

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 1, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog iron

Topic 2 :pig iron

Topic 3 :pig dog iron cat cat

- $p(z_H = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_H = 2) = \left(\frac{2+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{2+5.000}\right) = 0.500 \times 0.286 = 0.143 = 0.143$
- $p(z_H = 3) = \left(\frac{1+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{5+5.000}\right) = 0.333 \times 0.200 = 0.067 = 0.067$

New assignment for (2, 0): 2

Sampling Token I

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 3$

$\text{Doc}_2 : z_E = 1, z_F = 1, z_G = 1$

$\text{Doc}_3 : z_H = 2, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron

Topic 3 :pig dog iron cat cat

Sampling Token I

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron

Topic 3 :pig dog iron cat cat

$$\blacksquare p(z_I = 1) = \left(\frac{0+1.000}{3+3.000} \right) \times \left(\frac{0+1.000}{3+5.000} \right) = 0.167 \times 0.125 = 0.021 = 0.021$$

Sampling Token I

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron

Topic 3 :pig dog iron cat cat

- $p(z_I = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_I = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{2+1.000}{3+5.000}\right) = 0.667 \times 0.375 = 0.250 = 0.250$

Sampling Token I

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron

Topic 3 :pig dog iron cat cat

- $p(z_I = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_I = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{2+1.000}{3+5.000}\right) = 0.667 \times 0.375 = 0.250 = 0.250$
- $p(z_I = 3) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{4+5.000}\right) = 0.167 \times 0.111 = 0.019 = 0.019$

Sampling Token I

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron

Topic 3 :pig dog iron cat cat

- $p(z_I = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_I = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{2+1.000}{3+5.000}\right) = 0.667 \times 0.375 = 0.250 = 0.250$
- $p(z_I = 3) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{4+5.000}\right) = 0.167 \times 0.111 = 0.019 = 0.019$

Sampling Token I

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 3, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron

Topic 3 :pig dog iron cat cat

$$\blacksquare p(z_I = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$$

$$\blacksquare p(z_I = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{2+1.000}{3+5.000}\right) = 0.667 \times 0.375 = 0.250 = 0.250$$

$$\blacksquare p(z_I = 3) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{4+5.000}\right) = 0.167 \times 0.111 = 0.019 = 0.019$$

New assignment for (2, 1): 2

Sampling Token J

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 3$

$\text{Doc}_2 : z_E = 1, z_F = 1, z_G = 1$

$\text{Doc}_3 : z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

Sampling Token J

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

$$\blacksquare p(z_J = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$$

Sampling Token J

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

- $p(z_J = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_J = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.667 \times 0.125 = 0.083 = 0.083$

Sampling Token J

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

- $p(z_J = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_J = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.667 \times 0.125 = 0.083 = 0.083$
- $p(z_J = 3) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{4+5.000}\right) = 0.167 \times 0.222 = 0.037 = 0.037$

Sampling Token J

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

- $p(z_J = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_J = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.667 \times 0.125 = 0.083 = 0.083$
- $p(z_J = 3) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{4+5.000}\right) = 0.167 \times 0.222 = 0.037 = 0.037$

Sampling Token J

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

$$\blacksquare p(z_J = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$$

$$\blacksquare p(z_J = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.667 \times 0.125 = 0.083 = 0.083$$

$$\blacksquare p(z_J = 3) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{1+1.000}{4+5.000}\right) = 0.167 \times 0.222 = 0.037 = 0.037$$

New assignment for (2, 2): 2

Sampling Token K

Assignments

$\text{Doc}_1 : z_A = 3, z_B = 3, z_C = 3, z_D = 3$

$\text{Doc}_2 : z_E = 1, z_F = 1, z_G = 1$

$\text{Doc}_3 : z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

Sampling Token K

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

$$\blacksquare p(z_K = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$$

Sampling Token K

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

- $p(z_K = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_K = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{2+1.000}{3+5.000}\right) = 0.667 \times 0.375 = 0.250 = 0.250$

Sampling Token K

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

- $p(z_K = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_K = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{2+1.000}{3+5.000}\right) = 0.667 \times 0.375 = 0.250 = 0.250$
- $p(z_K = 3) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{4+5.000}\right) = 0.167 \times 0.111 = 0.019 = 0.019$

Sampling Token K

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

- $p(z_K = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$
- $p(z_K = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{2+1.000}{3+5.000}\right) = 0.667 \times 0.375 = 0.250 = 0.250$
- $p(z_K = 3) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{4+5.000}\right) = 0.167 \times 0.111 = 0.019 = 0.019$

Sampling Token K

Assignments

Doc₁ : $z_A = 3, z_B = 3, z_C = 3, z_D = 3$

Doc₂ : $z_E = 1, z_F = 1, z_G = 1$

Doc₃ : $z_H = 2, z_I = 2, z_J = 2, z_K = 2$

Topics

Topic 1 :hamburger

hamburger dog

Topic 2 :pig iron iron iron

Topic 3 :pig dog cat cat

$$\blacksquare p(z_K = 1) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{3+5.000}\right) = 0.167 \times 0.125 = 0.021 = 0.021$$

$$\blacksquare p(z_K = 2) = \left(\frac{3+1.000}{3+3.000}\right) \times \left(\frac{2+1.000}{3+5.000}\right) = 0.667 \times 0.375 = 0.250 = 0.250$$

$$\blacksquare p(z_K = 3) = \left(\frac{0+1.000}{3+3.000}\right) \times \left(\frac{0+1.000}{4+5.000}\right) = 0.167 \times 0.111 = 0.019 = 0.019$$

New assignment for (2, 3): 2