		Page.
并行编程的主要模	型有。 	
1) Mess age passing	9 %	
independent tasks	encapsulating local	data
tasks interact by	exchanging message	3
C C I MONIONIA		
tasks share a con	mmon address space	Market Land
tasks interact by	reading and writing	this spare
)
Tasks execute a	sequence of independe	ent operations
Pata usually eve	mly partitioned across	tades
安市的问题都定合自 可事為数: 线程安全: It funct by multiple threads, 关系: Fifa的逐步	1 出水4 月秋天 夜沙景	# 15 (6) x 15
线程安瓿数	线程不安全函数	
int is int fun!() Lint)=13	int funt (Oti)	
return (*5)	. Ø	return JX 53
	① Mess age passing independent tasks interact by Casks interact by Shared memory tasks share a contasks interact by asynchronously asynchronously Data Batallet po Tasks execute a Pata usually eve 可重义: 基等多个执行通常访问的都是各员可重点。 发程安全: It funct by multiple threads. 关系: Fr有的函数 《线程安经函数 (可重人函数) (如本数) (如本数)	① Mess age passing independent tasks encapsulating local tasks interact by exchanging message ② Shared memory tasks share a common address space tasks interact by reading and writing asynchronously ③ Data Pathlet parallelization Tasks execute a sequence of independ Data usually evenly partitioned across 可重义: 量多分种行流 反复执行一个代码 通常访问的都是各自的私有栈资源 可重义进数: 线程安全: 且 functions correctly during by multiple threads, 关系: FF有的逐步 结程安全逐步 线程安全逐步 统程安全逐步 或程安全逐步 或程安全逐步 或程安全逐步 或程安全逐步 或程安全逐步 或程安全逐步 或程子全运数 可重义性力 一种 如果 一种 和果