


Computer Use Benchmark

Non-Training Build Report

EnvLoop / 2 October 2026

Scope: executable infrastructure and independently checked controls. This report contains no full-study model result or measured training gain.



Date: 2 October 2026. This build assumes Tinker is unavailable. It makes no model-performance claim and does not change the full study's 4-researcher by 6-cell design.

Executable components

The controller preserves the repository layout and hash-bound runtime dependencies. It includes Chromium, Docker and Compose clients, E2B desktop clients, Harbor 0.23 with its E2B extra, application adapters, task generators, independent verifiers and English report tooling. Tinker is not installed. A source archive and its complete file-hash manifest accompany the image.

Cell	Current endpoint	Independent verification	Actual execution boundary
Excel web	tools.office_current_worker_cli_v5	Original rich SEC graph and saved workbook checks	140 original packages replayed offline; current native lifecycle pending
PowerPoint web	tools.office_current_worker_cli_v5	Saved deck text, chart and collateral checks	140 portable WDI packages built; current native lifecycle pending
Native desktop	native_desktop_factory.native_guaranteed_observation_runtime_v46	Saved Calc, Impress and Writer artifacts	Five genuine actions applied; saved bytes remained the baseline, then window ownership failed; no positive/reset credit
Odoo Community	enterprise_fallback.odoo18.native_surface_workers_v14	Trusted SQL state, exact reset and native receipt audit	Current 20 selection and 20 pilot-final control sets independently verified
GitLab CE	gitlab_world.v066_uniform_model_workers_v14	Saved SQL plus Git trees, blobs and relationships	Two current saved control trios independently verified; retained source/sidebar pages reviewed; complete activity/link rendering not captured
Magento	magento_catalog_factory.native_surface_workers_v10	Catalog SQL, search state, queue ownership, principal witness and exact reset	One fresh TRAIN trio verified: baseline 0, positive 1, wrong variant 0; pixel robustness unestablished; zero formal results

Current source bindings and CLI help are checked in isolated processes inside the image. These checks construct no application worker, create no cloud guest, train no model and dispatch no inference. An application run requires its original private task allocation, owned execution resource and reviewed authority. The image alone is not a replacement application sandbox.

Magento's fresh native_reference_qualification_v7 controls passed saved SQL/search, queue, reset and cleanup audits. The repair accepts an owned rendered account header after scrolling; target and focus viewport checks remain strict. Its small raw-HTML source raster does not establish pixel robustness or model readability. Earlier controls receive zero new-epoch credit. Source and receipt hashes are in the aggregate qualification note.

Desktop v46 uses one verified screenshot capture per observation for every role. Native state is checked before and after observation and predispatch screenshots. This explicitly replaces seven-capture readiness; ownership, target, read-only, nonce and budget checks remain unchanged. Its real control applied five actions, but saved readback failed and the next window check stopped. The active-window cause is unproved. Enter resampling and full qualification remain unchanged and unproved.

Preserve the difficult data

The rich Excel replay retains the original workbook bytes, source assets and trusted graph code. Its 140 packages span 33 issuer families, 140 filings and 16 graph types, including 13 final graph types. The saved replay checks 1,997 numeric facts and 9,985 formula targets. All 140 reference positives pass, all 140 unrepaired seeds fail, and all 1,260 individually isolated faults fail. Source and scenario counterfactuals are retained. These are artifact-verifier checks, not Excel-web agent outcomes.

PowerPoint uses the original current WDI plan with 20 training, 20 selection and 100 final candidates. Portable generation replaces a proprietary generation dependency without reusing old application-native qualification. Baseline, positive, near-miss, collateral-change and wrong-chart artifact controls are checked separately.

The earlier two-issuer Excel engineering pool is explicitly development-only and excluded from the current 280-package Office index. Private instructions, gold answers, task allocations, account state and credentials are not included in the public image or source archive.

What can run without Tinker

- Build the source archive and runner image; verify their complete hash manifests.
- Run offline generator, parser, verifier and browser checks, including Harbor CLI and agent imports.
- Prepare current application bindings and task metadata; inspect original-software state.
- Execute reviewed, owned reference controls and check saved state and reset.
- Generate methods and evidence reports from completed checks.

Training, checkpoint selection and a trained-versus-base matched comparison remain blocked by the unavailable training provider. The full study still requires 600 independently admitted final identities, 24 completed researcher chains and 3,000 reconciled matched model outcomes. This build contributes zero official final identities, chains or outcomes.

External requirements

Original Office web needs the existing signed-in browser and permission to upload owned files. The observed Chrome bridge refused local-file upload because "Allow access to file URLs" was disabled. A native file-picker fallback also requires the Mac to be unlocked; its last actual preflight stopped at the lock screen before any upload. No second Office account is required for this lightweight owned-folder path.

Supply Linux resources, E2B credentials and Docker daemon access at runtime. The first CI build, isolated smoke and GHCR push passed. Organization policy disables public package visibility, so anonymous image pull is unverified. An administrator must enable it. The public source/PDF release was independently downloaded without authentication. Refreshes require their own source and image receipts; the earlier release is preserved.

Reproduce the build

See README.md for staging, build and network-isolated verification commands. Keep the original output and supervision receipts when an actual control fails. An infrastructure failure receives no invented score and is not silently replayed. Additive runtime repairs require fresh source witnesses; older native controls are not automatically promoted into a changed epoch.

Validation record

Before these additive repairs, the controller regression profile passed 3,232 tests with 64 conditional skips. Seven Desktop SDK tests passed separately in a compatible E2B Desktop 2.2 / Pillow 11.3 interpreter. The refresh passed 77 focused bundle-boundary, Magento-principal, Desktop-capability, current-path and observation/guard checks. A network-blocked dispatch-gate suite passed 44 fake-provider tests without replacing its historical receipt. Tests and source checks contribute no model outcome or native task admission.

Closure checklist

- Built and checked: portable runner, rich-data generators, independent verifiers, reset paths, artifact readback, browser actions, source bindings and English reporting.
- Native qualification still pending: Office upload/save/download/reset and Desktop commit/save/readback/reset. Portable checks provide no substitute credit.
- External blockers: Office's locked local picker or disabled upload bridge, organization-controlled GHCR visibility, and unavailable training. No full-study result is claimed.