A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 02

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

• Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
• The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
• **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
• Where a question asks for a fixed number of points (eg *two* reasons), credit only the first points given.
• For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
• Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	**1 mark each** 1 mark for each of the 2 points below. **1** The processes (eg regulation of atmospheric gases by photosynthesis and respiration) act in a dynamic equilibrium and cancel each other out **1** Because there is no overall change their actions go unnoticed / their importance is not appreciated until they are lost **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Do not write outside the box

Question	Marking guidance	Marks
01.2	**Any 3 of 4** 1 mark each for any 3 of the 4 points below, in any order, maximum 3. **1** Invertebrates, fungi and bacteria break down / decompose dead organic matter, releasing nutrients for plant growth **1** The organic matter and humus produced hold the soil together (reducing erosion) and regulate the water cycle, giving more even river flow and less flooding **1** Organic acids from decomposition aid the weathering of rock, producing more soil and releasing more nutrients **1** Microbes carry out the processes of the carbon, nitrogen and phosphorus cycles so wastes do not build up and nutrients are not depleted **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **humus** → dark, decomposed organic matter in soil	3
01.3	**1 mark each** 1 mark for each of the 2 points below. **1** Trees reduce wind velocity so wind pollination would be ineffective / unreliable over long distances **1** Insects search over long distances for flowers so dispersed populations can be pollinated, and less pollen needs to be produced (energy saving) – specialised flowers reduce pollen being wasted on other species **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
01.4	**1 mark each** 1 mark for each of the 3 points below. **1 Dispersal is not haphazard:** animals live in the same habitat as the plant so are likely to carry seeds to locations where they can survive **1** Seeds can be carried longer distances than by wind and can be larger, containing more nutrients for the seedling **1** Seeds passing through the gut are deposited in faecal material which acts as a fertiliser, and passage through the intestine may stimulate germination **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 18-19; AQA spec 3.1.2.1.3.	
02.1	1 mark for the point below. **1** Direct measurements of past conditions cannot be taken, so indirect evidence that is related to the condition must be used **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	1

Do not write outside the box

Question	Marking guidance	Marks
02.2	**1 mark each** 1 mark for each of the 4 points below. **1** Age / date of the sample (radioisotope dating) **1** Past temperatures **1** Composition of the past atmosphere (eg CO_2 / methane concentrations) **1 Temperature:** more magnesium is incorporated into calcite at higher temperatures **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	4
02.3	**1 mark each** 1 mark for each of the 2 points below. **1** Movement of continents changed the position of land masses / latitude and therefore the climate and habitats present **1** Ocean currents redistribute heat and nutrients – changes in currents (eg as continents moved) altered climates, so past conditions cannot be explained without knowing how the systems worked **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
02.4	**Any 3 of 4** 1 mark each for any 3 of the 4 points below, in any order, maximum 3. **1** There was no oxygen / ozone layer so high levels of UV radiation reached the land surface – water absorbed the UV and protected organisms in the oceans **1** Warm temperatures around the vents and a rich mix of chemicals / increasingly complex organic molecules in the sea made biological reactions more likely **1** The atmosphere contained toxic gases such as ammonia – the early Archaea were anaerobic so did not need oxygen **1** Water acted as the solvent for reactions / transport **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **ozone layer** → the ozone in the stratosphere that absorbs UV **Do not credit** • Points after the first 3 - the question asks for 3, so a list of extras cannot pick up the marks. • answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 6-9; AQA spec 3.1.1.1-3.1.1.3.	

Do not write outside the box

Question	Marking guidance	Marks
03.1	**Calculation** 1 mark for the correct answer; working does not have to be shown. **1** (240 000 - 2 000) / 240 000 x 100 = 99.2% **Also accept** • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (%) is already printed on the answer line. **Do not credit** • A bare wrong answer with no working.	1
03.2	**1 mark each** 1 mark for each of the 3 points below. **1 Whales are k-selected:** slow growing, late maturing, one calf every few years, so populations recover very slowly **1** Technology (harpoon cannons, steam / factory ships) allowed catches far above the sustainable yield within decades **1** No regulation / open access to the ocean – whales were valuable (oil, spermaceti) and easily found **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **sustainable** → meeting present needs without stopping future generations meeting theirs **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	3
03.3	**1 mark each** 1 mark for each of the 4 points below. **1** Moratorium on commercial whaling since 1986 until populations recover **1** Total protection for certain species – whale sanctuaries **1** Limits on numbers and sizes taken – protection of suckling mothers and calves **1** Research into whale biology and threats (ship strikes, net entanglement) – exceptions: aboriginal subsistence quotas (eg Inuit bowheads), 'scientific' permits (Japan - ruled not research in 2014), Norway / Iceland set their own quotas **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	4

Do not write outside the box

Question	Marking guidance	Marks
03.4	**1 mark each** 1 mark for each of the 2 points below. **1** ITTO's 1990 target of trade only from sustainably managed forests by 2000 was not met and little progress since **1** Timber comes from many countries / private land with weak enforcement, high demand and alternative land uses – whaling involves few nations and a single treaty body **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **sustainable** → meeting present needs without stopping future generations meeting theirs **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 31-32; AQA spec 3.1.2.3.2.	
04.1	**2 marks per point** 2 marks for each of the 4 points below; award 1 mark where a point is only partly made. **2** Normal diagonal mesh closes as the net fills / stretches so small fish cannot escape – square-mesh panels do not close so juveniles escape to grow and breed – TEDs let turtles out – larger mesh sizes generally **2** Minimum size lets fish reach breeding age before capture (eg UK lobster minimum carapace above breeding size, cod 35 cm) – maximum size / V-notching egg-carrying females protects large, highly fecund breeding adults (Hebridean lobsters over 145 mm, Nassau grouper) **2** NTZs (Lundy, Lamlash Bay, Chagos, Great Barrier Reef) protect breeding populations and habitats – surplus young spill over and increase surrounding catches – damaged communities recover **2** Closed seasons, ideally in the breeding season, let fish grow and breed – fishermen may oppose because shoaling breeders are easy to catch **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • quotas described as solving overfishing on their own - undersized fish are still caught and discarded	8

Do not write outside the box

Question	Marking guidance	Marks
04.2	**1 mark each** 1 mark for each of the 2 points below. **1** Pelagic species form single-species shoals so fishing stops when the quota is reached **1** In mixed fisheries many species are caught together – once one species' quota is reached it must be discarded (dead) while fishing for others continues **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **quota** → a legal limit on the mass or number that may be caught **Do not credit** • quotas described as solving overfishing on their own - undersized fish are still caught and discarded	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 344-348; AQA spec 3.5.2.2.	
05.1	**1 mark each** 1 mark for each of the 3 points below. **1** A larger area supports larger populations, which are less likely to be lost to chance events or inbreeding, and it can hold species with large territories such as top predators **1** A larger area holds a wider range of habitats and microhabitats, so more species can find the conditions they need **1** A compact, rounded shape has the smallest perimeter for its area, so less of the reserve is affected by edge effects such as wind, drier conditions, spray drift and disturbance from outside **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
05.2	**1 mark each** 1 mark for each of the 2 points below. **1** It allows individuals to move between the two areas, so the populations interbreed as one larger gene pool and inbreeding is reduced **1** An area that loses a species can be recolonised from the other, and species can shift their range as the climate changes rather than being trapped in an isolated fragment **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **gene pool** → the range of alleles / genes present in a population	2

Do not write outside the box

Question	Marking guidance	Marks
05.3	**1 mark each** 1 mark for each of the 4 points below. **1 Water levels:** sluices and bunds hold water back to create ponds, scrapes and seasonally flooded marsh, adding wetland habitats and a range of depths for different species **1 Soil nutrient levels:** cutting and removing hay rather than leaving it, and never fertilising, lowers the nutrient level so that vigorous grasses cannot out-compete the wildflowers of species-rich grassland **1 Topography:** banks, scrapes and south-facing slopes create warm and cool, wet and dry microhabitats within a small area, each suiting different species **1 Light levels:** thinning, coppicing and cutting rides and glades lets light reach the woodland floor, so ground flora and the insects that depend on it can grow **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **abiotic** → non-living / physical factors • **biodiversity** → the variety of life: habitat, species and genetic diversity	4
05.4	**1 mark each** 1 mark for each of the 3 points below. **1** A plagioclimax is a community held at an earlier stage of succession than its natural climax by continued human activity, so it never develops into woodland **1** Grazing animals eat the tree and shrub seedlings that would otherwise shade out the grassland, so succession is deflected and the open habitat survives **1** The species, stocking density and timing of grazing are chosen to suit the habitat – cattle graze less selectively and their trampling creates bare patches for seedlings, while sheep graze close and produce a short, even sward **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **plagioclimax** → a community held back from its climax by human activity • **succession** → the gradual change in the community over time **Do not credit** • 'the climax community never changes' - it is stable only while the conditions stay the same	3

Do not write outside the box

Question	Marking guidance	Marks
05.5	**Any 3 of 4** 1 mark each for any 3 of the 4 points below, in any order, maximum 3. **1** Invasive non-native species such as rhododendron or Himalayan balsam out-compete and shade out native species, and have no natural controls here **1** Introduced predators or competitors, such as grey squirrels or mink, reduce native populations directly **1** Without their natural predators, herbivore numbers such as deer can exceed the carrying capacity, preventing tree regeneration and damaging the ground flora **1** Culling may also be needed to keep a population within the reserve's carrying capacity so that it does not damage the habitat the whole community depends on **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **carrying capacity** → the largest population the area can support **Do not credit** • 'the population cannot grow any more' as a definition - numbers fluctuate around the carrying capacity	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 40-49; AQA spec 3.1.3.3-3.1.3.4.	
06.1	**Correct answer only** 1 mark for the correct option. No mark if more than one box is ticked. **1** B	1
06.2	**Any 4 of 6** 1 mark each for any 4 of the 6 points below, in any order, maximum 4. **1** Harvesting no faster than the MSY - resource never depleted **1** Mixed species plantations - more food choices, relationships and niches **1** Indigenous species - support indigenous insects, birds **1** Mixed age structure - varied light, temperature, wind so more species – continuous cover and yield **1** Selective logging - small clearings, less disturbance, long-term timber benefit **1** Retention of dead wood, buffer zones, corridors **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodiversity** → the variety of life: habitat, species and genetic diversity • **MSY** → the largest catch that can be taken without reducing the stock **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks.	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 360-369; AQA spec 3.5.3.	

Do not write outside the box

Question	Marking guidance	Marks
07.1	**Marks shared** Up to 5 marks in total - share them between the 4 points below according to how completely each one is made. **up to 2** A: coppice rotation creates a patchwork of different ages / light levels - clearings with wildflowers for butterflies, dense regrowth for nesting birds – oak supports many invertebrates **up to 2** B: same tree species but the closed canopy shades the floor so few flowering plants, fewer invertebrates and butterflies – fewer niches **up to 2** C: non-indigenous single-species, single-age conifers support few native invertebrates – dense shade – no clearings or dead wood – needles acidify soil **up to 2** Habitat diversity / structural variety increases the range of niches and hence species **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • **biodiversity** → the variety of life: habitat, species and genetic diversity	5
07.2	**Any 3 of 4** 1 mark each for any 3 of the 4 points below, in any order, maximum 3. **1 Designated protected areas:** SSSIs, NNRs (Sherwood Forest), SACs (Epping Forest), National Parks **1 Legal protection of ancient woodland:** planning permission refused for developments destroying irreplaceable habitats (2012 NPPF) **1 Conservation management:** coppicing, creating clearings, planting mixed native species, leaving dead wood, controlling deer **1** Planting new native woodlands linking fragments (corridors) – Woodland Trust / National Trust ownership **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
07.3	**1 mark each** 1 mark for each of the 2 points below. **1** No species is completely dominant and food webs have many alternative links **1** So a change in the population of one species has a relatively small impact on the whole community **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodiversity** → the variety of life: habitat, species and genetic diversity	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 50-52; AQA spec 3.1.2.3.4.	

Do not write outside the box

Question	Marking guidance	Marks
08.1	1 mark for the point below. **1** Development that meets the needs of the present generation without compromising the ability of future generations to meet their own needs **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **sustainable** → meeting present needs without stopping future generations meeting theirs **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	1
08.2	**1 mark each** 1 mark for each of the 3 points below. **1** Impact depends on total population x per capita impact **1** With few people, natural processes (forest regrowth, fish recruitment, aerobic decomposition / dilution) recover faster than the resource is used or the waste added **1** Larger populations exceed the rate of natural recovery: forest and soil do not regenerate, catches exceed MSY, water deoxygenates **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **sustainable** → meeting present needs without stopping future generations meeting theirs • **MSY** → the largest catch that can be taken without reducing the stock **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future • quotas described as solving overfishing on their own - undersized fish are still caught and discarded	3
08.3	**1 mark each** 1 mark for each of the 2 points below. **1** Urban areas are supported by resources brought in from elsewhere – when one area is depleted, exploitation simply moves (timber, fish, minerals, energy) so consumers see no shortage **1** Rural communities exploit local resources directly so the effects of over-exploitation become obvious quickly, encouraging cultural limits to need **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Do not write outside the box

Question	Marking guidance	Marks
08.4	**Marks shared** Up to 4 marks in total - share them between the 3 points below according to how completely each one is made. **up to 2 Climate:** warming increases evaporation, cloud and albedo – higher CO2 increases photosynthesis and sequestration – hydrological cycle: more evaporation gives more precipitation – populations: density-dependent factors return numbers to carrying capacity **up to 2** In agriculture soil degradation, water shortage and loss of predators would reduce yields (negative feedback limiting the activity) **up to 2** Humans respond with fertilisers, irrigation and pesticides to maintain yields, further damaging the natural systems that support production **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **negative feedback** → a change that cancels itself out / a self-correcting cycle • **albedo** → reflectivity / the proportion of solar radiation reflected / how much sunlight is bounced back • **carrying capacity** → the largest population the area can support **Do not credit** • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on • 'ice reflects the heat back' - albedo is the reflection of incoming short-wave solar radiation, before it is absorbed	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 370-372; AQA spec 3.6.1.	
09.1	1 mark for the point below. **1** Cross-bred offspring are healthier / more productive because the problems caused by homozygous recessive genes in inbred varieties are reduced (heterosis) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
09.2	**1 mark each** 1 mark for each of the 2 points below. **1** Zebu tolerate heat but have a low milk yield – Ayrshire have a high milk yield but are not heat tolerant **1** Cross-breeding combined the desirable characteristics: heat tolerance with a high milk yield **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **tolerance** → the range of conditions in which a species can survive	2

Do not write outside the box

Question	Marking guidance	Marks
09.3	**Any 2 of 3** 1 mark each for any 2 of the 3 points below, in any order, maximum 2. **1** Replacement of valuable animals that die with genetically identical individuals **1** Replacement of herds culled during a disease outbreak **1** Production of large numbers of individuals with desirable characteristics **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-322; AQA spec 3.5.1.2.	

Do not write outside the box

Question	Marking guidance	Marks
10.1	**Levels of response** Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. **Level 3 (7-9 marks)**: Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. **Level 2 (4-6 marks)**: Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. **Level 1 (1-3 marks)**: Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. **0 marks**: No relevant content. **Indicative content - a guide to placing the mark, not a checklist** • **Water:** catchment management, conservation, metering, greywater, re-use of treated effluent, aquifer recharge, sustainable urban drainage - largely cyclical already – limits in arid regions • **Minerals:** exploiting low-grade ores with low-temperature processes (bioleaching), extending product lifespans, repair / re-use / repurpose / recycle, design for disassembly, reduced packaging – limits: dispersal, alloys, energy of collection • **Waste management:** repair, re-use, refurbish, recycle, composting and anaerobic digestion returning nutrients, minimal landfill, energy from residual waste – EU targets on packaging, batteries, WEEE • **Pollution control:** shift from post-production treatment to non-release - fuel desulfurisation not FGD, fuel cells / electric vehicles not combustion, industrial symbiosis (Kalundborg: waste heat, gypsum, fly ash, yeast used by neighbours) – limits for legacy pollution • **Energy:** renewables, storage, energy density technologies, low-temperature manufacturing, CHP – limits of intermittency, transport fuels • **Food:** natural processes for nutrients (legumes, organic matter), pest control (IPM), soil biota, agri-environment schemes, IMTA aquaculture – tension with maximum yield for a growing population • **Land uses supporting ecosystems:** urban green infrastructure, gardens, permeable surfaces, habitat in redeveloped docks / lagoons • **Judgement:** high applicability in some sectors (water, waste), partial in others (minerals, energy for transport) – needs policy support **Also accept**	9

Do not write outside the box

Question	Marking guidance	Marks
	• Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content. • **aquifer** → a permeable rock that stores groundwater / underground water store • **sustainable** → meeting present needs without stopping future generations meeting theirs • **desulfurisation** → removing sulfur dioxide from flue gases with lime or limestone **Do not credit** • 'renewables cause no pollution at all' - manufacture, construction and the land they occupy all have impacts • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	
	Model answer - Level 3 (9 marks)	
	Taking water, waste and pollution control: water supply is already close to circular, because the hydrological cycle returns what is used. Catchment management, conservation, metering, grey-water re-use, re-use of treated effluent, aquifer recharge and sustainable urban drainage close the loop further, with the main limit in arid regions where abstraction exceeds recharge. Waste management can apply the principles almost completely: repair, re-use and refurbishment extend product life, recycling returns materials, composting and anaerobic digestion return nutrients and yield biogas, residual waste supplies energy and landfill is minimised, driven by EU targets on packaging, batteries and WEEE; the limits are mixed materials that cannot be separated and the energy cost of collection.	
	Pollution control changes character under circular principles: instead of treating wastes after production - flue-gas desulfurisation, dispersants - the aim becomes non-release, through fuel desulfurisation, fuel cells and electric vehicles, and industrial symbiosis, as at Kalundborg where one plant's waste heat, gypsum, fly ash and yeast become neighbours' raw materials. Land use can support ecosystems with green infrastructure, gardens, permeable surfaces and habitat in redeveloped docks.	
	Applicability is high for water and waste because natural cycles already exist to copy; it is partial for pollution control because many processes still depend on combustion, and it needs policy support - targets, producer responsibility, planning - to overcome the economics of linear systems. The principles can be applied widely, but not evenly.	
	Weaker answer - Level 1 (3 marks)	
	The circular economy means reusing and recycling things instead of throwing them away. For water this means saving water and reusing grey water. For waste management it means recycling more and putting less in landfill. For pollution control it means not producing pollution in the first place. The circular economy can be applied to all of these to make them more sustainable.	
	What makes the difference	
	• Level 1 gives one idea per area; Level 3 gives several specific measures for each and names the limit in each case.	
	• Level 3 uses a case study (Kalundborg) and policy examples (EU targets) to show application, not just principle.	

Do not write outside the box

Question	Marking guidance	Marks
	• 'Evaluate the extent' - Level 3 compares applicability across the three areas and explains the differences; Level 1 says it applies to all.	
10.2	1 mark for the point below. **1** Locating industries so that the wastes of one (heat, gases, by-products) become the raw materials of another, mimicking natural cycles (eg Kalundborg eco-industrial park) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **symbiosis** → a close relationship in which both species benefit	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 375-379; AQA spec 3.6.4.1.	

Do not write outside the box

Question	Marking guidance	Marks
11.1	**Fishing is the last large-scale human hunting activity. Discuss the environmental impacts of fishing and evaluate the methods used to make the exploitation of fish populations sustainable.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Marine productivity:** light, nutrients, upwelling – where fisheries occur • **Methods:** demersal / pelagic trawling, purse seining, drift nets, long lines, shellfish traps - effectiveness, selectivity, energy, impacts • **Impacts:** overfishing (r vs k selection, catchable vs breeding size), changed age structure, by-catch (albatross, porpoise, turtles, shrimp), ghost fishing, seabed / reef / seagrass damage, dynamite, food web effects (sandeels, tritons) • **Population dynamics and MSY:** Russell formula, difficulties of data, indicators from catches (CPUE, mean size, age), research on eggs and larvae • **Management:** quotas, mesh design, escape panels, TEDs, pingers, hook design, effort limits, method bans, NTZs, closed seasons, size limits, protected individuals, population seeding, biodegradable gear – EU CFP, IWC, CCAMLR • Evaluation with examples (cod, orange roughy, herring recovery, NTZ spillover) – role of aquaculture	25
	– judgement *Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.* **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 338-351; AQA spec 3.5.2.	

Do not write outside the box

Question	Marking guidance	Marks
11.2	**Discuss the methods that can be used to conserve biodiversity and evaluate their effectiveness.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Setting priorities:** IUCN Red List criteria, EDGE, endemic, keystone, flagship species, population dispersal • **Legislation and protocols:** Wildlife and Countryside Act, designated areas (SSSI to MCZ), CITES Appendices, IWC, EU CFP, ITTO - successes and limits of enforcement • **Captive breeding and release:** selection, difficulties, techniques, release site criteria, hard / soft release, monitoring – seed banks • **Habitat conservation:** creation, design (area, shape, corridors, age structure, colonisation), abiotic and biotic management, plagioclimax maintenance, population control, reintroductions • Habitat case studies (woodland, rainforest, coral reefs, islands, mangroves, Antarctica) illustrating threats and conservation efforts • Monitoring and new technologies informing decisions • **Evaluation:** examples of success (Iberian lynx, Hawaiian goose, Scilly rats, Yellowstone) and failure (ITTO, tigers) – cost, politics, climate change – judgement on the most effective combination	25
	Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion. **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 26-71; AQA spec 3.1.2.3.	
	Model answer - Level 5 (23 marks)	

Do not write outside the box

Question	Marking guidance	Marks
	Biodiversity is lost through direct exploitation, habitat destruction, introduced species, pollution and changes to abiotic factors, so its conservation needs methods that address each cause, at scales from a single species to international law. Their effectiveness varies with the threat, the species and the resources available.	
	Deciding what to conserve comes first. The IUCN Red List uses population size, area, decline rate and probability of extinction to prioritise species, and endemic, keystone, flagship and evolutionarily distinct species receive weight because their loss has wider consequences. This is effective at directing scarce resources, but it favours well-studied vertebrates over invertebrates and plants.	
	Legislation and agreements protect species and habitats. In the UK the Wildlife and Countryside Act, SSSIs, NNRs and Marine Conservation Zones, and in Europe SACs, SPAs and the Habitats Directive, restrict damaging activities; internationally CITES controls trade in threatened species, the IWC regulates whaling, the Ramsar Convention protects wetlands and the Rio Convention on Biological Diversity commits nations to conservation. Their effectiveness depends on enforcement: CITES has reduced trade in ivory and rhino horn but poaching continues where enforcement is weak; the IWC moratorium allowed some whale populations to recover but Japan and Norway continued whaling; designations protect against development but not against pollution or climate change crossing boundaries.	
	In-situ habitat conservation and management are the most fundamental methods because they keep species with the community and abiotic conditions they depend on. Management uses ecological understanding: maintaining plagioclimaxes such as chalk grassland and heathland by grazing or burning, coppicing and pollarding woodland, controlling water levels, light and grazing, designing reserves with the right area, shape, biological corridors and buffer zones, and creating new habitats such as wetlands in worked-out gravel pits. Case studies show it works - coppiced woodland restored dormice and butterflies, wetland creation increased bitterns - but reserves are often small and fragmented and need permanent funding.	
	Ex-situ methods rescue species for which in-situ protection has failed. Captive breeding faces problems of space, diet, breeding triggers, social groups and small gene pools, addressed with studbooks, artificial insemination, embryo transfer and cryopreservation; seed banks such as the Millennium Seed Bank store plant genetic diversity cheaply. The Arabian oryx, California condor and pool frog show captive breeding can bring species back, but only where protected habitat exists for hard or soft release with post-release monitoring, and it is expensive and works for few species.	
	Ecological monitoring - image databases, eDNA, tracking, satellites - measures whether any of this is working and has improved the targeting of effort. Overall, legislation is effective when enforced, habitat management is the most effective and widely applicable method, and captive breeding is a last resort that succeeds only in combination with habitat protection. The Living Planet Index continues to fall, however, which shows that conservation methods are winning individual battles while the drivers of loss - population, consumption, land-use change and climate change - remain unaddressed.	

Do not write outside the box

Question	Marking guidance	Marks
	What makes the difference	
	• The essay is structured by **type of method** and evaluates the effectiveness of each in turn, with named examples for both successes and failures.	
	• It draws on several specification areas (biodiversity, conservation legislation, habitat management, captive breeding, ecological processes, monitoring) - the synoptic breadth Level 5 requires.	
	• The conclusion ranks the methods and then steps back to the bigger picture (Living Planet Index, underlying drivers) - a supported judgement rather than a summary.	
	• A Level 3 essay would describe the same methods accurately but with fewer examples, little evaluation of enforcement or cost, and a conclusion that all methods are important.	

Do not write outside the box