A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 17

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

• Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
• The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
• **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
• Where a question asks for a fixed number of points (eg *two* reasons), credit only the first points given.
• For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
• Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Do not write outside the box

Question	Marking guidance	Marks
01.1	**2 marks per point** 2 marks for each of the 4 points below; award 1 mark where a point is only partly made. **2 Size:** shows whether the population is viable / how urgent action is – sets a baseline to judge success – needed to estimate carrying capacity and sustainable off-take **2 Distribution:** shows which habitats / areas are used and whether the population is fragmented into non-viable isolated groups needing corridors – identifies key areas to protect **2** Survival rate (mortality): identifies the life stage and causes of death (predation, disease, poaching) so management targets the limiting factor **2 Age structure:** many young indicates a growing population – few young / ageing population indicates breeding failure or high juvenile mortality even if adults are numerous – k-selected species need breeding adults protected **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **carrying capacity** → the largest population the area can support • **sustainable** → meeting present needs without stopping future generations meeting theirs • **limiting factor** → the factor in shortest supply that holds the rate or population back **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future • 'the population cannot grow any more' as a definition - numbers fluctuate around the carrying capacity	8
01.2	**1 mark each** 1 mark for each of the 2 points below. **1** Direct counts from vehicles / aircraft / drones along transects, or camera traps with individual recognition **1** Sub-sample counts in known areas scaled up to the whole reserve – mark-release-recapture (Lincoln index) for smaller species **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **mark-release-recapture** → estimating population size from the proportion of marked animals recaptured	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 393-394, 400-402; AQA spec 3.1.2.3.5.	

Do not write outside the box

Question	Marking guidance	Marks
02.1	**1 mark each** 1 mark for each of the 3 points below. **1** Tropical intertidal coastal forests of halophytic (salt-tolerant) trees in saline, oxygen-deficient (anaerobic) mud **1** Prop / aerial roots for support in soft sediment and for gas exchange (pneumatophores) – salt excretion **1** Seeds germinate on the parent tree and float, rooting where they touch sand - rapid natural regeneration **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
02.2	**1 mark each** 1 mark for each of the 4 points below. **1 Coastal erosion / storm protection:** roots and vegetation absorb wave energy (least tsunami damage in 2004 where mangroves were intact) **1 Fisheries:** nursery grounds where dense roots protect young fish that later live on reefs / open sea **1 Protection of coral reefs:** slow river water so suspended solids settle and nutrients are absorbed before reaching reefs **1 Resources:** timber, fuel – medicines (antimicrobials against MRSA, cyanobacterium for lung cancer) – high biodiversity (crabs, shrimps, sponges, birds) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodiversity** → the variety of life: habitat, species and genetic diversity **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks.	4
02.3	**1 mark each** 1 mark for each of the 3 points below. **1** Clearance for aquaculture (shrimp ponds), urban development, ports, tourism – pollution – sea level rise / climate change – destruction of coral reefs that shelter the coast **1** Legal protection / designated areas (eg Sri Lanka protected all remaining mangroves in 2015) **1** Replanting and natural regeneration – control of damaging activities – Ramsar sites **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **aquaculture** → fish or shellfish farming	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 66-67; AQA spec 3.1.2.3.4.	

Do not write outside the box

Question	Marking guidance	Marks
03.1	**1 mark each** 1 mark for each of the 2 points below. **1** About 8 nights **1** The running mean fluctuates widely with few samples but stabilises at 21-22 from 8 nights onwards – extra samples do not change it significantly **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **reliable** → repeatable / gives consistent results when repeated **Do not credit** • 'repeat the readings to make them more accurate' - repeats improve reliability; accuracy depends on the method and the instrument	2
03.2	**1 mark each** 1 mark for each of the 3 points below. **1** Moth activity varies with temperature, wind, rain and season (adults only fly for part of the year) so catches vary independently of population size **1** Sampling at different conditions / times would make results not comparable **1** Timing between samples should be chosen to detect the temporal variation of interest (eg weekly through the season) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
03.3	**1 mark each** 1 mark for each of the 2 points below. **1 Accuracy:** how close a recorded result is to the real value **1 Precision:** the smallest interval between possible recorded values (eg a ruler marked in mm is more precise than one in cm) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **accuracy** → close to the true value • **precision** → readings close together / fine resolution	2

Do not write outside the box

Question	Marking guidance	Marks
03.4	**1 mark each** 1 mark for each of the 3 points below. **1** A null hypothesis (eg no difference / no correlation) can be tested statistically and accepted or rejected at a stated confidence level **1** Standardised techniques ensure results collected at different times, places or by different people are comparable **1** Other variables are controlled or monitored so their effect can be assessed – allows the study to be repeated / checked (reliability) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **null hypothesis** → a statement that there is no significant difference or correlation • **correlation** → a relationship in which the two variables change together • **reliability** → repeatable / gives consistent results when repeated **Do not credit** • a correlation presented as proof of cause - say that it suggests a link that further work would have to test • 'repeat the readings to make them more accurate' - repeats improve reliability; accuracy depends on the method and the instrument	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 390-393; AQA spec 3.7.1.	
04.1	1 mark for the point below. **1** Cross-bred offspring are healthier / more productive because the problems caused by homozygous recessive genes in inbred varieties are reduced (heterosis) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
04.2	**1 mark each** 1 mark for each of the 2 points below. **1** Zebu tolerate heat but have a low milk yield – Ayrshire have a high milk yield but are not heat tolerant **1** Cross-breeding combined the desirable characteristics: heat tolerance with a high milk yield **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **tolerance** → the range of conditions in which a species can survive	2
04.3	**Any 2 of 3** 1 mark each for any 2 of the 3 points below, in any order, maximum 2. **1** Replacement of valuable animals that die with genetically identical individuals **1** Replacement of herds culled during a disease outbreak **1** Production of large numbers of individuals with desirable characteristics **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2

Do not write outside the box

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-322; AQA spec 3.5.1.2.	
05.1	**1 mark each** 1 mark for each of the 3 points below. **1 South America:** high loss (5.1-5.5 Mha yr^{-1}) falling by about half by 2020 **1 Africa:** loss steady at about 3.4 then rising to 3.9 by 2020 - now the highest **1 Europe:** negative values - forest area increasing (afforestation exceeds loss), though the gain is shrinking **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
05.2	**Marks shared** Up to 4 marks in total - share them between the 3 points below according to how completely each one is made. **up to 2 South America:** clearance for commercial cash crops (sugar cane, soya) and cattle ranching for export – HEP reservoirs – roads improving access – mining **up to 2 Africa:** growing rural populations clearing land for subsistence farming – fuelwood and charcoal collection above regrowth (charcoal wastes much of the wood's energy) – fodder cutting in dry areas **up to 2 Both:** hardwood timber (teak, mahogany) from clear-felled mixed forest often not replanted – urban expansion **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **HEP** → electricity generated from falling water **Do not credit** • a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	4
05.3	**1 mark each** 1 mark for each of the 2 points below. **1** They create barriers fragmenting wildlife populations **1** Improved access makes it easier to remove timber and farm produce, so clearance spreads along them **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
05.4	1 mark for the point below. **1** Conifers grow quickly so plantations are replanted after harvest and yield a saleable crop within decades – slow-growing hardwoods (teak, mahogany) take too long for commercial plantations so they are taken from natural forest that is clear-felled and not replanted **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	1

Do not write outside the box

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 367-368; AQA spec 3.5.3.3.	
06.1	**Any 3 of 4** 1 mark each for any 3 of the 4 points below, in any order, maximum 3. **1** The size of the population, and the number of mature individuals able to breed **1** The rate of change of the population: how fast numbers have fallen, usually over the last ten years or three generations **1** The geographical range the species occupies and how far it is fragmented or dispersed, since a small or divided range makes extinction more likely **1** The quality and area of the remaining habitat, and whether the threats acting on the species are continuing **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
06.2	**Calculation** A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. **1** (12 000 - 2 100) / 12 000 x 100 **1** = 82.5% (accept 82 - 83%) **Also accept** • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (%) is already printed on the answer line. **Do not credit** • Points after the first 2 - the question asks for 2, so a list of extras cannot pick up the marks. • A bare wrong answer with no working.	2

Do not write outside the box

Question	Marking guidance	Marks
06.3	**Any 3 of 5** 1 mark each for any 3 of the 5 points below, in any order, maximum 3. **1** It is a keystone species, so losing it would change the whole community and many other species would be lost with it **1** It is endemic to the area, so if it is lost there it is lost everywhere – a species found in many countries can be conserved elsewhere **1** It is a flagship or charismatic species that attracts public interest and funding, which also protects everything else living in its habitat **1** It is a genetic resource with known or likely value: a wild relative of a crop, or a source of a medicine **1** Conservation is practical and likely to succeed: the threats can be removed, and suitable habitat remains for a reintroduction **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **keystone species** → a species whose loss changes the whole community • **endemic** → found naturally only in that one place **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
06.4	**1 mark each** 1 mark for each of the 3 points below. **1** Appendix I lists species threatened with extinction, for which commercial international trade is banned and only exceptional permits such as scientific exchange are issued **1** Appendix II lists species that are not yet threatened with extinction but may become so unless trade is controlled, so trade is allowed under licence and monitored **1** Where the threat is demand in distant wealthy markets, cutting off the market removes the incentive to poach, and the agreement acts in every signatory country rather than only where the habitat is protected **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • **CITES** → the treaty that controls international trade in endangered species **Do not credit** • 'CITES bans all trade in wildlife' - it controls and licenses trade, with different rules for each appendix	3

Do not write outside the box

Question	Marking guidance	Marks
06.5	**Any 4 of 6** 1 mark each for any 4 of the 6 points below, in any order, maximum 4. **1** Sites of Special Scientific Interest are notified for their wildlife or geology, and damaging operations on them need consent from the conservation agency **1** National Nature Reserves and Local Nature Reserves are owned or managed for conservation, with management plans and wardens **1** The Wildlife and Countryside Act makes it an offence to kill, injure or take listed species, or to damage their breeding sites and resting places **1** Special Areas of Conservation and Special Protection Areas, and Ramsar sites for wetlands, give international protection to habitats and to migratory birds **1** Green belts, National Parks and Areas of Outstanding Natural Beauty restrict development and so protect habitat indirectly **1** Agri-environmental schemes pay farmers to manage hedgerows, field margins and meadows for wildlife on land that is still farmed **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks.	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 26-32, 38-39; AQA spec 3.1.2.3.1-3.1.2.3.2.	
07.1	**Any 2 of 6** 1 mark each for any 2 of the 6 points below, in any order, maximum 2. **1** Potato bean (N America): high protein content **1** Morama bean (southern Africa): protein content similar to soya, drought resistant **1** Yeheb tree (Somalia): edible nuts, drought resistant, grows on poor soils **1** Perennial maize (Mexico) / Kernza: no need to buy seed each year, less ploughing so less soil erosion **1 American bison:** graze grassland too poor for cattle **1 Common eland:** browse and graze so can be kept with cattle without severe competition **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. • 'the soil loses its nutrients' as a description of erosion - erosion is the physical loss of the soil itself	2

Do not write outside the box

Question	Marking guidance	Marks
07.2	**1 mark each** 1 mark for each of the 2 points below. **1** Indigenous species are better adapted to local conditions such as climate, pests / diseases and soil **1** So they have higher survival rates / productivity is not reduced, as it is when introduced species are kept in areas to which they are not adapted **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
07.3	1 mark for the point below. **1** They grow in soils with a high salt content, so their genes could be used in breeding programmes to increase the salt tolerance of crops grown on soils salinised by irrigation **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **tolerance** → the range of conditions in which a species can survive	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 11; AQA spec 3.1.2.1.1.	
08.1	**Correct answer only** 1 mark for the correct option. No mark if more than one box is ticked. **1 A:** Its mass	1
08.2	**1 mark each** 1 mark for each of the 2 points below. **1** The 24-hour rotation period means the surface is not exposed to sunlight for long, so temperature extremes / excessive heating and cooling are reduced **1** The axis is tilted relative to the orbit so the amount of insolation at each latitude changes through the year, producing seasonal variations in conditions **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **insolation** → incoming solar radiation / energy arriving from the Sun	2
08.3	**1 mark each** 1 mark for each of the 2 points below. **1** The distance from the Sun gives surface temperatures between 0 and 35 °C in most areas: too close and water would boil / evaporate, too far and it would freeze **1** Atmospheric pressure (produced by the mass of gases held by gravity) is high enough to stop the water boiling / evaporating away – at much lower pressure there would be no liquid water **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 5-7; AQA spec 3.1.1.1.	

Do not write outside the box

Question	Marking guidance	Marks
09.1	**Any 3 of 5** 1 mark each for any 3 of the 5 points below, in any order, maximum 3. **1** They are driven by renewable, low energy-density resources, especially solar energy, which will not be depleted: the hydrological cycle, the carbon and nitrogen cycles, atmospheric and thermohaline circulation **1** Most natural processes occur at low temperatures, because enzymes lower the activation energy of the reactions, so little energy is needed **1** Processes link into cycles in which the waste product of one is the raw material for the next, so raw materials are not depleted and wastes do not build up **1** A small number of abundant, simple elements are built into monomers and then into a wide range of polymers, so supplies of the raw materials are secure **1** Wastes are biodegradable and break down to non-toxic products, so they do not accumulate or poison the system **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **sustainable** → meeting present needs without stopping future generations meeting theirs • **thermohaline** → the ocean conveyor driven by temperature and salinity • **biodegradable** → broken down by decomposers **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • 'renewables cause no pollution at all' - manufacture, construction and the land they occupy all have impacts • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	3
09.2	**1 mark each** 1 mark for each of the 2 points below. **1** Minerals are dispersed after use - spread thinly through products all over the world, or lost to corrosion - so there is no concentrated deposit left to recover **1** Products are made of mixtures of materials that are difficult to separate, so recovery and re-use are expensive and often incomplete **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **sustainable** → meeting present needs without stopping future generations meeting theirs **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	2

Do not write outside the box

Question	Marking guidance	Marks
09.3	**Any 3 of 5** 1 mark each for any 3 of the 5 points below, in any order, maximum 3. **1 Design for extended use:** a product with a long life, which can be repaired, gives fewer opportunities for its materials to be lost **1 Design for end-of-life re-use:** materials that can be identified and separated easily are far more likely to be recycled **1** Separation of technical and biological materials, because metals and plastics need different reprocessing from biodegradable materials, which can be composted or digested **1** Energy from renewable sources at every stage, as in natural systems **1** Optimum rather than maximum production, so that the system supports the processes it relies on instead of maximising one output **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodegradable** → broken down by decomposers **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • 'renewables cause no pollution at all' - manufacture, construction and the land they occupy all have impacts	3
09.4	**Any 3 of 4** 1 mark each for any 3 of the 4 points below, in any order, maximum 3. **1** Sustainability depends on the total impact, which is the number of people multiplied by the impact of each person, so the same activity crosses the threshold as either rises **1** A natural process can absorb or replace what is taken only up to a rate – beyond that the resource is depleted or the waste accumulates faster than it can be broken down **1 Example:** slash and burn agriculture is sustainable where the population is small enough for each clearing to be left fallow long enough to recover, but not when land has to be re-cleared before the soil fertility has returned **1 Example:** discharging untreated sewage into a river is harmless where decomposers can break it down, but causes deoxygenation and eutrophication once the load exceeds that rate **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **sustainable** → meeting present needs without stopping future generations meeting theirs • **threshold** → the concentration below which no harm is detected • **deoxygenation** → loss of dissolved oxygen from the water **Do not credit** • 'the algae use up all the oxygen' on its own - the oxygen is used by aerobic decomposers breaking down the dead algae • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	3

Do not write outside the box

Question	Marking guidance	Marks
09.5	**Any 4 of 5** 1 mark each for any 4 of the 5 points below, in any order, maximum 4. **1** Urban populations are supplied by resources brought in from elsewhere, so the damage caused by extraction happens out of sight and often in another country **1** In a sedentary rural community the resource is local, so the problems of over-exploitation become obvious quickly as supplies dwindle, and a cultural belief in limiting exploitation to needs develops **1 Consequence:** when one area is exhausted, exploitation simply moves to another area and the consumer sees no change, so the total damage keeps growing - this has happened with timber, energy, metal minerals and fish **1 Consequence:** there is no pressure from consumers to change, so unsustainable practices continue until the resource fails on a large scale **1 Consequence:** the costs fall on the people and ecosystems where extraction happens, not on those who benefit, so the market price never reflects the true environmental cost **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 370-377; AQA spec 3.6.2-3.6.3.	

Do not write outside the box

Question	Marking guidance	Marks
10.1	**Levels of response** Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. **Level 3 (7-9 marks)**: Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. **Level 2 (4-6 marks)**: Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. **Level 1 (1-3 marks)**: Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. **0 marks**: No relevant content. **Indicative content - a guide to placing the mark, not a checklist** • **Why needed:** growing population (to 12 billion), land degradation since the fertile crescent, reliance on artificial fertilisers, pesticides and unsustainable irrigation – limits to new land and imports • **Pest control:** cultural methods (weeding, mulching, rotation, barrier / companion crops, predator habitats, biological control, sterile males, pheromones), resistant varieties, integrated control, reduced antibiotics • **Nutrients:** natural processes - nitrogen-fixing legumes, decomposition, recycling organic matter (manure, compost), crop rotation, permaculture, conservation of soil biota and mycorrhizae, reduced artificial fertiliser – phosphate recycling • **Energy:** natural processes instead of Haber-process fertiliser, low tillage, less machinery, renewable energy, low food miles, reduced methane (cattle diets, rice varieties) • **Water:** low water-use crops, drip irrigation, reservoirs and aquifer recharge, avoiding saline water – soil: organic matter maintenance, erosion control • **Biodiversity:** retaining hedgerows, ditches, ponds, woodlands – CWR conservation and seed banks – agri-environment schemes • **Social:** control of impacts on rural communities, Fairtrade, local food – consumer choices • **Evaluation:** yields vs sustainability, cost, need for policy support – judgement **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content.	9

Do not write outside the box

Question	Marking guidance	Marks
	• **sustainability** → meeting present needs without stopping future generations meeting theirs • **biological control** → using a natural predator, parasite or pathogen of the pest • **nitrogen-fixing** → nitrogen gas converted into ammonium or other nitrogen compounds **Do not credit** • 'renewables cause no pollution at all' - manufacture, construction and the land they occupy all have impacts • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	
	Model answer - Level 3 (8 marks)	
	Sustainability matters because the population may reach 12 billion, land has been degraded since farming began in the fertile crescent, and current yields depend on artificial fertilisers, pesticides and irrigation that draws down groundwater, with little new land to cultivate. Pest control can move from chemicals to cultural methods - weeding, mulching, rotation, barrier and companion crops, habitats for predators - biological control, sterile males and pheromones, resistant varieties and integrated control, with fewer antibiotics in livestock.	
	Nutrients can come from natural processes: legumes fixing nitrogen, recycling manure and compost, rotation, permaculture and conserving soil biota and mycorrhizae, reducing manufactured nitrate and the non-renewable rock phosphate it accompanies. Energy use falls with low tillage, less machinery, renewable power, low food miles and lower methane from cattle diets and drought-tolerant rice. Water is conserved with low water-use crops, drip irrigation, reservoirs and aquifer recharge and by avoiding saline water; soil by maintaining organic matter and controlling erosion. Retaining hedgerows, ditches, ponds and woodland, conserving crop wild relatives in seed banks and agri-environment schemes protect the biodiversity that supplies pollination and pest control, while Fairtrade, local food and consumer choices address the social side.	
	The tension is between yield and sustainability: some strategies cost more or yield less in the short term and need policy support to be adopted. But since the unsustainable inputs themselves depend on finite fossil fuels and phosphate, the strategies that use natural processes are the only ones that can feed a larger population indefinitely.	
	Weaker answer - Level 2 (4 marks)	
	Agriculture can be made more sustainable by using less pesticides and using biological control instead, using manure instead of artificial fertilisers, growing legumes which add nitrogen to the soil, and using crop rotation. Drip irrigation saves water. Farmers can keep hedgerows to provide habitats for wildlife. Organic farming uses these methods. These strategies reduce pollution and keep the soil healthy so food can be produced in the future.	
	What makes the difference	
	• Level 2 lists valid strategies but does not explain why they are needed (population growth, land degradation, dependence on finite inputs) or group them by the problem they solve.	
	• Level 3 covers energy, soil, biodiversity and social strategies as well as pests, nutrients and water.	

Do not write outside the box

Question	Marking guidance	Marks
	• Level 3 discusses the yield-sustainability tension and the need for policy support; Level 2 has no evaluation.	
10.2	1 mark for the point below. **1** Agricultural systems designed to mimic natural ecosystems - perennial crops, mixed species, recycling of nutrients, minimal external inputs **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **recycling** → reprocessing a material to make something new **Do not credit** • 'recycling uses no energy' - collection, sorting and reprocessing all use energy, usually less than making the material from new	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 335-337; AQA spec 3.5.1.5.	

Do not write outside the box

Question	Marking guidance	Marks
11.1	**Fishing is the last large-scale human hunting activity. Discuss the environmental impacts of fishing and evaluate the methods used to make the exploitation of fish populations sustainable.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Marine productivity:** light, nutrients, upwelling – where fisheries occur • **Methods:** demersal / pelagic trawling, purse seining, drift nets, long lines, shellfish traps - effectiveness, selectivity, energy, impacts • **Impacts:** overfishing (r vs k selection, catchable vs breeding size), changed age structure, by-catch (albatross, porpoise, turtles, shrimp), ghost fishing, seabed / reef / seagrass damage, dynamite, food web effects (sandeels, tritons) • **Population dynamics and MSY:** Russell formula, difficulties of data, indicators from catches (CPUE, mean size, age), research on eggs and larvae • **Management:** quotas, mesh design, escape panels, TEDs, pingers, hook design, effort limits, method bans, NTZs, closed seasons, size limits, protected individuals, population seeding, biodegradable gear – EU CFP, IWC, CCAMLR • Evaluation with examples (cod, orange roughy, herring recovery, NTZ spillover) – role of aquaculture	25
	– judgement *Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.* **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 338-351; AQA spec 3.5.2.	

Do not write outside the box

Question	Marking guidance	Marks
11.2	**Explain how the physical features of the Earth and the activities of living organisms have combined to create and maintain conditions suitable for life.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Physical features:** mass / gravity retaining an atmosphere and giving pressure for liquid water – distance from the Sun and the Goldilocks zone – speed of rotation reducing temperature extremes – tilt producing seasons – magnetic field deflecting the solar wind – the Moon stabilising the orbit and producing tides • **Importance of liquid water:** solvent, transport, temperature control, anomalous expansion, high specific heat capacity, habitats, absorption of UV before the ozone layer • **Development of life:** Archaea at vents – photosynthesis – oxygen reacting with iron then accumulating – ozone layer allowing colonisation of land – aerobic organisms • **Life changing conditions:** carbon sequestration offsetting solar brightening, biogeochemical cycles, transpiration and rainfall, regulation of atmospheric gases	25
	• **Methods of studying past conditions:** proxy data, isotope ratios, ice cores, Mg:Ca ratios – understanding of continental drift and ocean currents • Links to current threats (climate change, ozone depletion) and a justified conclusion about the interdependence of physical and biological factors *Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.* **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 5-9; AQA spec 3.1.1.	

Do not write outside the box