A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 19

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

• Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
• The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
• **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
• Where a question asks for a fixed number of points (eg *two* reasons), credit only the first points given.
• For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
• Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	**Correct answer only** 1 mark for the correct option. No mark if more than one box is ticked. **1 A:** Environmental DNA (eDNA) analysis	1
01.2	**1 mark each** 1 mark for each of the 2 points below. **1** Transmitters are too heavy for small birds / their batteries would not last for a long-term study **1** Geolocator tags are small and only record time and light levels – latitude and longitude for each day are worked out when the bird is recaptured and the data downloaded **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
01.3	**1 mark each** 1 mark for each of the 2 points below. **1** Each separate (regional) population has its own unique gene pool **1** DNA from seized ivory can be compared with the database to identify where the elephant came from, so poaching hotspots / trade routes can be targeted **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **gene pool** → the range of alleles / genes present in a population	2

Do not write outside the box

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 404-405; AQA spec 3.1.2.3.6.	
02.1	**Marks shared** Up to 6 marks in total - share them between the 4 points below according to how completely each one is made. **up to 2 Organic advantages:** often waste products, locally available and cheap – add humus improving structure and water retention – increase soil biota – slow release reduces leaching **up to 2 Organic disadvantages:** nutrient composition cannot be controlled – released slowly so needs long-term planning – bulky with high water content so expensive to transport – cannot be applied to a growing crop – odour / pathogens **up to 2 Inorganic advantages:** composition controlled to match crop needs – nutrients released rapidly – concentrated and easy to apply **up to 2 Inorganic disadvantages:** high energy (fossil fuel) manufacture (Haber process) – no organic matter so humus and biota decline – some toxic to worms – high solubility so leached causing eutrophication – raw materials (phosphate rock) finite **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **humus** → dark, decomposed organic matter in soil • **leaching** → nutrients or ions washed down out of the soil / washed away by water • **eutrophication** → nutrient enrichment of water leading to algal growth **Do not credit** • 'the algae use up all the oxygen' on its own - the oxygen is used by aerobic decomposers breaking down the dead algae	6
02.2	**Marks shared** Up to 4 marks in total - share them between the 3 points below according to how completely each one is made. **up to 2** Crops grown in a circulating nutrient solution (inert medium) in greenhouses – nutrient concentrations monitored and adjusted so nutrients are never limiting – abiotic factors controlled **up to 2** Roots are small (all in contact with nutrients) so more growth goes into the harvested crop – no soil-borne pathogens or weeds – crop stays fresh with roots **up to 2 Disadvantages:** high inputs of nutrients and energy (heating, lighting, pumping) – high level of technical knowledge – only economic for high-value crops **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **abiotic** → non-living / physical factors	4

Do not write outside the box

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 310-312; AQA spec 3.5.1.1.	
03.1	**Any 2 of 6** 1 mark each for any 2 of the 6 points below, in any order, maximum 2. **1** Potato bean (N America): high protein content **1** Morama bean (southern Africa): protein content similar to soya, drought resistant **1** Yeheb tree (Somalia): edible nuts, drought resistant, grows on poor soils **1** Perennial maize (Mexico) / Kernza: no need to buy seed each year, less ploughing so less soil erosion **1 American bison:** graze grassland too poor for cattle **1 Common eland:** browse and graze so can be kept with cattle without severe competition **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. • 'the soil loses its nutrients' as a description of erosion - erosion is the physical loss of the soil itself	2
03.2	**1 mark each** 1 mark for each of the 2 points below. **1** Indigenous species are better adapted to local conditions such as climate, pests / diseases and soil **1** So they have higher survival rates / productivity is not reduced, as it is when introduced species are kept in areas to which they are not adapted **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
03.3	1 mark for the point below. **1** They grow in soils with a high salt content, so their genes could be used in breeding programmes to increase the salt tolerance of crops grown on soils salinised by irrigation **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **tolerance** → the range of conditions in which a species can survive	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 11; AQA spec 3.1.2.1.1.	
04.1	**Correct answer only** 1 mark for the correct option. No mark if more than one box is ticked. **1 A:** The readings are precise but may not be accurate **Also accept** • **precise** → readings close together / fine resolution • **accurate** → close to the true value	1

Do not write outside the box

Question	Marking guidance	Marks
04.2	**1 mark each** 1 mark for each of the 2 points below. **1** A result that differs from other results with which it was expected to be similar **1 Repeat the study / measurement:** if it recurs it is a 'real' result caused by another variable – if not it was an error and can be excluded **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **anomalous** → an outlier / a result that does not fit the pattern **Do not credit** • discarding a result only because it does not fit the expected pattern, with no reason to think it is faulty	2
04.3	**1 mark each** 1 mark for each of the 2 points below. **1** To test the reliability of the method / equipment **1** To decide the sample size, number of samples, spacing or timing needed to detect the variation without collecting unnecessary data **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **reliability** → repeatable / gives consistent results when repeated **Do not credit** • 'repeat the readings to make them more accurate' - repeats improve reliability; accuracy depends on the method and the instrument	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 390-391; AQA spec 3.7.1.	
05.1	**1 mark each** 1 mark for each of the 3 points below. **1** Anchovy r-selected – blue whale k-selected **1** r-selected: mature quickly, produce many young, disperse widely, short lives – adapted to respond rapidly to high death rates / unstable conditions (mice, locusts, greenfly, rabbits) **1** k-selected: mature late, few young with parental care, long-lived – populations stable near carrying capacity (whales, elephants, rhinos) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • **carrying capacity** → the largest population the area can support **Do not credit** • 'the population cannot grow any more' as a definition - numbers fluctuate around the carrying capacity	3

Do not write outside the box

Question	Marking guidance	Marks
05.2	**1 mark each** 1 mark for each of the 3 points below. **1** Low reproductive rate means losses from hunting / habitat change cannot be replaced quickly **1** An increase in death rate above the low birth rate causes a population crash **1** Recovery takes decades (eg blue whale still far below pre-whaling numbers after the 1986 moratorium) – r-selected species rebound within a few years once exploitation stops **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
05.3	1 mark for the point below. **1** New population = starting population + births + immigrants - deaths - emigrants **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
05.4	**1 mark each** 1 mark for each of the 3 points below. **1** The greatest rate of exploitation (harvest) possible without causing long-term population decline **1 Equals the surplus production:** highest when the population is well below carrying capacity where growth rate is fastest (middle of the sigmoid curve) **1** At carrying capacity net growth is zero so any harvest reduces the population – harvesting above MSY causes decline **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **maximum sustainable yield** → the largest catch that can be taken without reducing the stock • **sustainable** → meeting present needs without stopping future generations meeting theirs • **carrying capacity** → the largest population the area can support **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future • 'the population cannot grow any more' as a definition - numbers fluctuate around the carrying capacity	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 79-80; AQA spec 3.1.3.4.	
06.1	**1 mark each** 1 mark for each of the 2 points below. **1** Overall decline from 62% to 22% **1** Sharp falls in 1998 (to 35%) and 2016 (to 18%) coinciding with bleaching events, with partial recovery after each **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Do not write outside the box

Question	Marking guidance	Marks
06.2	**1 mark each** 1 mark for each of the 4 points below. **1** The polyps expel their symbiotic zooxanthellae so the coral loses colour – bleached corals are alive but grow very slowly and may die if algae do not return **1** Raised water temperature (climate change / El Niño) **1 Pollution:** sewage, pesticides, cyanide, sunscreen – low oxygen from zooplankton blooms after overfishing **1** High light / solar activity – ocean acidification hinders skeleton formation **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **symbiotic** → a close relationship in which both species benefit **Do not credit** • carbon dioxide as the main cause of acid rain - the gases responsible are sulfur dioxide and oxides of nitrogen • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	4
06.3	**1 mark each** 1 mark for each of the 3 points below. **1** Coastal construction and dredging increase sedimentation / turbidity covering and killing polyps **1** Sewage and fertiliser nutrients cause algal growth that shades corals and prevents egg release **1** Physical damage from anchors, divers, souvenir collection – loss of mangroves / seagrass nurseries that trap sediment **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • 'the algae use up all the oxygen' on its own - the oxygen is used by aerobic decomposers breaking down the dead algae	3
06.4	1 mark for the point below. **1** Protected breeding populations grow larger and produce surplus young / adults that spill over into fished areas **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 60-63; AQA spec 3.1.2.3.4.	

Do not write outside the box

Question	Marking guidance	Marks
07.1	**1 mark each** 1 mark for each of the 4 points below. **1** In winter nutrients are high (storms disturb sediments, deep mixing) but light is too low for photosynthesis **1** In spring light rises while nutrients are still high so growth is rapid - the spring bloom (peak about May) **1** The bloom uses up nutrients (falling to 10 by July) – dead plankton sink out of the photic zone carrying nutrients to the seabed **1** So nutrients become limiting in summer despite high light – a smaller autumn bloom follows when storms return nutrients while light is still adequate **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	4
07.2	**1 mark each** 1 mark for each of the 2 points below. **1** Warm surface water is stable (no seasonal mixing / storms) so nutrients lost to deep water in sinking dead organisms are not replaced **1** Nutrient (especially phosphate) concentrations in the photic zone remain very low - the limiting factor **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **limiting factor** → the factor in shortest supply that holds the rate or population back	2
07.3	**1 mark each** 1 mark for each of the 3 points below. **1** Upwelling (offshore winds, seamounts, currents deflected upwards) brings cold nutrient-rich deep water into the photic zone **1** Coastal waters receive nutrients washed off the land in rivers and storms disturb shallow sediments **1** Nutrients plus light in the shallow photic zone allow high algal productivity supporting rich food webs and fisheries (eg Peru anchovy) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • 'the algae use up all the oxygen' on its own - the oxygen is used by aerobic decomposers breaking down the dead algae	3
07.4	1 mark for the point below. **1** Phosphates have low solubility and no atmospheric reservoir – they are only added by river runoff or upwelling and are lost to sediments **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 338-339; AQA spec 3.5.2.1.	

Do not write outside the box

Question	Marking guidance	Marks
08.1	**1 mark each** 1 mark for each of the 3 points below. **1** The nucleus of a stem cell from the endangered species is transferred into an empty egg of a closely related species (southern white rhino) **1** The embryo is implanted into a surrogate female of the related species which gives birth to a northern white rhino **1** Very low success rates with wildlife so far – deep-frozen cells could allow clones even after the last individuals die **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
08.2	**1 mark each** 1 mark for each of the 3 points below. **1 Micro-propagation:** tissue culture producing many cell clusters from one plant, each grown into a genetically identical plant **1 Black poplar:** cuttings / pollarded stems of pure native trees are rooted to produce many identical trees **1** Needed because the flowers are pollinated by introduced subspecies producing hybrids, so cloning maintains the pure gene pool (but no genetic diversity) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **gene pool** → the range of alleles / genes present in a population	3
08.3	**1 mark each** 1 mark for each of the 4 points below. **1** Stores seeds of wild plants (especially threatened species and crop wild relatives) so species are not lost if extinct in the wild **1** Seeds collected worldwide – target of 10 000 seeds per species to maintain a diverse gene pool **1** Stored dry and refrigerated / frozen in an underground reinforced vault to reduce risk of accident **1** Seeds germinated periodically to check viability and replenish stocks – can be used for reintroduction / breeding **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **gene pool** → the range of alleles / genes present in a population	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 35-37; AQA spec 3.1.2.3.3.	

Do not write outside the box

Question	Marking guidance	Marks
09.1	**Calculation** A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. **1** 2 400 / 2 000 **1** = 1.2 **Also accept** • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • **food conversion ratio** → the feed needed per unit of food produced **Do not credit** • A bare wrong answer with no working.	2
09.2	**1 mark each** 1 mark for each of the 3 points below. **1** Carnivorous species have a high market value, so they are the most profitable to farm, and consumers in wealthy countries prefer them **1** They are fed on fishmeal and fish oil made from wild-caught fish, so farming them still depends on catching wild fish and does not take the pressure off marine stocks **1** Several tonnes of wild fish may be needed per tonne of salmon, so the extra trophic level means the total amount of fish protein available falls rather than rises **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **aquaculture** → fish or shellfish farming • **trophic level** → the feeding level in a food chain **Do not credit** • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	3

Do not write outside the box

Question	Marking guidance	Marks
09.3	**Any 4 of 6** 1 mark each for any 4 of the 6 points below, in any order, maximum 4. **1** Uneaten feed and faeces fall through the cages and accumulate on the sea bed, where their decomposition removes oxygen and smothers the benthic community **1** The nutrients released cause local eutrophication and can trigger algal blooms **1** Parasites, especially sea lice, build up in the dense stock and spread to wild salmon and sea trout passing the cages **1** Antibiotics, pesticides used to treat sea lice and antifouling chemicals from the nets disperse into the water and affect non-target species **1** Escaped farmed fish interbreed with wild populations, diluting the locally adapted gene pool, and compete with them for food and spawning sites **1** Predators such as seals and cormorants attracted to the cages are shot or trapped **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **eutrophication** → nutrient enrichment of water leading to algal growth • **gene pool** → the range of alleles / genes present in a population **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. • 'the algae use up all the oxygen' on its own - the oxygen is used by aerobic decomposers breaking down the dead algae • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	4
09.4	**Any 3 of 5** 1 mark each for any 3 of the 5 points below, in any order, maximum 3. **1 Integrated multi-trophic aquaculture:** seaweeds and filter feeders such as mussels are grown alongside the cages and take up the dissolved nutrients and particulate waste as their own food **1** Siting cages where the current is strong, and leaving sites fallow between cycles, so wastes are dispersed and the sea bed recovers **1** Lowering stocking density and vaccinating the fish, so less medication is needed, and using cleaner fish such as wrasse to remove sea lice instead of pesticides **1** Stronger, better maintained nets and predator exclusion nets, so fewer fish escape and predators do not have to be killed **1** Replacing part of the fishmeal in the feed with plant or insect protein, reducing the demand on wild fish stocks **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **aquaculture** → fish or shellfish farming **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	3

Do not write outside the box

Question	Marking guidance	Marks
09.5	**Any 3 of 4** 1 mark each for any 3 of the 4 points below, in any order, maximum 3. **1** Farming carnivorous species still depends on wild fish for feed, so expanding it increases rather than reduces the catch of wild fish **1** Suitable sheltered coastal sites are limited, and they compete with other uses and with sensitive habitats such as mangroves, which shrimp farming has already destroyed on a large scale **1** Some valuable species, such as tuna, cannot yet be bred reliably in captivity, so farms are stocked with wild-caught young fish and the wild population is still exploited **1** The local pollution, disease and escape problems mean that simply scaling the industry up multiplies its impacts **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **aquaculture** → fish or shellfish farming	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 352-359; AQA spec 3.5.2.3.	
10.1	**1 mark each** 1 mark for each of the 2 points below. **1** About 10% of land is already cultivated and 25% grazed **1** Most remaining land is too dry, wet, cold, hot or steep, is covered in ice, or has no soil **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
10.2	**1 mark each** 1 mark for each of the 2 points below. **1** Land becomes too expensive for local people to rent / is used to grow export crops for more affluent societies **1** So people with less money lose access to the land and food they used to produce **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
10.3	**1 mark each** 1 mark for each of the 2 points below. **1** It uses natural processes to supply nutrients (legumes, recycled organic matter, soil biota), control pests and provide ecological services **1** So that pesticides and artificial fertilisers become unnecessary rather than just being banned **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	2

Do not write outside the box

Question	Marking guidance	Marks
10.4	**Levels of response** Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. **Level 3 (7-9 marks)**: Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. **Level 2 (4-6 marks)**: Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. **Level 1 (1-3 marks)**: Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. **0 marks**: No relevant content. **Indicative content - a guide to placing the mark, not a checklist** • **Unsustainable features:** reliance on chemical pesticides (resistance, non-target impacts, bans), non-renewable rock phosphate, fossil-fuel-intensive nitrate manufacture, over-exploitation of rivers / groundwater, salinisation, loss of soil organic matter, greenhouse gases from fuel, rice and livestock, loss of species providing ecosystem services • **Pest control:** cultural methods (weeding, mulching, crop rotation, barrier crops, culling), biological control, predator habitats, polyculture / companion crops, integrated control, reduced antibiotic use • **Nutrients:** recycling organic matter, crop rotation, cultivation of legumes, conservation of soil biota, reduced artificial fertiliser especially nitrate, low tillage • **Water:** low water-use crops, reservoirs and aquifer recharge, drip irrigation rather than sprays • **Soil and carbon:** low-tillage farming to maintain organic matter, reduced machinery, renewable energy, drought-tolerant rice varieties so fields are drained earlier, high-carbohydrate ground feed for cattle reduces methane • **Biodiversity:** conserve habitats of crop wild relatives, seed banks, retain hedgerows, ditches, ponds, woodland – agri-environment schemes • **Evaluation:** growing population (perhaps 12 billion) needs more food – lower trophic level diets – obstacles - cost, need for support, gaining acceptance of new techniques – learning from past land degradation (fertile crescent, US mid-west) • **Judgement:** no single strategy sufficient – combination of ecological principles and new technology – justified conclusion **Also accept**	9

Do not write outside the box

Question	Marking guidance	Marks
	• Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content. • **sustainable** → meeting present needs without stopping future generations meeting theirs • **salinisation** → salt building up in the soil / soil becoming salty • **biological control** → using a natural predator, parasite or pathogen of the pest **Do not credit** • 'renewables cause no pollution at all' - manufacture, construction and the land they occupy all have impacts • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	
	Model answer - Level 3 (8 marks)	
	Present agriculture relies on inputs that cannot last: chemical pesticides to which pests evolve resistance and which harm non-target species, rock phosphate that is non-renewable, nitrate fertiliser made with fossil-fuel energy, and irrigation that over-draws rivers and groundwater and salinises soil, while ploughing loses soil organic matter and livestock, rice and machinery release greenhouse gases. Each can be replaced by strategies based on ecological principles. Pests are controlled culturally by weeding, mulching, rotation, barrier crops and culling, by biological control and predator habitats, by polyculture and companion crops, and by integrated control that uses chemicals only as a last resort. Nutrients come from recycled organic matter, rotation with legumes and conserved soil biota, so artificial fertiliser, especially nitrate, can be reduced. Water is saved with low water-use crops, reservoirs and aquifer recharge and drip irrigation; soil carbon is kept by low tillage and less machinery, with renewable energy for what remains; methane falls with rice varieties that allow earlier drainage and with ground, carbohydrate-rich cattle feed. Habitats of crop wild relatives, seed banks, hedgerows, ditches, ponds and woodland and agri-environment schemes protect the biodiversity that supplies these services.	
	Food demand will rise with a population that may reach 12 billion, there is little new land, and imports can reduce food availability where it is grown, so yield cannot be ignored. Some strategies cost more or need farmers to accept new techniques, and past land degradation from the fertile crescent to the American mid-west shows what happens when they are not adopted. No single strategy suffices; a combination of ecological principles with new technology is the only route to feeding more people without exhausting the resources food depends on.	
	Weaker answer - Level 1 (2 marks)	
	To make agriculture sustainable farmers should use fewer chemicals. Organic farming does not use pesticides or artificial fertilisers. Crop rotation and manure keep the soil fertile. Farmers should not waste water. Hedges should be kept for wildlife. This would make farming more sustainable but it might produce less food.	
	What makes the difference	
	• Level 1 gives general advice; Level 3 identifies each unsustainable feature and matches it with specific strategies, showing understanding of why they work.	

Do not write outside the box

Question	Marking guidance	Marks
	• Level 3's evaluation considers population growth, land limits, cost, adoption and historical evidence; Level 1's is a single clause.	
	• Note that Level 3 avoids defining organic farming as 'not using chemicals' - the textbook stresses it is the positive use of natural processes.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 335-337; AQA spec 3.5.1.5.	
11.1	**Explain how the physical features of the Earth and the activities of living organisms have combined to create and maintain conditions suitable for life.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Physical features:** mass / gravity retaining an atmosphere and giving pressure for liquid water – distance from the Sun and the Goldilocks zone – speed of rotation reducing temperature extremes – tilt producing seasons – magnetic field deflecting the solar wind – the Moon stabilising the orbit and producing tides • **Importance of liquid water:** solvent, transport, temperature control, anomalous expansion, high specific heat capacity, habitats, absorption of UV before the ozone layer • **Development of life:** Archaea at vents – photosynthesis – oxygen reacting with iron then accumulating – ozone layer allowing colonisation of land – aerobic organisms • **Life changing conditions:** carbon sequestration offsetting solar brightening, biogeochemical cycles, transpiration and rainfall, regulation of atmospheric gases	25

Do not write outside the box

Question	Marking guidance	Marks
	• **Methods of studying past conditions:** proxy data, isotope ratios, ice cores, Mg:Ca ratios – understanding of continental drift and ocean currents • Links to current threats (climate change, ozone depletion) and a justified conclusion about the interdependence of physical and biological factors *Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.* **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 5-9; AQA spec 3.1.1.	
11.2	**Discuss how an understanding of energy flow and the manipulation of food species can be used to increase food production sustainably.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Energy flow:** autotrophs and heterotrophs – losses by reflection, transmission, respiration – 100 000 to 1 000 units – few food chains beyond four levels – plant food most productive – grazing animals where crops impossible – pigs on wastes • **Energetics:** intensive vs extensive, law of diminishing returns, energy subsidies (fertiliser, pesticides, irrigation, machinery, drying, processing, transport), energy ratios, food conversion ratios, dependence on fossil fuels • **Control of genetics:** asexual reproduction / cuttings / cloning, selective breeding and breeds, cross-breeding and hybrid vigour, AI and embryo transfer • **GM:** Roundup Ready soya, Bt crops, golden rice, omega-3 oilseed rape – advantages – risks (gene transfer, antibiotic markers, allergies, costs to LEDC farmers, loss of local diversity)	25

Do not write outside the box

Question	Marking guidance	Marks
	• **Sustainability links:** energy dependence, trophic level of diet, feeding 12 billion people • Justified conclusion on the balance between productivity, efficiency and sustainability *Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.* **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-328; AQA spec 3.5.1.2.	

Do not write outside the box