A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 20

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

• Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
• The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
• **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
• Where a question asks for a fixed number of points (eg *two* reasons), credit only the first points given.
• For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
• Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	**Correct answer only** 1 mark for the correct option. No mark if more than one box is ticked. **1** B **Also accept** • **biodiversity** → the variety of life: habitat, species and genetic diversity • **endemic** → found naturally only in that one place	1
01.2	**1 mark each** 1 mark for each of the 4 points below. **1 Rainforest:** high light, warm, wet all year, stable conditions for long periods, continuous productivity, many niches (stratification) **1 Antarctica:** very low temperatures, low precipitation, extreme seasonal light, 98% ice cover so almost no terrestrial life **1** Antarctic biodiversity is marine, supported by upwelling nutrients and the summer bloom – rainforest supports over half of terrestrial species on 10% of land **1** Both are important carbon stores / climate regulators but rainforest species are specialists vulnerable to small changes – Antarctic species adapted to extreme fluctuation **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • **biodiversity** → the variety of life: habitat, species and genetic diversity	4

Do not write outside the box

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 50-71; AQA spec 3.1.2.3.4.	
02.1	**1 mark each** 1 mark for each of the 3 points below. **1** Plants close their stomata to reduce transpiration losses **1** Closed stomata stop the absorption of carbon dioxide so photosynthesis and growth stop **1** Less water for nutrient absorption / transport and cell turgidity – severe shortage dehydrates cells and inhibits biochemical reactions **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **transpiration** → water lost as vapour from the leaves	3
02.2	**Marks shared** Up to 4 marks in total - share them between the 3 points below according to how completely each one is made. **up to 2** Anaerobic soil favours denitrifying bacteria and inhibits nitrifying bacteria so nitrate is lost faster than it forms – higher risk of fungal disease – root respiration inhibited **up to 2** Drainage ditches or pipes **up to 2** Deep ploughing – avoiding compaction by machinery / livestock – adding organic matter to encourage worms **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **waterlogged** → soil pores filled with water so there is no air • **denitrifying** → nitrate converted back to nitrogen gas • **nitrifying** → ammonium oxidised to nitrite and then nitrate	4
02.3	**1 mark each** 1 mark for each of the 2 points below. **1** Groundwater often contains dissolved salts – when the water evaporates from the soil the salts are left behind and accumulate **1** High soil salinity causes osmotic dehydration of roots / crop death – washing out with extra water uses more water and salinises rivers **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **salinisation** → salt building up in the soil / soil becoming salty	2
02.4	1 mark for the point below. **1** Add crushed lime (calcium carbonate / hydroxide) – low pH increases leaching, inhibits nutrient uptake and mobilises toxic aluminium and lead **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **leaching** → nutrients or ions washed down out of the soil / washed away by water	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 308-310, 313; AQA spec 3.5.1.1.	

Do not write outside the box

Question	Marking guidance	Marks
03.1	**1 mark each** 1 mark for each of the 3 points below. **1 Primary:** succession on a newly created habitat with no life / no soil (bare rock, new pond, sand) **1 Secondary:** succession restarting after an existing community is disturbed (tree felling, ploughing, fire, end of grazing) **1** Faster because soil already exists and many seeds / roots / organisms are still present so there are fewer delays for colonisation **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • **succession** → the gradual change in the community over time **Do not credit** • 'the climax community never changes' - it is stable only while the conditions stay the same	3
03.2	**1 mark each** 1 mark for each of the 3 points below. **1** Human activity (grazing, mowing, burning, coppicing) regularly removes the later successional species so the climatic climax cannot form **1** The stable community that develops under this repeated disturbance is a plagioclimax **1 Examples:** chalk grassland / hay meadows maintained by grazing or mowing – lowland heath by burning – coppiced woodland – Machair grassland – Broads grazing marshes **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **deflected succession** → a community held back from its climax by human activity • **succession** → the gradual change in the community over time **Do not credit** • 'the climax community never changes' - it is stable only while the conditions stay the same	3
03.3	**1 mark each** 1 mark for each of the 2 points below. **1** If the traditional activity stops, secondary succession returns the habitat to scrub / woodland and the plagioclimax species are lost **1** Rainforest and coral reefs are climax communities so conservation aims to minimise human impact **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • **plagioclimax** → a community held back from its climax by human activity • **succession** → the gradual change in the community over time **Do not credit** • 'the climax community never changes' - it is stable only while the conditions stay the same	2

Do not write outside the box

Question	Marking guidance	Marks
03.4	**1 mark each** 1 mark for each of the 2 points below. **1** Extreme environments (deserts, polar) are dominated by abiotic factors – few species tolerate them – populations fluctuate and food webs are simple so changes in one food species have large effects **1** Stable environments allow many species to evolve inter-species relationships – populations are regulated by biotic factors – complex food webs give stability (rainforests, reefs) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodiversity** → the variety of life: habitat, species and genetic diversity • **abiotic** → non-living / physical factors • **biotic** → living factors / effects of other organisms	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 76-77; AQA spec 3.1.3.3.	
04.1	**2 marks per point** 2 marks for each of the 3 points below; award 1 mark where a point is only partly made. **2 Image databases:** identifying individuals (tiger stripes, whale shark spots, dolphin fins) to find territory size, movements, lifespan, social groups - few species have unique recognisable features **2** eDNA: detecting the presence of a species from DNA shed into water (great crested newt, invasive carp) - shows presence not abundance – contamination / DNA transport by water **2 Geolocator tags:** tracking small birds on migration where transmitters are too heavy - only record light and time so position is approximate – animal must be recaptured to download data **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	6
04.2	**1 mark each** 1 mark for each of the 2 points below. **1** Microwaves emitted by the satellite reflect off the surface giving data on wave height, wind velocity, sea surface altitude and oil slicks (which smooth the surface) **1** Microwaves pass through cloud so monitoring is not interrupted by weather **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Do not write outside the box

Question	Marking guidance	Marks
04.3	**Any 2 of 3** 1 mark each for any 2 of the 3 points below, in any order, maximum 2. **1 Droppings:** diet, gender, territory size **1 Owl pellets:** diet **1** Feeding marks (chewed hazel nuts - dormouse), tracks / footprints, nests / burrows, scratching posts (territory) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402-407; AQA spec 3.7.2.3.	
05.1	**1 mark each** 1 mark for each of the 3 points below. **1** A larger area supports larger populations, which are less likely to be lost to chance events or inbreeding, and it can hold species with large territories such as top predators **1** A larger area holds a wider range of habitats and microhabitats, so more species can find the conditions they need **1** A compact, rounded shape has the smallest perimeter for its area, so less of the reserve is affected by edge effects such as wind, drier conditions, spray drift and disturbance from outside **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
05.2	**1 mark each** 1 mark for each of the 2 points below. **1** It allows individuals to move between the two areas, so the populations interbreed as one larger gene pool and inbreeding is reduced **1** An area that loses a species can be recolonised from the other, and species can shift their range as the climate changes rather than being trapped in an isolated fragment **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **gene pool** → the range of alleles / genes present in a population	2

Do not write outside the box

Question	Marking guidance	Marks
05.3	**1 mark each** 1 mark for each of the 4 points below. **1 Water levels:** sluices and bunds hold water back to create ponds, scrapes and seasonally flooded marsh, adding wetland habitats and a range of depths for different species **1 Soil nutrient levels:** cutting and removing hay rather than leaving it, and never fertilising, lowers the nutrient level so that vigorous grasses cannot out-compete the wildflowers of species-rich grassland **1 Topography:** banks, scrapes and south-facing slopes create warm and cool, wet and dry microhabitats within a small area, each suiting different species **1 Light levels:** thinning, coppicing and cutting rides and glades lets light reach the woodland floor, so ground flora and the insects that depend on it can grow **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **abiotic** → non-living / physical factors • **biodiversity** → the variety of life: habitat, species and genetic diversity	4
05.4	**1 mark each** 1 mark for each of the 3 points below. **1** A plagioclimax is a community held at an earlier stage of succession than its natural climax by continued human activity, so it never develops into woodland **1** Grazing animals eat the tree and shrub seedlings that would otherwise shade out the grassland, so succession is deflected and the open habitat survives **1** The species, stocking density and timing of grazing are chosen to suit the habitat – cattle graze less selectively and their trampling creates bare patches for seedlings, while sheep graze close and produce a short, even sward **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **plagioclimax** → a community held back from its climax by human activity • **succession** → the gradual change in the community over time **Do not credit** • 'the climax community never changes' - it is stable only while the conditions stay the same	3

Do not write outside the box

Question	Marking guidance	Marks
05.5	**Any 3 of 4** 1 mark each for any 3 of the 4 points below, in any order, maximum 3. **1** Invasive non-native species such as rhododendron or Himalayan balsam out-compete and shade out native species, and have no natural controls here **1** Introduced predators or competitors, such as grey squirrels or mink, reduce native populations directly **1** Without their natural predators, herbivore numbers such as deer can exceed the carrying capacity, preventing tree regeneration and damaging the ground flora **1** Culling may also be needed to keep a population within the reserve's carrying capacity so that it does not damage the habitat the whole community depends on **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **carrying capacity** → the largest population the area can support **Do not credit** • 'the population cannot grow any more' as a definition - numbers fluctuate around the carrying capacity	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 40-49; AQA spec 3.1.3.3-3.1.3.4.	
06.1	**Any 3 of 4** 1 mark each for any 3 of the 4 points below, in any order, maximum 3. **1** Sinkers / weighted lines so hooks sink quickly below the reach of albatrosses **1** Setting lines at night when birds are not feeding **1** Bird-scaring streamers / decoys **1** Curved hooks that catch tuna but not birds **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3

Do not write outside the box

Question	Marking guidance	Marks
06.2	**1 mark each** 1 mark for each of the 3 points below. **1 Effort:** limits on boat size, engine power, days at sea, number of licences – decommissioning payments to reduce fleet size where overfishing is unavoidable **1 Methods:** bans or length limits on drift nets – bans on demersal trawling over sensitive seabed (Rockall Bank, Hatton Bank deep-water reefs) **1** Shorter trawl tows so turtles / by-catch survive (over 99% survive under 10 minutes) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **decommissioning** → safely dismantling a power station at the end of its life **Do not credit** • quotas described as solving overfishing on their own - undersized fish are still caught and discarded	3
06.3	**1 mark each** 1 mark for each of the 2 points below. **1** Eggs / larvae are reared in captivity through the planktonic stage when most die (predation, failure to find habitat) **1** Juveniles are released when survival chances are good, increasing recruitment to the adult population **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
06.4	**1 mark each** 1 mark for each of the 2 points below. **1** Egg / larval survival varies greatly between years so adult numbers do not predict recruitment **1** Several poor years would lower the MSY – egg surveys allow catches to be reduced in advance rather than after a sudden collapse **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **MSY** → the largest catch that can be taken without reducing the stock	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 344-348; AQA spec 3.5.2.2.	

Do not write outside the box

Question	Marking guidance	Marks
07.1	**2 marks per point** 2 marks for each of the 4 points below; award 1 mark where a point is only partly made. **2 EDGE:** Evolutionarily Distinct and Globally Endangered - few close relatives, often the last species of their genus / family (Bactrian camel, pygmy hippo, northern bald ibis) – loss would remove a unique branch of evolution / genes **2 Endemic:** found in only one area (often islands - Galapagos, Madagascar, Seychelles: Aldabra giant tortoise, red ruffed lemur) – if lost locally there is no population elsewhere to recolonise **2 Keystone:** disproportionately important for the structure of the community relative to its abundance - predation of dominant species, seed dispersal, habitat creation (jaguar, forest elephants keeping paths and water holes open, wolves, beavers) – losing them causes loss of many other species **2 Flagship:** high public profile (tiger, panda, elephant, orang-utan) raising funds and support that also protects the whole habitat and less charismatic species (fungi, bats, moths) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **Endemic** → found naturally only in that one place	8
07.2	**1 mark each** 1 mark for each of the 2 points below. **1** A fragmented population may consist of isolated groups each too small to be viable (resources, inbreeding) even if total numbers are large **1** A species confined to a single area (eg bonobos in one country) is vulnerable to any local change / conflict, unlike chimpanzees spread across many countries **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 28-29; AQA spec 3.1.2.3.1.	
08.1	**1 mark each** 1 mark for each of the 2 points below. **1 Ecological footprint:** the area of the Earth's surface (global hectares) needed to provide the resources used by a person / population / activity and to absorb the wastes produced **1 Biocapacity:** the biological productivity of an area (forests, cropland, grazing, fisheries, built land) - its ability to supply resources and absorb wastes, expressed in global hectares **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Do not write outside the box

Question	Marking guidance	Marks
08.2	**1 mark each** 1 mark for each of the 2 points below. **1** A hectare of land / sea with the world-average biological productivity **1** Biocapacities of real areas vary widely so a standard unit allows footprints and biocapacities of different places to be compared **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
08.3	**Calculation** 1 mark for the correct answer; working does not have to be shown. **1** 8.1 / 1.7 = 4.8 (accept 4.7-4.8) **Also accept** • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (Earths) is already printed on the answer line. **Do not credit** • A bare wrong answer with no working.	1
08.4	**1 mark each** 1 mark for each of the 3 points below. **1** Higher HDI is associated with a larger footprint (USA 8.1 vs Bangladesh 0.8), though the UK achieves the same HDI as the USA with about half the footprint **1** Global footprint (2.8) exceeds global biocapacity (1.7) so humanity uses resources faster than they regenerate and CO2 accumulates (overshoot) **1** Earth Overshoot Day is the date each year when a year's worth of resources / waste absorption has been used up – it falls earlier each year (8 August in 2016) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Do not write outside the box

Question	Marking guidance	Marks
08.5	**Any 2 of 4** 1 mark each for any 2 of the 4 points below, in any order, maximum 2. **1** Renewable energy and energy conservation (carbon footprint is the largest component) **1** Reduced meat consumption / food waste – local seasonal food **1 Circular economy:** repair, re-use, recycling – longer product lives **1** Public transport, efficient buildings **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **energy conservation** → using less energy, eg by insulation or behaviour change • **recycling** → reprocessing a material to make something new **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. • 'renewables cause no pollution at all' - manufacture, construction and the land they occupy all have impacts • 'recycling uses no energy' - collection, sorting and reprocessing all use energy, usually less than making the material from new	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 379-380; AQA spec 3.6.4.2.	
09.1	**Correct answer only** 1 mark for the correct option. No mark if more than one box is ticked. **1** B - radio waves do not travel through seawater – acoustic or satellite tags transmit position	1
09.2	**2 marks per point** 2 marks for each of the 2 points below; award 1 mark where a point is only partly made. **2** Shows survival, dispersal and breeding of released individuals so success can be assessed and future releases improved **2** Radio / GPS tags or collars – leg rings / wing tags on birds – camera traps – DNA from droppings to confirm identity and diet **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **captive breeding** → breeding in captivity to increase numbers for release **Do not credit** • captive breeding alone as conservation - credit needs reintroduction, habitat protection or genetic management as well	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 393-394, 402-407; AQA spec 3.1.2.3.5-3.1.2.3.6.	

Do not write outside the box

Question	Marking guidance	Marks
10.1	**Levels of response** Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. **Level 3 (7-9 marks)**: Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. **Level 2 (4-6 marks)**: Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. **Level 1 (1-3 marks)**: Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. **0 marks**: No relevant content. **Indicative content - a guide to placing the mark, not a checklist** • **Why needed:** growing population (to 12 billion), land degradation since the fertile crescent, reliance on artificial fertilisers, pesticides and unsustainable irrigation – limits to new land and imports • **Pest control:** cultural methods (weeding, mulching, rotation, barrier / companion crops, predator habitats, biological control, sterile males, pheromones), resistant varieties, integrated control, reduced antibiotics • **Nutrients:** natural processes - nitrogen-fixing legumes, decomposition, recycling organic matter (manure, compost), crop rotation, permaculture, conservation of soil biota and mycorrhizae, reduced artificial fertiliser – phosphate recycling • **Energy:** natural processes instead of Haber-process fertiliser, low tillage, less machinery, renewable energy, low food miles, reduced methane (cattle diets, rice varieties) • **Water:** low water-use crops, drip irrigation, reservoirs and aquifer recharge, avoiding saline water – soil: organic matter maintenance, erosion control • **Biodiversity:** retaining hedgerows, ditches, ponds, woodlands – CWR conservation and seed banks – agri-environment schemes • **Social:** control of impacts on rural communities, Fairtrade, local food – consumer choices • **Evaluation:** yields vs sustainability, cost, need for policy support – judgement **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content.	9

Do not write outside the box

Question	Marking guidance	Marks
	• **sustainability** → meeting present needs without stopping future generations meeting theirs • **biological control** → using a natural predator, parasite or pathogen of the pest • **nitrogen-fixing** → nitrogen gas converted into ammonium or other nitrogen compounds **Do not credit** • 'renewables cause no pollution at all' - manufacture, construction and the land they occupy all have impacts • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	
	Model answer - Level 3 (8 marks)	
	Sustainability matters because the population may reach 12 billion, land has been degraded since farming began in the fertile crescent, and current yields depend on artificial fertilisers, pesticides and irrigation that draws down groundwater, with little new land to cultivate. Pest control can move from chemicals to cultural methods - weeding, mulching, rotation, barrier and companion crops, habitats for predators - biological control, sterile males and pheromones, resistant varieties and integrated control, with fewer antibiotics in livestock.	
	Nutrients can come from natural processes: legumes fixing nitrogen, recycling manure and compost, rotation, permaculture and conserving soil biota and mycorrhizae, reducing manufactured nitrate and the non-renewable rock phosphate it accompanies. Energy use falls with low tillage, less machinery, renewable power, low food miles and lower methane from cattle diets and drought-tolerant rice. Water is conserved with low water-use crops, drip irrigation, reservoirs and aquifer recharge and by avoiding saline water; soil by maintaining organic matter and controlling erosion. Retaining hedgerows, ditches, ponds and woodland, conserving crop wild relatives in seed banks and agri-environment schemes protect the biodiversity that supplies pollination and pest control, while Fairtrade, local food and consumer choices address the social side.	
	The tension is between yield and sustainability: some strategies cost more or yield less in the short term and need policy support to be adopted. But since the unsustainable inputs themselves depend on finite fossil fuels and phosphate, the strategies that use natural processes are the only ones that can feed a larger population indefinitely.	
	Weaker answer - Level 2 (4 marks)	
	Agriculture can be made more sustainable by using less pesticides and using biological control instead, using manure instead of artificial fertilisers, growing legumes which add nitrogen to the soil, and using crop rotation. Drip irrigation saves water. Farmers can keep hedgerows to provide habitats for wildlife. Organic farming uses these methods. These strategies reduce pollution and keep the soil healthy so food can be produced in the future.	
	What makes the difference	
	• Level 2 lists valid strategies but does not explain why they are needed (population growth, land degradation, dependence on finite inputs) or group them by the problem they solve.	
	• Level 3 covers energy, soil, biodiversity and social strategies as well as pests, nutrients and water.	

Do not write outside the box

Question	Marking guidance	Marks
	• Level 3 discusses the yield-sustainability tension and the need for policy support; Level 2 has no evaluation.	
10.2	1 mark for the point below. **1** Agricultural systems designed to mimic natural ecosystems - perennial crops, mixed species, recycling of nutrients, minimal external inputs **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **recycling** → reprocessing a material to make something new **Do not credit** • 'recycling uses no energy' - collection, sorting and reprocessing all use energy, usually less than making the material from new	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 335-337; AQA spec 3.5.1.5.	

Do not write outside the box

Question	Marking guidance	Marks
11.1	**Discuss the extent to which the resources and services provided by other species justify the conservation of biodiversity.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Resources:** wood, fibres, oils, fuels, food – new food species (morama bean, yeheb, perennial maize, Kernza, bison, eland) and their adaptations • **Biomimetics:** wing-tip feathers, whale tubercles, shark skin, termite mounds, bird bones, gecko adhesion, burrs, lotus, spider silk • **Medicines:** poppies, cinchona, willow, yew (taxol), Mexican yam, sponges (AZT), sharks – few species yet studied – physiological research (marsupials, hippo, sponges) • **Genetic resources:** crop wild relatives, Vavilov centres, gene pools and inbreeding • **Ecosystem services:** atmospheric regulation, hydrological cycle, biogeochemical cycles, soil maintenance – interspecies relationships - food, pollination (Darwin's orchid), seed dispersal, habitat provision • **Evaluation:** economic vs intrinsic / moral arguments – services unnoticed because of dynamic equilibrium – unknown future value – justified conclusion	25
	Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion. **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 10-19; AQA spec 3.1.2.1.	

Do not write outside the box

Question	Marking guidance	Marks
11.2	**Using tropical coral reefs as an example, discuss how the ecological features of a habitat determine both its importance and its vulnerability to human activities.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Ecological features:** cnidarian polyps, cilia, nematocysts, zooxanthellae symbiosis, limestone skeletons building reefs, complex structure and food web – specific abiotic requirements (temperature, light, salinity, low turbidity) • **Importance:** quarter of marine species, fisheries, medicines, carbon sink, erosion protection, tourism • **Vulnerability:** narrow abiotic tolerance means sensitivity to warming, acidification, sedimentation, nutrient pollution, oil, bleaching – slow growth so slow recovery – physical damage – overfishing and food-web effects (crown of thorns) – introduced species – dependence on mangroves and seagrass • **Conservation:** MPAs, No Take Zones, fishing controls, tourism management, protection of linked habitats, CITES • Comparison with other habitats (rainforests, mangroves, Antarctica) where relevant • Evaluation of local vs global threats and justified conclusion	25
	Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion. **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 57-62; AQA spec 3.1.2.3.4.	

Do not write outside the box