A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 33

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

• Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
• The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
• **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
• Where a question asks for a fixed number of points (eg *two* reasons), credit only the first points given.
• For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
• Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	**2 marks per point** 2 marks for each of the 3 points below; award 1 mark where a point is only partly made. **2 Selective breeding:** parents chosen for desirable genetic characteristics (Limousin muscle growth, Merino wool, Cheviot hardiness) – combines genes but characteristics of offspring not fully predictable – many generations needed – risk of inbreeding **2** Asexual reproduction (cuttings, runners, tissue culture, cloning): offspring genetically identical to the parent so characteristics are predictable and survival high – but no variation so no improvement and vulnerability to the same disease – cloning of animals (nucleus transfer into an enucleated egg, surrogate) still developing **2 Cross-breeding:** two breeds combined to give a mix of characteristics with hybrid vigour (heterosis) and lower inbreeding risk, eg Zebu (heat tolerant) x Ayrshire (high milk yield) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round.	6

Do not write outside the box

Question	Marking guidance	Marks
01.2	**1 mark each** 1 mark for each of the 4 points below. **1 AI:** semen from a male with desirable characteristics can fertilise many more females than natural mating – frozen semen stored and transported easily and used after the male dies **1 Embryo transfer:** FSH stimulates a superior female to release many eggs, which are fertilised (IVF) with sperm from a superior male **1** Each embryo is implanted in a different surrogate female **1** So the donor produces many offspring per year rather than one per pregnancy **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-323; AQA spec 3.5.1.2.	
02.1	1 mark for the point below. **1** Development that meets the needs of the present generation without compromising the ability of future generations to meet their own needs **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **sustainable** → meeting present needs without stopping future generations meeting theirs **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	1
02.2	**1 mark each** 1 mark for each of the 3 points below. **1** Impact depends on total population x per capita impact **1** With few people, natural processes (forest regrowth, fish recruitment, aerobic decomposition / dilution) recover faster than the resource is used or the waste added **1** Larger populations exceed the rate of natural recovery: forest and soil do not regenerate, catches exceed MSY, water deoxygenates **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **sustainable** → meeting present needs without stopping future generations meeting theirs • **MSY** → the largest catch that can be taken without reducing the stock **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future • quotas described as solving overfishing on their own - undersized fish are still caught and discarded	3

Do not write outside the box

Question	Marking guidance	Marks
02.3	**1 mark each** 1 mark for each of the 2 points below. **1** Urban areas are supported by resources brought in from elsewhere – when one area is depleted, exploitation simply moves (timber, fish, minerals, energy) so consumers see no shortage **1** Rural communities exploit local resources directly so the effects of over-exploitation become obvious quickly, encouraging cultural limits to need **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
02.4	**Marks shared** Up to 4 marks in total - share them between the 3 points below according to how completely each one is made. **up to 2 Climate:** warming increases evaporation, cloud and albedo – higher CO2 increases photosynthesis and sequestration – hydrological cycle: more evaporation gives more precipitation – populations: density-dependent factors return numbers to carrying capacity **up to 2** In agriculture soil degradation, water shortage and loss of predators would reduce yields (negative feedback limiting the activity) **up to 2** Humans respond with fertilisers, irrigation and pesticides to maintain yields, further damaging the natural systems that support production **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **negative feedback** → a change that cancels itself out / a self-correcting cycle • **albedo** → reflectivity / the proportion of solar radiation reflected / how much sunlight is bounced back • **carrying capacity** → the largest population the area can support **Do not credit** • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on • 'ice reflects the heat back' - albedo is the reflection of incoming short-wave solar radiation, before it is absorbed	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 370-372; AQA spec 3.6.1.	

Do not write outside the box

Question	Marking guidance	Marks
03.1	**2 marks per point** 2 marks for each of the 3 points below; award 1 mark where a point is only partly made. **2** Photosynthesis and aerobic respiration balance O2 and CO2 in a dynamic equilibrium – evapotranspiration adds water vapour forming clouds and rain – microbes drive the nitrogen and other biogeochemical cycles so wastes do not accumulate and nutrients are recycled **2** Detritivores, fungi and bacteria decompose dead organic matter releasing nutrients and forming humus that binds soil – organic acids weather rock forming new soil – roots bind soil, reducing erosion and regulating water flow / flooding **2** Species provide food, pollination (bees, moths, birds, bats - more reliable than wind, especially in forests), seed dispersal (animals carry larger seeds to suitable sites, faeces as fertiliser, gut passage stimulates germination) and habitat provision (trees as nest sites and canopy microclimate; mollusc shells for hermit crabs) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **evapotranspiration** → evaporation plus transpiration • **humus** → dark, decomposed organic matter in soil • **reliable** → repeatable / gives consistent results when repeated **Do not credit** • 'repeat the readings to make them more accurate' - repeats improve reliability; accuracy depends on the method and the instrument	6
03.2	**1 mark each** 1 mark for each of the 2 points below. **1** Its nectar is at the end of a 30 cm tube reached only by the long tongue of the sphinx moth, which carries pollen only between orchids of the same species **1 Advantage:** no pollen wasted on other species and the moth has an exclusive food source – risk: if either species declines the other cannot survive **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
03.3	**1 mark each** 1 mark for each of the 2 points below. **1** They are not ruminants so seeds are not destroyed by repeated chewing / pass through intact – they eat the fruit of most tree species **1** Not territorial so they carry seeds over large distances / areas **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 18-19; AQA spec 3.1.2.1.3.	

Do not write outside the box

Question	Marking guidance	Marks
04.1	**1 mark each** 1 mark for each of the 3 points below. **1** Coordinating global data on biodiversity conservation (Red List) **1** Increasing understanding of the importance of biodiversity **1** Deploying nature-based solutions to global challenges in climate, food and sustainable development **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodiversity** → the variety of life: habitat, species and genetic diversity • **sustainable** → meeting present needs without stopping future generations meeting theirs **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	3
04.2	**1 mark each** 1 mark for each of the 3 points below. **1** Decline = (12 000 - 2100) / 12 000 x 100 = 82.5% **1** Decline over 80% meets the Critically Endangered criterion even though habitat area (400 km^2) and adults (2100) only meet Endangered **1** A species is placed in the highest category for which it meets any one criterion, so Critically Endangered **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
04.3	**1 mark each** 1 mark for each of the 3 points below. **1** Categorising a species requires a great deal of research (population, range, trends) and resources – about 85 000 of millions of species assessed **1** Key species in habitats under particular threat (eg lemurs indicating the state of Madagascar's forests) **1** Evolutionarily unique species / EDGE species – endemic species – keystone species – flagship species – species with fragmented populations **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **endemic** → found naturally only in that one place • **keystone species** → a species whose loss changes the whole community	3

Do not write outside the box

Question	Marking guidance	Marks
04.4	1 mark for the point below. **1 Iberian lynx:** Critically Endangered to Endangered after captive breeding and protection of two habitat areas (population trebled in 15 years) – Fregate Island beetle after rat eradication **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **captive breeding** → breeding in captivity to increase numbers for release **Do not credit** • captive breeding alone as conservation - credit needs reintroduction, habitat protection or genetic management as well	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 26-27; AQA spec 3.1.2.3.1.	
05.1	**Correct answer only** 1 mark for the correct option. No mark if more than one box is ticked. **1** B - radio waves do not travel through seawater – acoustic or satellite tags transmit position	1
05.2	**2 marks per point** 2 marks for each of the 2 points below; award 1 mark where a point is only partly made. **2** Shows survival, dispersal and breeding of released individuals so success can be assessed and future releases improved **2** Radio / GPS tags or collars – leg rings / wing tags on birds – camera traps – DNA from droppings to confirm identity and diet **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **captive breeding** → breeding in captivity to increase numbers for release **Do not credit** • captive breeding alone as conservation - credit needs reintroduction, habitat protection or genetic management as well	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 393-394, 402-407; AQA spec 3.1.2.3.5-3.1.2.3.6.	

Do not write outside the box

Question	Marking guidance	Marks
06.1	**1 mark each** 1 mark for each of the 3 points below. **1** A: Student's t-test - a difference between the means of two sets of normally distributed data **1** B: chi-squared test - a comparison of observed frequencies (counts) with expected frequencies **1** C: Spearman's rank correlation - a relationship between two variables measured on the same sampling points **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **Student's t** → a test for a difference between the means of two normally distributed sets • **chi-squared** → a test comparing observed frequencies with expected frequencies • **Spearman** → a test for correlation between two sets of ranked data **Do not credit** • a correlation presented as proof of cause - say that it suggests a link that further work would have to test • 'the result was significant' without comparing the calculated value with the critical value at p = 0.05	3
06.2	**1 mark each** 1 mark for each of the 2 points below. **1** There is a 2% probability, or a 1 in 50 chance, that a result at least as extreme as this would arise by chance alone if the null hypothesis were true **1** This is below the 5% significance level normally used, so the null hypothesis is rejected and the difference or correlation is described as statistically significant **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **null hypothesis** → a statement that there is no significant difference or correlation • **significance level** → a probability of 0.05, ie a 1 in 20 chance that the result happened by chance • **correlation** → a relationship in which the two variables change together **Do not credit** • a correlation presented as proof of cause - say that it suggests a link that further work would have to test • 'the hypothesis was proved' - a statistical test either rejects the null hypothesis or fails to reject it	2

Do not write outside the box

Question	Marking guidance	Marks
06.3	**1 mark each** 1 mark for each of the 3 points below. **1** The calculated value on its own has no meaning: it must be compared with the value that would be exceeded by chance in 5% of cases, which is read from a table of critical values **1** The critical value depends on the number of degrees of freedom, which comes from the number of categories or pairs of data, because a larger sample makes a given result less likely to be chance **1** If the calculated value exceeds the critical value at p = 0.05 the null hypothesis is rejected – if it does not, the null hypothesis is not rejected and the result is not significant **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **critical value** → the table value the calculated statistic must reach to be significant • **p = 0.05** → a probability of 0.05, ie a 1 in 20 chance that the result happened by chance • **null hypothesis** → a statement that there is no significant difference or correlation **Do not credit** • 'the hypothesis was proved' - a statistical test either rejects the null hypothesis or fails to reject it • 'the result was significant' without comparing the calculated value with the critical value at p = 0.05	3
06.4	**1 mark each** 1 mark for each of the 3 points below. **1** The standard deviation measures the spread of the individual values about the mean, so a small value means the heights were closely grouped and the mean is a good summary of them **1** Comparing the standard deviations with the difference between the means shows whether the two sets really are distinct or merely overlap **1** It is drawn as error bars above and below each plotted mean – where the error bars of two means do not overlap, a significant difference is likely, and where they overlap widely it is not **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **standard deviation** → a measure of the spread of the data about the mean	3

Do not write outside the box

Question	Marking guidance	Marks
06.5	**Any 4 of 6** 1 mark each for any 4 of the 6 points below, in any order, maximum 4. **1** A correlation shows only that the two variables change together – it suggests a link that further work would have to test **1** A third factor may cause both, for instance shade, which raises soil moisture by reducing evaporation and also directly favours the moss **1** The relationship may run the other way round: a dense moss cover holds water and shades the soil, so the moss could be raising the moisture rather than responding to it **1** The points along one transect are close together and not independent, so a pattern may reflect one gradient across the site rather than a general relationship **1** Only an experiment in which soil moisture is changed while every other variable is held constant can establish cause **1** A result significant at p = 0.05 will still arise by chance about 1 time in 20, so a single significant result is not proof **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **correlation** → a relationship in which the two variables change together • **transect** → a line along which samples are taken to show change with distance • **p = 0.05** → a probability of 0.05, ie a 1 in 20 chance that the result happened by chance **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. • a correlation presented as proof of cause - say that it suggests a link that further work would have to test	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402-407, 420-423; AQA spec 3.7.2.3.	
07.1	**1 mark each** 1 mark for each of the 3 points below. **1** B: frost-free period (150 days) exceeds the 120 needed whereas A (110) is too short - late frosts would kill seedlings **1** B is warmer / longer thermal growing season because south-facing slopes receive more insolation – valley floors are frost pockets where cold dense air collects **1** But B has lower rainfall and a steeper slope (erosion / machinery difficulties) so irrigation / contour cultivation may be needed **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **insolation** → incoming solar radiation / energy arriving from the Sun	3

Do not write outside the box

Question	Marking guidance	Marks
07.2	**Any 3 of 4** 1 mark each for any 3 of the 4 points below, in any order, maximum 3. **1** Greenhouses / polytunnels heated by solar gain or burning gas / paraffin (ventilated to prevent overheating) **1** Woven plastic cloches / fleece over rows to retain warm air near the ground **1** Burning oil / gas or using large fans in orchards to prevent frost damage to blossom **1** Site selection (aspect, avoiding frost pockets) – heated buildings and shelter for livestock **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
07.3	**1 mark each** 1 mark for each of the 2 points below. **1** Mammals and birds use food energy to maintain a constant body temperature (thermoregulation) **1** Reducing heat loss (shelter, heated buildings) means less food energy is used for heat and more is available for growth **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
07.4	**1 mark each** 1 mark for each of the 2 points below. **1** Long days increase milk production and egg laying – poultry grow best with short days – sheep mate as days shorten in autumn **1** Artificial lighting extends the growing season for greenhouse crops or simulates autumn in spring to give sheep a second mating / lambing season **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 306-309; AQA spec 3.5.1.1.	
08.1	**Correct answer only** 1 mark for the correct option. No mark if more than one box is ticked. **1** B	1

Do not write outside the box

Question	Marking guidance	Marks
08.2	**Any 4 of 6** 1 mark each for any 4 of the 6 points below, in any order, maximum 4. **1** Harvesting no faster than the MSY - resource never depleted **1** Mixed species plantations - more food choices, relationships and niches **1** Indigenous species - support indigenous insects, birds **1** Mixed age structure - varied light, temperature, wind so more species – continuous cover and yield **1** Selective logging - small clearings, less disturbance, long-term timber benefit **1** Retention of dead wood, buffer zones, corridors **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodiversity** → the variety of life: habitat, species and genetic diversity • **MSY** → the largest catch that can be taken without reducing the stock **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks.	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 360-369; AQA spec 3.5.3.	
09.1	**Correct answer only** 1 mark for the correct option. No mark if more than one box is ticked. **1 A:** Its mass	1
09.2	**1 mark each** 1 mark for each of the 2 points below. **1** The 24-hour rotation period means the surface is not exposed to sunlight for long, so temperature extremes / excessive heating and cooling are reduced **1** The axis is tilted relative to the orbit so the amount of insolation at each latitude changes through the year, producing seasonal variations in conditions **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **insolation** → incoming solar radiation / energy arriving from the Sun	2
09.3	**1 mark each** 1 mark for each of the 2 points below. **1** The distance from the Sun gives surface temperatures between 0 and 35 °C in most areas: too close and water would boil / evaporate, too far and it would freeze **1** Atmospheric pressure (produced by the mass of gases held by gravity) is high enough to stop the water boiling / evaporating away – at much lower pressure there would be no liquid water **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 5-7; AQA spec 3.1.1.1.	

Do not write outside the box

Question	Marking guidance	Marks
10.1	**Any 4 of 5** 1 mark each for any 4 of the 5 points below, in any order, maximum 4. **1** Zooxanthellae are photosynthetic algae living inside the polyp cells **1** The algae absorb CO_2 and excretory wastes from the polyp for photosynthesis and growth (efficient nutrient recycling) **1** They supply the polyp with oxygen and glucose - over 95% of its food energy **1** In return the algae gain a protected habitat and nutrients they could not absorb from the nutrient-deficient water **1** Polyps also feed on plankton captured by cilia and nematocysts **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **recycling** → reprocessing a material to make something new **Do not credit** • 'recycling uses no energy' - collection, sorting and reprocessing all use energy, usually less than making the material from new	4
10.2	**1 mark each** 1 mark for each of the 2 points below. **1** Corals deposit a skeleton of calcium carbonate (calcite) **1** Each carbonate molecule requires the absorption of a molecule of carbon dioxide, so reefs are a carbon sink **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Do not write outside the box

Question	Marking guidance	Marks
10.3	**Levels of response** Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. **Level 3 (7-9 marks)**: Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. **Level 2 (4-6 marks)**: Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. **Level 1 (1-3 marks)**: Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. **0 marks**: No relevant content. **Indicative content - a guide to placing the mark, not a checklist** • **Importance:** cover 1% of ocean area but support over a quarter of marine species – fisheries (fish, lobsters, conch) – medicines (AZT, Ara-C, dolastatin, secosteroids, bryostatin, trabectedin, bone grafts) – climate control as carbon sink – erosion protection of low-lying islands – tourism income • **Threats:** physical damage (anchors, divers, litter, coral extraction), collection of ornaments (CITES Appendix II), sedimentation from rivers and coastal development, pollution (oil, nutrients causing algal shading, sewage, pesticides, sunscreen), ocean acidification, bleaching from warming, overfishing (giant triton / crown of thorns starfish), introduced species (red lionfish), loss of mangroves and seagrass nurseries • **Conservation:** marine protected areas / national parks (Great Barrier Reef, Belize, Chagos), mooring buoys, diver education, No Take Zones which can increase catches elsewhere, sustainable ecotourism and fishing, protection of mangroves and seagrass, erosion and pollution control, planning control of ports and resorts • **Fishing controls:** closed seasons, minimum and maximum catchable sizes, bans on dynamite, trawling and small-mesh nets • **Evaluation:** local measures cannot control global threats (warming, acidification) which need international action – enforcement in remote areas is difficult – conflicts with local livelihoods – large vs small NTZs • Justified conclusion **Also accept**	9

Do not write outside the box

Question	Marking guidance	Marks
	• Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content. • **CITES** → the treaty that controls international trade in endangered species • **sustainable** → meeting present needs without stopping future generations meeting theirs **Do not credit** • carbon dioxide as the main cause of acid rain - the gases responsible are sulfur dioxide and oxides of nitrogen • 'the algae use up all the oxygen' on its own - the oxygen is used by aerobic decomposers breaking down the dead algae	
	Model answer - Level 3 (9 marks)	
	Tropical coral reefs cover about one per cent of the oceans yet support over a quarter of marine species, a diversity built on the symbiosis between polyps and zooxanthellae that recycles nutrients in nutrient-poor water. They matter to people for fisheries of fish, lobsters and conch; for medicines such as AZT, Ara-C, dolastatin, secosteroids, bryostatin and trabectedin discovered in reef organisms; as a carbon sink, since every carbonate unit in coral skeleton absorbs a molecule of carbon dioxide; for dissipating wave energy that would erode low-lying islands; and for tourism income.	
	They are also unusually vulnerable because they need narrow abiotic conditions. Anchors, divers, litter and coral extraction kill polyps; ornaments are collected; sediment from rivers and coastal development smothers them; oil, sewage and nutrients cause algal shading; ocean acidification hinders skeleton formation; warming causes bleaching; overfishing of giant tritons lets crown-of-thorns starfish destroy reefs; introduced lionfish eat native fish; and loss of mangroves and seagrass removes the nurseries and sediment traps reefs depend on.	
	Marine protected areas such as the Great Barrier Reef, Belize and Chagos combine mooring buoys, diver education, no-take zones that raise catches outside them, sustainable tourism and protection of linked habitats, while fishing controls set closed seasons, minimum and maximum sizes and ban dynamite, trawling and small mesh. These work well against local threats where they are enforced, and no-take zones have measurable benefits, but they cannot touch warming and acidification, which need international action, enforcement in remote areas is weak, and restrictions conflict with local livelihoods. Local conservation buys time; only global climate action can secure the reefs.	
	Weaker answer - Level 1 (3 marks)	
	Coral reefs are important because lots of fish live there and people catch them for food. Tourists visit reefs to dive and this brings money. Reefs also protect the coast from waves. Reefs are threatened by climate change which causes bleaching, and by pollution and damage from boats. They are conserved by making marine protected areas where fishing is banned. This helps but climate change is still a problem.	
	What makes the difference	
	• Level 1 has the right headings but Level 3 explains each (why reefs are diverse, why they are a carbon sink, how each threat acts).	
	• Level 3 uses named reserves and specific management measures; Level 1 gives one generic measure.	

Do not write outside the box

Question	Marking guidance	Marks
	• Level 3's evaluation separates local from global threats and reaches a nuanced judgement; Level 1 states that climate change is 'still a problem'.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 57-62; AQA spec 3.1.2.3.4.	
11.1	**Discuss the methods that can be used to conserve biodiversity and evaluate their effectiveness.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Setting priorities:** IUCN Red List criteria, EDGE, endemic, keystone, flagship species, population dispersal • **Legislation and protocols:** Wildlife and Countryside Act, designated areas (SSSI to MCZ), CITES Appendices, IWC, EU CFP, ITTO - successes and limits of enforcement • **Captive breeding and release:** selection, difficulties, techniques, release site criteria, hard / soft release, monitoring – seed banks • **Habitat conservation:** creation, design (area, shape, corridors, age structure, colonisation), abiotic and biotic management, plagioclimax maintenance, population control, reintroductions • Habitat case studies (woodland, rainforest, coral reefs, islands, mangroves, Antarctica) illustrating threats and conservation efforts • Monitoring and new technologies informing decisions • **Evaluation:** examples of success (Iberian lynx, Hawaiian goose, Scilly rats, Yellowstone) and failure (ITTO, tigers) – cost, politics, climate change – judgement on the most effective combination	25
	Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion. **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 26-71; AQA spec 3.1.2.3.	
	Model answer - Level 5 (23 marks)	

Do not write outside the box

Question	Marking guidance	Marks
	Biodiversity is lost through direct exploitation, habitat destruction, introduced species, pollution and changes to abiotic factors, so its conservation needs methods that address each cause, at scales from a single species to international law. Their effectiveness varies with the threat, the species and the resources available.	
	Deciding what to conserve comes first. The IUCN Red List uses population size, area, decline rate and probability of extinction to prioritise species, and endemic, keystone, flagship and evolutionarily distinct species receive weight because their loss has wider consequences. This is effective at directing scarce resources, but it favours well-studied vertebrates over invertebrates and plants.	
	Legislation and agreements protect species and habitats. In the UK the Wildlife and Countryside Act, SSSIs, NNRs and Marine Conservation Zones, and in Europe SACs, SPAs and the Habitats Directive, restrict damaging activities; internationally CITES controls trade in threatened species, the IWC regulates whaling, the Ramsar Convention protects wetlands and the Rio Convention on Biological Diversity commits nations to conservation. Their effectiveness depends on enforcement: CITES has reduced trade in ivory and rhino horn but poaching continues where enforcement is weak; the IWC moratorium allowed some whale populations to recover but Japan and Norway continued whaling; designations protect against development but not against pollution or climate change crossing boundaries.	
	In-situ habitat conservation and management are the most fundamental methods because they keep species with the community and abiotic conditions they depend on. Management uses ecological understanding: maintaining plagioclimaxes such as chalk grassland and heathland by grazing or burning, coppicing and pollarding woodland, controlling water levels, light and grazing, designing reserves with the right area, shape, biological corridors and buffer zones, and creating new habitats such as wetlands in worked-out gravel pits. Case studies show it works - coppiced woodland restored dormice and butterflies, wetland creation increased bitterns - but reserves are often small and fragmented and need permanent funding.	
	Ex-situ methods rescue species for which in-situ protection has failed. Captive breeding faces problems of space, diet, breeding triggers, social groups and small gene pools, addressed with studbooks, artificial insemination, embryo transfer and cryopreservation; seed banks such as the Millennium Seed Bank store plant genetic diversity cheaply. The Arabian oryx, California condor and pool frog show captive breeding can bring species back, but only where protected habitat exists for hard or soft release with post-release monitoring, and it is expensive and works for few species.	
	Ecological monitoring - image databases, eDNA, tracking, satellites - measures whether any of this is working and has improved the targeting of effort. Overall, legislation is effective when enforced, habitat management is the most effective and widely applicable method, and captive breeding is a last resort that succeeds only in combination with habitat protection. The Living Planet Index continues to fall, however, which shows that conservation methods are winning individual battles while the drivers of loss - population, consumption, land-use change and climate change - remain unaddressed.	

Do not write outside the box

Question	Marking guidance	Marks
	What makes the difference	
	• The essay is structured by **type of method** and evaluates the effectiveness of each in turn, with named examples for both successes and failures.	
	• It draws on several specification areas (biodiversity, conservation legislation, habitat management, captive breeding, ecological processes, monitoring) - the synoptic breadth Level 5 requires.	
	• The conclusion ranks the methods and then steps back to the bigger picture (Living Planet Index, underlying drivers) - a supported judgement rather than a summary.	
	• A Level 3 essay would describe the same methods accurately but with fewer examples, little evaluation of enforcement or cost, and a conclusion that all methods are important.	

Do not write outside the box

Question	Marking guidance	Marks
11.2	**Discuss how an understanding of energy flow and the manipulation of food species can be used to increase food production sustainably.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Energy flow:** autotrophs and heterotrophs – losses by reflection, transmission, respiration – 100 000 to 1 000 units – few food chains beyond four levels – plant food most productive – grazing animals where crops impossible – pigs on wastes • **Energetics:** intensive vs extensive, law of diminishing returns, energy subsidies (fertiliser, pesticides, irrigation, machinery, drying, processing, transport), energy ratios, food conversion ratios, dependence on fossil fuels • **Control of genetics:** asexual reproduction / cuttings / cloning, selective breeding and breeds, cross-breeding and hybrid vigour, AI and embryo transfer • **GM:** Roundup Ready soya, Bt crops, golden rice, omega-3 oilseed rape – advantages – risks (gene transfer, antibiotic markers, allergies, costs to LEDC farmers, loss of local diversity)	25
	• **Sustainability links:** energy dependence, trophic level of diet, feeding 12 billion people • Justified conclusion on the balance between productivity, efficiency and sustainability *Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.* **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-328; AQA spec 3.5.1.2.	

Do not write outside the box